PRIAMUS

Serial Publication of the Centre for Entomological Studies Ankara

Volume 17 Part 2

08 09 2018

ISSN 1015-8243

http://zoobank.org/References/23B15F58-F5BB-40D1-9E26-851030F96028

A synonymous and distributional list of the Lepidoptera of Iraq based on the info-systems of the Cesa

Muhabbet Kemal ¹ Ahmet Ömer Koçak

Abstract: A synonymous and distributional list of the Lepidoptera of Iraq based on the infosystems of the Cesa. *Priamus* 17 (2): 114-208, 4 Tables.

Totally, 1236 species of the Lepidoptera in Iraq are listed here in alphabetical order. To each species, synonymous names are added chronologically. Separately, distributional information are given as codes. The following lepidopteran families, represented in Iraq, are mentioned with their species number: Adelidae (1), Arctiidae (19), Argynnidae (22), Autostichidae (13), Batrachedridae (2), Brachodidae (1), Bucculatricidae (1), Choreutidae (1), Cimeliidae (1), Coleophoridae (23), Cosmopterigidae (6), Cossidae (23), Ctenuchidae (6), Danaidae (1), Deoclonidae (1), Douglasiidae (1), Drepanidae (2), Epermeniidae (1), Ethmiidae (11), Gelechiidae (33), Geometridae (109), Glyphipterygidae (1), Gracillariidae (4), Hesperiidae (23), Lasiocampidae (15), Lecithoceridae (10), Lemoniidae (2), Libytheidae (1), Lycaenidae (51), Lymantriidae (9), Noctuidae (384), Notodontidae (10), Oecophoridae (14), Papilionidae (6), Pieridae (27), Psychidae (4), Pterolonchidae (1), Pterophoridae (11), Pyralidae (265), Saturniidae (1), Satyridae (26), Scythridae (5), Sesiidae (4), Sphingidae (22), Thaumetopoeidae (1), Thyatiridae (2), Tineidae (17), Tortricidae (38), Yponomeutidae (2), Zygaenidae (12). Faunal affinities of the Lepidoptera of Iraq with some neighbour countries are calculated here for the first time. A large number of publications related with the Lepidoptera fauna, taxonomy, bionomy etc of Iraq are also added as author index.

Key words: Lepidoptera, fauna, faunal affinities, range, list, Iraq.

The present paper is the first updated comprehensive list of the Lepidoptera, known from Iraq. Totally 1236 species with their synonyms and distributional codes are given in alphabetical order. They belong to 50 families. Numerical faunal affinities of Iraq with some neighbour countries are also calculated here for the first time (Table 1-3).

The list of the Lepidoptera is based on the info-system of the Cesa. ² It is given in two parts, butterflies and moths, and arranged in alphabetical order under their families. Synonymous names are given chronologically. Distributional information are mentioned as codes. The code list has been recently published by the authors (Koçak & Kemal, 2017). However, the updated codes list of Iraqi localities are also given here as Table 4 in the Appendix (pages 207-208).

The list of 808 publications contains mainly faunistic, taxonomic works, also numerous important studies indirectly related with the Lepidoptera researches in Iraq.

In the Appendix, a list of the codes of the 76 Iraqi localities, where various lepidopteran species have been recorded so far, is given. Examples are: 119 species from Abu-Ghraib (Agh), a single species from Akra (Akr), 14 species from Amadiya (Ama), 75 species from Amarah (Amr), 2 species from Azizieh (Azz), 3 species from Baguba (Bag), etc.

¹ Dr Muhabbet Kemal, Van Yüzüncü Yıl University, Faculty of Science, Dept. of Biology, Campus, Van / Turkey. e-mails: muhabbet_kemal@yahoo.com.tr - Prof. em. Dr Ahmet Ömer Koçak, c/o Van Yüzüncü Yıl University, Faculty of Science, Dept. of Biology. e-mail: cesa_tr@yahoo.com.tr -

² Info-systems of the Cesa: http://www.cesa-tr.org/Infos.htm

08 09 2018

Butterflies

Below, 157 species recorded from various parts of Iraq are listed alphabetically. They belong to 8 families.

The faunal affinities of the butterfly fauna of Iraq are calculated here for the first time by using Dice-Similarity Index (Table 1). The index values vary from 51 to 64%. It is interesting that the higher index value belongs to Lebanon, which is very far from Iraq.

Table 1 - Dice-similarity index among some neighbour countries.

| countries + total spp. | Iraq (157) | Jordan (90) | Syria (102) | Iran (423) | Turkey (412) | Lebanon (145) |
|------------------------|---------------|-------------|-------------|------------|--------------|---------------|
| common spp. | - | 52 | 72 | 149 | 152 | 98 |
| index | - | 42.10% | 55.59% | 51.37% | 53.42% | 64.90% |

Alphabetical List

Argynnidae

In this country, 22 species have been recorded so far.

- 1.Aglais urticae (Linnaeus,1758) (Argynnidae) Synonym(s): urticae Linnaeus,1758; opima Verity,1919; variegata Querci,1932; strandi Verity,1936. Range (as codes): AL Bn Kts AT Ba BE BG BY CH CN Co CZ DE Dj DK EE ES FI FR GB GR HU IE II IS IT KG LB LT LU LV MK MN NL NO PL PT RO RU Sa SE Sem SI SI SK Sm So Sr Ti Tk TR T-S UA Ui Uk VI YU Cw Dv Smt H-W Sur Ssx Ken Sr So Tt Sb Cb Kg Or Uk Aq Rk Kt Pp Kw Ty Om Pw No To Mu Kuz Sli At Mn Sp Tk As Tm Db Buc Ssn Tar Sau DsA TrA Ax KuA TeA Um Ku Kml Adu IQ IR Ab Jal Ak Elb Th Mz Kh GG AM AZ Smt Bku Cc US Msc Ny Arr Nra
- 2.Argynnis (Fabriciana) niobe (Linnaeus, 1758) (Argynnidae) Synonym(s): niobe Linnaeus, 1758 Range (as codes): Kz Elb Dam Gor AL Am At Sj Kts AT Aty Ba BE BG BY CH CN CZ DE DK EE ES FI FR GR HU Ir IT KG KK Kr LB LT LU LV MK MN NL NO PL PT RO RU Sb SE Si SK Sm So Sr Sz TR UA Ui Ku Um Adu Uk Vl YU Sau Tar DSA TrA KuA Ax Ket T-S AM GG AZ IQ IR IL TM Kp TJ His Drw Pm Al Mu Nv Ord Tbl Smt Bjo Cc Ab Jal Mz Gls Kh AF Bd Bqu Prw Pnj
- 3.Argynnis (Pandoriana) pandora ([Denis & Schiffermüller],1775) (Argynnidae) Synonym(s): pandora [Denis & Schiffermüller],1775; maja Cramer,1775 nec Fabricius,1775; cynara Fabricius,1777; cyrnea Schwerda,1926; transcaucasica Moucha ,1967; deserticola Gross & Ebert,1975. Range (as codes): AF AL AM At AT AZ BG B-H BY CH CN Cn Co Cr CZ DZ DE EE ES Fe FR GG GR HU HV IQ IR IT LB Kr MA MK PL PT RO RU Sa Si SK Sr SS TJ Pm TM TN TR T-S UA Ui UZ VI YU Z-G LAT Wn SY Aq Uk KG Nym Buc Ktm Sau Tar DsA Ket Bog Tu TeA KuA TrA Tm Ax KK Um PK Gg Ci Adr SSa Slh Mu Mu18 Um Ae CY T-S Ab Oru Elb Th Mz Gls Nv Ord Tbl Bjo Smt Cc Mos Lbs Agi Blid Taz Dju Tth Mage Abe Dje Khh Sbd Orn Tlm Hrh Dzc Azr Sora
- 4.Argynnis (s.str.) paphia (Linnaeus,1758) (Argynnidae) Synonym(s): paphia Linnaeus,1758; valesina Esper,[1798]; magnata Verity,1919; revelata Verity,1934; magnifica Verity,1919; magnificamagnata Verity,1950. Range (as codes): Ae AL Am At Kts AT Ba BE BG B-H BY CH CN Co CZ DE DK EE ES FI FR GB GR HU HV IE Ir IT JP Kb Kc KG KK KP Kr LT LU LV MK MA MN Mn NL NO Or PL PT RO RU Sa Sb SE Sh Si SK Sm So Sp Sr SS TR Arr T-S UA Ui Um Adu Uk Vl Ya YU Cw Dv Smt H-W Sur Ssx SY Kuz Sli Tar Ket DsA Sa DZ Mu Bn KuA TrA IQ Ama IR Ab Gh Mz Elb Cc AM GG AZ Geg Len Smt Bjo Aj Dja Dju Sbd Btna Lbs Clo Blid
- 5.Brenthis mofidii Wyatt,1968 (Argynnidae) Synonym(s): mofidii Wyatt,1968 Range (as codes): Elb IR Ab Mz TR IQ Er Ry
- **6.Euapatura mirza Ebert,1971** (Argynnidae) Synonym(s): mirza Ebert,1971; iwasei Igarashi,1971. Range (as codes): IQ Ama IR Ha Km TR
- 7.Issoria lathonia (Linnaeus,1758) (Argynnidae) Synonym(s): lathonia Linnaeus,1758; saturata Röber,1897; hungarica Aigner-Abafi,1906; florens Verity,1916; emiflorens Verity,1919; attenuata Sagarra,1926; nigroprivata Verity,1933. Range (as codes): Adr AF AL At Kts AT Ba BE BG B-H BY Ch CH CN Cn Co CZ DE DK DZ EE ES FI FR GB GR HU HV IE IR IT KG KK Kr LB Ld LT LU LV MA MK NL NO PK PL PT RO RU Sa SE Sem Si SK Sm So Sr SS TJ Tk TM TN TR T-S UA Ui Uk UZ VI YU NP SI Ken Tm Sau Tar DsA TrA KuA Ax TeA Mu Mu18 T-T Sz Ket PK Ci Nwf Sfk Bl MM Abb Mre IQ Cc GG AZ AM Nv MD Tls T-S Ab Ak Ahw Ar Ara B-A Bk Brz Bu By Dzf Es Fa Gh Gor Ha Hz 11 Kaz Kd Kh Km Kz Lo Ma Mz Qz Se Ss Th Yz Zj Gls Kh Nra Ifr Lkr Dju Agi Lbs Sbd Azr Hr Ng Lgh
- **8.Limenitis (Azuritis) reducta Staudinger,1901** (Argynnidae) Synonym(s): reducta Staudinger,1901. Range (as codes): Ac AL AM AT AZ BG B-H BY CH CO CZ DE ES Mu FR GG Cc GR HU HV IL 10 Ssa Sora IR Ab Ak Elb Fa Gls Kh IT JO Kp LB LU MK NL Rd RO RU Sa Si SK Sm Sr SS SY TM TR UA YU CY
- 9.Melitaea (Cinclidia) collina Lederer,1861 (Argynnidae) Synonym(s): collina Lederer,1861 Range (as codes): IL Pa IQ Ssa Shq LB SY TR IR Ab

- 10.Melitaea (Cinclidia) ornata Christoph,1893 (Argynnidae) Synonym(s): ornata Christoph,1893; uralensis Krulikowsky,1897 nec Evers.,1844; ufensis Krulkowsky,1902; lokris Fruhstorfer,1908; telona Fruhstorfer,1908; amanica Rebel,1917; emipunica Verity,1919; punicata Ragusa,1919; dorae Graves,1925; nigrogygia Verity,1939; enoch Higgins,1941; #asciata Wiltshire,1946; capreola Varga,1967; kovacsi Varga,1967; abbas Gross & Ebert,1975 Range (as codes): BG Slv Rh Bgz He ALb IL Pa Hf JO LB Elb Th Bk Fa Ke TR Cc SY IQ Ama Hjo Sora IR Shr At Bn Ao Bs KG Or RU Sr Tt Uk VI TR HU
- 11.Melitaea (Didymaeformis) didyma (Esper,[1779]) (Argynnidae) Synonym(s): didyma Esper,[1779]; cytheris Müschen,1781; neera Fischer de Waldheim,1840; meridionalis Stauding,1861; occidentalis Staudinger,1861; dalmatina Staudinger,1861; graeca Staudinger,1870; jaika Krulikowsky,1897; kasanskyi Krulikowsky,1901; mauritanica Oberthür,1909; mauretanica Oberthür,1909; patycosana Turati,1911; nisseni Rothschild,1913; interposita Rothschild,1913; oreithyia Fruhstorfer,1917; druentia Fruhstorfer,1917; lesora Fruhstorfer,1917; naina Fruhstorfer,1917; tarlonia Fruhstorfer,1917; seilemis Fruhstorfer,1917; marsilia Fruhstorfer,1917; cataprotea Verity,1929; libanotica Belter,1934; montium Belter,1934; variabilis Belter,1934; pontifex Bryk,1940; pfeifferi Bryk,1940; orinomus Rütimeyer,1942; boschmai Eisner,1942; ibra Higgins,1964; pseudolatonigena Yakovlev,2002 Range (as codes): Ae Al Am Ao Bn At AT AZ Ba BE BG B-H BY CH CZ DE EE SMu Abr FR GG GR HU HV Ii IL IQ IT Kr LB LT LU LV MK NL PL PT RO RU TV Ry Si SK Sm So Sr SS TR UA Uk VI MA DZ TN KK TeA KG TJ UZ AF CN Ui Ku MN T-S Ax KuA TrA Ket Mrk Sau Tar Sp Bg Hk Pm Ui Ku Cc Arr SY IL He Pa Hf Bsa Btna Sbd Eba Mkn Ouk Dju Tlm BSa Dhm Lbs Hrh Orn Phy Clo Azr
- 12.Melitaea (Didymaeformis) persea Kollar,[1849] (Argynnidae) Synonym(s): persea Kollar,[1849]; caucasica Staudinger,1861; dodgsoni Grose-Smith,1887; kaschtschenkoi Christoph,1889; paphlagonia Fruhstorfer,1917; magnacasta Verity,1929; araratica Verity,1929; sargon Hemming,1932; tauricus Belter,1934; hafiz Higgins,1941; afghana Heydemann,1954; darius Gross & Ebert,1975; sangdana Eckweiler,1981; jitka Weiss & Major,2000 Range (as codes): 10 Kro Su Bgd IR Ab Khy Zj Fa By Ke TR JO AF Kab Bl Nwf Ci Pj PK SY LB IL He Pa Hf Kp TM Cc AZ Nv Ord Arr
- **13.Melitaea (Didymaeformis) syriaca Rebel,1905** (Argynnidae) Synonym(s): syriaca Rebel,1905; pseudodidyma Rebel,1905; aabaca Fruhstorfer,1911; bloetei Eisner,1942 Range (as codes): LB Bei JO IL Pa Hf He SY TR GR Ae BG IQ Sora Koi
- 14.Melitaea (s.str.) arduinna (Fabricius,1787) (Argynnidae) Synonym(s): arduinna Fabricius,1787; rhodopensis Freyer,[1836]; uralensis Eversmann,1844; evanescens Staudinger,1886; #fulminans Staudinger,1886; kocaki Wagener & Gross,1976 Range (as codes): Aa AF At Bn Ba BG CN Db GR KG KK MK RO RU Sr TJ Tk TR Cc TS UA Ui UZ JO Buc Nym Ktm Tar Sau DsA TrA Tu Bog Mkk IR Ab Jal Zj Elb Th Lo IQ Sora
- 15.Melitaea (s.str.) cinxia (Linnaeus,1758) (Argynnidae) Synonym(s): cinxia Linnaeus,1758; abacus Retzius,1783; fulla Quensel,1791. Range (as codes): AL At Bn Kts AT Ba BE BG Hsk B-H BY CH CN CZ DE DK DZ EE ES Mu FI FR GB GR HU HV IT IQ IR Elb Ab Ak Fa Qz Ha KG Kr Ku LT LU LV MK MA MN NL NO PL PT RO RU SE Si SK Sm So Sr SS TR UA Ui Uk VI YU Sau Tar DsA TrA Mz GG AZ AM Nv Arr Ord Smt Bjo Tbl Cc MD T-S Ssa Shq Hjo Skj Sbd Ouk Azr Ifr
- 16.Nymphalis polychloros (Linnaeus,1758) (Argynnidae) Synonym(s): polychloros Linnaeus,1758; testudo Esper,1781; pyrrhomelaena Hübner,1824; pyromelas Freyer,1834; fervida Standfuss,1896. Range (as codes): Ae AL AM Cc Ao At AT AZ Ba BE BG B-H BY CH Cm Co Cr CZ DE DK DZ Dju Blid ES Mu FI FR GB GG GR HU HV IE IQ IR Ab Elb Mz Gor Gls IT KG Kp Kr MA Rf MK MT NO PL PT Rd RO RU Sa SE Si SK Sm So Sr SS TM TN TR UA UK VI YU Sur Ssx Ken LB SY PK Ci Nwf Haz Mre CY Da Der Len EE LT LU LV Sbd Mage Agi Orn Anna Blid Btna Khh Ktr Dhm Ght Lkr Hrh Dzc
- 17.Polygonia (Comma) c-album (Linnaeus,1758) (Argynnidae) Synonym(s): c-album Linnaeus,1758; g-album Fourcroy,1785. Range (as codes): AF AL At Bn Kts AT Ba BE BG BY CH CN Co CZ DE DK EE ES Mu FI FR GB GR HU IT KG Kr LB LT LU LV DZ MA TN MN NL NO PL PT RO RU Sa SE SI Si SK Sm So Sr Ti TR UA Ui Uk VI YU Cw Dv Smt H-W Sur Ssx Ken GG AZ AM Nv MD MK HV SS B-H MD Cc IQ Ama IR Mz Elb TH CMa Krd Hr Ab Gls Tgr Ouk Dju Agi Dhm Hrh Dzc
- 18.Polygonia (Comma) egea (Cramer,[1775]) (Argynnidae) Synonym(s): egea Cramer,[1775] (junior homonym); vaualbum Esper,1780; l-album Esper,1789; triangulum Fabricius,1793; autumnalis Stefanelli,1873; #balucha Evans,1932; #pallida Evans,1932. Range (as codes): Ae AF AL BG BY CH CN Co Cr FR GR IT LB MK MT Bl PK Haz Mre IN Kma RO RU Sa Si Sr TR UA Ui YU JO IR Ab Elb Mz Th Fa Ss Krd IQ Mos Sora Shq TM Kp Cc AM AZ GG Nv Ord Lag Smt Bjo IL Pa Hf
- 19. Precis (Junonia) orithya (Linnaeus,1758) (Argynnidae) Synonym(s): orithya Linnaeus,1758

 Range (as codes): TR BI BJ BW CF CG CI CM DJ EH ER ET GA GH GM GN GO Bio GW IQ Nsr Bji Bgd IR Lo Fa Ke JO KE KW LR LY MA MG ML MR MW MZ NA NE NG OM PK RW SA SD SL SN SO ST SZ TD TG TN TZ UG YE MG ZA Nta Kzu Ptb ZM ZR ZW SY IN LK MM Ci Mre Pj Nwf Pes Rw Cp Tra Tva Lpo Spb Lj Kru Dbn MZ ZW BW NA PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib SIQ Sis Tab Taw Tic Stu SG ID Sum Ja Bli Lb LS Baw Bor Clb Hn TH MY Lkw CMa Cuo Cuo7 Cu12 Cmz Cz11 Loe Nna Knc Cbi Sbu Non Phi Nrt Cbu Ray Pht Sgk Yal Tng Hya PSu Nst Ths AE AF AO BF BH MW Zom Koh Msr Swa Kkar Ng Jla
- **20.Thaleropis ionia (Eversmann,1851)** (Argynnidae) Synonym(s): ionia Eversmann,1851; ammonia Herrich-Schäffer,1851. Range (as codes): Kas Cc AM GG GR IQ SIf AZ Ord Nv IR TR
- 21.Vanessa (Cynthia) cardui (Linnaeus,1758) (Argynnidae) Synonym(s): cardui Linnaeus,1758; carduelis Cramer,1775; elymi Rambur,1829; kershawi McCoy,1868; pallida Schoyen,1881; japonica Stichel,1908; universa Verity,1919; takesakiana Kato,1925; jacksoni Clark,1927 Range (as codes): Ad Ae AF AL As At AT Az BE BG BH BY Ch Ch Co Cr Cy Cz DE Dh DK EE ES FI FR GB GR Hd Hj HU IE IL IN IQ IR IS IT JO KG KK KW LB Ld LT LU LV MN MT Mu Nf Nj NL NO PH PK PL PT QA Rd RO RU SA Sa SE SI SI SK SY TI TJ TM TR T-S UA UI UZ YE YU SS HV B-H MK Mt AO BF BI BJ BW BZ CF CG CI CM Cn DJ Dj DZ EG EH ER ET FP GA GH GM GN GO GW KE KM LR LS

LY MA MG ML MR MW MZ NA NE NG RW SC SD Sem SL SN SO ST SZ TD TG Tk TN TZ UG ZA ZM ZR ZW Cw Dv Smt H-W Sur Ssx Ken Cy LY Kts Tm Ci Um Sau Tar DsA TeA KuA TrA Ket Bn Ar Mu Mu18 GG AZ Nv AM MD NP Ab Ak Ahw Ar Ara B-A Bk Brz Bu By Dzf Es Fa Gh Gor Ha Hz Il Kaz Kd Kh Km Kz Lo Ma Mz Qz Se Ss Th Yz Zj Ke Luz Mno Neg Pal US MX Aks Alb Arz Cf Cnt Col Dw Fl Ge Id Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mon Mrl Msc Mss NCa NDk NMx Ne Neb Nh Nje Ny Oh Ok Org Pns RDi SDk Tnn Tx Ut Vi Vr WVi Wc Ws Wy Ord Nta Kzu Ptb Gau Pre Est Spb Lj Tva Lpo Mdk Ent Kru Pma Pf Pa Hf TH CMa SD91 SD119 MW Zom Arr Oru Jal Msw Kh KP KR JP Koh Msr Nra Bhh Ad SO Zai Ifr Rbt Saia Tlm Orn Agi Blid Ges Dje Ogl Bsk Ktr Btna BSa Tmn Ah Ajj Hrh Sfr Mzg Onç Ceg Gtt Rbt Azr Idl Ath Ng Jla Hr BlM Prw Pnj Sora Shq Koi

22.Vanessa (s.str.) atalanta (Linnaeus,1758) (Argynnidae) Synonym(s): atalanta Linnaeus,1758; amiralis Retzius,1783; #klemensiewiczi Schille,1896; #klimene Fischer,1896; italica Stichel,1900. Range (as codes): IL He Pa Hf Ae AL Ao At AT Az Ba BE BG B-H BY CH CN Co Cr CZ DE DK DZ EE ES FI FR GB GR HU HV IE IR IS IT JO KG Kp Kr LB LT LU LV MA MK MT NL NO PL PT Rd RO RU Sa SE Si SK Sm So Sr SS TM TN TR T-S UA Ui Uk VI YU Cw Dv Smt H-W PK Zh Bl Cc GG AZ AM CY US MX Sur Ssx Ken Cn Mu Mu18 Nv MD Elb Mz Gls CA GT CU HT NZ AU Aks Alb Arz Cf Cnt Col Dw Fl Ge Id Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mon Mrl Msc Mss NCa NDk NMx Ne Neb Nh Nje Ny Oh Ok Org Pns RDi SDk Tnn Tx Ut Vi Vr WVi Wc Ws Wy IQ Bgd Ab Blid Orn Agi Len Krn Ktr Cst Tun Tlm Tgr Hrh Hmk Mzg Tou Clo Sbd Rbt

Danaidae

In this country, a single species has been recorded so far.

23.Danaus (Anosia) chrysippus (Linnaeus,1758) (Danaidae) Synonym(s): chrysippus Linnaeus,1758; aegyptius Schreber,1759 Range (as codes): Ad AF AL AO As BF BH BI BJ CF CG CI CM Cr CY Dh DZ EG EH ER ES Mu ET GA GH GM GN GO Bio GR Rd GW Hd Hj ID IN IQ Dy IR IT JO KE KG KW LB LR LS LY MA ML MR Mu MZ NJ RW SA Sa SD SL SN SO ST SY SZ TM TN TR Ci Kz Ahw Hz Kru ZM Bl Si Cn KM MG Fa Kh BW BZ DJ GW MW MZ NA NE NG RW SC TD TG TZ UG ZA Nta Tva Cap Lpo Spb Mdk Ltr Hgl Ent NWe Mpu Fs Nca Ec ZR ZW Wca Kzu AL As Ptb Tug TH CMa Cm1 Cuo Cuo2 Cuo5 Cuo7 Cuo9 Cu10 Nan Knc Sbu Npt Bnk Ci CN Cp Cr Cu Dh Hd Hj ID IL Pa Hf IN IT KH Kma Kre KW Lh LK MM MT MY Nf Hr NJ NP OM PK Mre Bl QA SA Sa Sd SI Si SY VN YE PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Lj Gau Pre Mv Est Pma Pf Agh Nia Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia BlM Sib SIQ Sis Stu Tab Taw Tic Slo Wb Jh Wri Ire Wjk Ls Mlc Tim Tnm Bgd Ja Flo Sly Tan Kla Bng Tuk Bnr Sla Kbn Kgr Ben SI Clc Mhw Kma Mpr NI HK Lh Sd Cp Oi Chn Ton EG07 Nst Ths Tnga Usa Ani Etb Cp Dew MW Zom Ab Msr Haz Pes Bhh Gf Sfx Gha Omy Gtt Ng Jla Lgh ML

Hesperiidae

In this country, 23 species have been recorded so far.

- 24. Carcharodus (Reverdinus) orientalis Reverdin,1913 (Hesperiidae) Synonym(s): orientalis Reverdin,1913; centralanatolica Pfeiffer,1927; #aestatis Graves,1928; aestatis Verity,1928; postorientalis Verity,1928; maccabaeus Hemming,1932. Range (as codes): IL He Pa LB AL BG BY GR JO IQ IR Ab Qba Kh Gls MK RU TR Cc UA YU HV Mt
- 25.Carcharodus (s.str.) alceae (Esper,[1780]) (Hesperiidae) Synonym(s): alceae Esper,[1780]; malvae Hufnagel,1766 nec Linn.,1758; malvarum Hoffmannsegg,1804; magnaustralis Verity,1924; corsicus Picard,1948.

 Range (as codes): AF AL AM Ao AT AZ Len Ba BE BG BY Ch Ci CN Co Cr CZ DE ES FR Gg GG GR Rd Gs Hd Hp HU IN IQ IR IT KG Kr Ku LB Ld LU MA Mre Haz Mus NL Pag PK PL PT RO RU Sa Si SK Sm Sml So Sr TM TN TR UA Ui Uk Up VI YE YU Mt Ko MK SS At Mn Sp Tk Aa Tm Sau Tar DsA Ax Tls Ng Hr Kab T-S Mu CH HV B-H DZ Bn CY IL Pa Hf Cc Arr Ab Ak Shf Gls Gor Kh Nar Shq Er Koi
- **26.Eogenes alcides Herrich-Schäffer,[1852]** (Hesperiidae) Synonym(s): alcides Herrich-Schäffer,[1852] Range (as codes): T-S Bl Ci CN Cc GG AM AZ NV Ord IR Ab Mz Kh IO Kp PK TM TR Ui Ii Tk KG
- 27. Eogenes lesliei (Evans,1910) (Hesperiidae) Synonym(s): lesliei Evans,1910; lesliei Evans,1926 Range (as codes): Ci IQ Mnf PK TR IR AF Ng Kab Ca
- 28.Erynnis (Hesperopegasus) marloyi (Boisduval,[1834]) (Hesperiidae) Synonym(s): marloyi Boisduval,[1834]; sericea Freyer,1838; rustan Kollar,[1849]. Range (as codes): AF AL BG GR IQ Rwz Shq IR Ab Qba Kp Fa Shr Kh LB MK RU TM TR Cc
- 29.Erynnis (s.str.) tages (Linnaeus,1758) (Hesperiidae) Synonym(s): tages Linnaeus,1758; morio Scopoli,1763; geryon Rottemburg,1775; subclarus Verity,1921. Range (as codes): At AL AT Ba BE BG BY CH Cr CZ DE DK EE ES An Mu Mu18 FR GB GR HU IE IQ Sora IR Ab IT KG Kr LB LT LU LV MN NL NO PL PT RO RU Sb SE SK Sm So Sr TR UA VI YU Cw Dv Smt H-W Sur Ssx Ken Mt Ko MK SS HV B-H Mn Sau Tar CN Sz Ui Cc
- 30. Gegenes nostrodamus (Fabricius,1793) (Hesperiidae) Synonym(s): nostrodamus Fabricius,1793; proclea Walker,1870; karsana Moore,1874; #nostradamus Rothschild,1913; pumiliominima Verity,1931; megalegyna Verity,1940 Range (as codes): Ad AF AL As Ben BH Bl Br Ci Cr Cu Dh DJ EG ET ER ES Mu Mu18 GR Rd Hj HV IN IT IQ Bgd Nsr JO KW LB IL Pa Hf MK Nwf OM Pj PK PT QA Rjp SA Sd Si SO SY TM TR Up UZ YE YE60 YU HV B-H Mt DZ MA Rbt Azr Agi Eba Sbd Bsk Gha Ajj Clo TN Cp Rw Nwf Ksl Ato SD
- **31.Gegenes pumilio (Hoffmannsegg,1804)** (Hesperiidae) Synonym(s): pumilio Hoffmannsegg,1804; pygmaeus Cyrilli,1787 nec Fabr.,1775; aetna Boisduval,1840; lefebvrii Rambur,1842; monochroa Rebel,1907. <u>Range</u>

- (as codes): He IL AL Bl Ci ES Mu FR GR Rd HV AF Hr BlM Ng Hyb IN IT JO Kul MT Nwf Pj PK Si Sk TR Up Wa YE YU Mt DZ Agi Clo MA TN IQ Er Koi IR CY
- 32.Hesperia comma (Linnaeus,1758) (Hesperiidae) Synonym(s): comma Linnaeus,1758; virgula Retzius,1783; alpina Bath,1896; galliaemeridiei Verity,1928; alpapennina Verity,1928; alpiumflava Verity,1928; macrocomma Verity,1928; superalpina Verity,1928; atralpina Verity,1928. Range (as codes): AF AL KK At Kts AT Ba BE BG Bqu Btn BY B-H CH Ci CN CZ DE DK EE ES FI FR GB GR HU HV IN IT Ju Kbb Ku Ld Lho LT LU LV MK NL No NO PK PL PT RO RU SE Sha Si SK Sm So Sr Sz TR Ts T-S T-T SS UA Ui Up VI Yu YU Sur Ssx Mt Ko MA DZ KG Uk Rk Pw Om Mn Sp Or Bs Afr Lkr Ouk Lbs Tgz Mu Bn Amd Kg Ur Sb Tt TJ Pm Al DsA KuA TrA Tls Ax Ket IQ LB Cc GG Smt Bjo Kak Lag US MX Arz Cf Col Id Mai Mch Mns Mon NDk NMx Ne Neb Nh Org SDk Ut Wc Ws Wy Ab
- 33. Muschampia nomas (Lederer, 1855) (Hesperiidae) Synonym(s): nomas Lederer, 1855 Range (as codes): LB Bei SY IQ Shq Sh TR IL He
- **34.Muschampia poggei (Lederer,1858)** (Hesperiidae) Synonym(s): poggei Lederer,1858; ioan B.C.S.Warren,1926 Range (as codes): GG Cc 1Q Slh IR Ab LB SY TR AM NV AZ
- 35.Muschampia proteides (F.Wagner,1929) (Hesperiidae) Synonym(s): proteides F.Wagner,1929; lycaonius F.Wagner,1929; sovietica Sichel,1964; lycaonius Benjamini & Avni,2001 [misident.]; #lycaomius Benjamini & Avni,2001 Range (as codes): Cm IQ IR Ab JO KG Kr LB MK Pa RU Sr TR UA Uk KG Cc AM IL Pa Js Nab JO SY He LB Bei Zah Baa
- 36.Muschampia tersa Evans,1949 (Hesperiidae) Synonym(s): tersa Evans,1949 Range (as codes): Cc AZ Nv Dk Fa IQ Ry IR Ab Khy Th TR
- 37.Ochlodes venatus (Bremer & Grey,[1852]) (Hesperiidae) Synonym(s): venatus Bremer & Grey,[1852] Range (as codes): IR By Th Lo Ak Ab AL AT Ba BG BL BY CH CN CZ DE DK EE ES FI FR GB GR HU IT Kr LT LU LV Mc Na NL NO PL PT RO RU SE Si SK Sm So Sr Sz Ti TR Ts T-T UA Ui VI Vv Yu Cw Dv Smt H-W Sur Ssx Ken Mt Ko B-H HV SS MK SY KK KG Or Uk Bs Tr Cb Kg Ty Kw Pw Om No At Mn T-S Am Amd Ao Kts Mu Sp Tk At Bn Aa Db Kuz Sli Sau Tar DsA Ket Tu TeA KuA TrA Tls Ax 1Q LB Cc Sro
- 38.Pelopidas thrax (Hübner,[1821]) (Hesperiidae) Synonym(s): thrax Hübner,[1821]; midea Walker,1870 Range (as codes): SD ET SO DJ KE UG SZ ZA Nta Kzu Ptb Tva Lpo Gau Mal Spb Mdk Kru Pf Ec Wca Fs Mpu Kny OM Cu CY EG IL Pa IN IR Ab Ak Tbz IQ JO Kre Lhj MM Mpr PK SA Bhh Sd SI SY TR YE
- 39.Pyrgus armoricanus (Oberthür,1910) (Hesperiidae) Synonym(s): armoricanus Oberthür,1910; petheri Romei,1927. Range (as codes): Al At Ba Be BG B-H BY CH Co Cr CZ DE DK ES Mu FR GR HU HV IT MK NL PL LB PT RO RU Sa SE Si SK SS TR Cc UA YU Mt Ko Ur Kp TM IR Ab Kh IQ MA Ifr DZ Agi
- 40.Pyrgus serratulae (Rambur,[1839]) (Hesperiidae) Synonym(s): serratulae Rambur,[1839]; caecus Freyer,1846; occidentalis Lucas,1910 nec Skinn.,1906; planorum Verity,1925; magnagallica Verity,1931; plurisignata Silbernagel,1946; arvernensis Picard,1948. Range (as codes): AL AT Bn At Ba BG B-H BL BY CH CZ DE DK EE ES Mu FR GR HU HV Ir IT KG Kp LB LT LU LV MK PL PT Py RO RU SK So Sr SS TM TR UA Uk VI YU Mt Ko Cc GG AM IR Ab Kh IQ Sau Tar Mn CN Ui
- 41.Spialia (Neospialia) orbifer (Hübner,[1823]) (Hesperiidae) Synonym(s): orbifer Hübner,[1823]; tesselloides Herrich-Schäffer,[1845]. Range (as codes): AF AL At Kts Ba BG BY CN GR HU HV JO IQ IR LB KG KK Kr MK RO RU Si SK Sm Sr SS TR AM UA Ui VI YU Mt Ko Mn Sp Tk Aa Syr Tm Sau Mrk Tar TrA DsA Ax TeA Bl Ci Gg Kab Nwf Pag PK Sju Qu Urk Zi Shs Sng She Gor Mrw Man Nmg Br Smk Bsa Bei Aiz Zah Js Shq Dk Krd Shq Koi Slh Km Amm Hal Dms Bld UA Cm Th T-S IL Pa Hf Rd Cc Ab Ak Msw
- **42.Spialia (s.str.) osthelderi (Pfeiffer,1932)** (Hesperiidae) Synonym(s): osthelderi Pfeiffer,1932 Range (as codes): AF IQ Su Dy TM TR Kp LB Bsa IR Ab Shr Ke Fa Kdj Se Msh Kh KK SY T-S Sus
- 43.Thymelicus acteon (Rottemburg,1775) (Hesperiidae) Synonym(s): acteon Rottemburg,1775; heydeni Plötz,1884; clara-obsoleta Tutt,1920; phoenix Graves,1925; aurescens Verity,1948. Range (as codes): DZ Tlm Taz Orn Csb MA TN AL AT Ba BE BG B-H Bv Bw CH Cr CZ DE ES Mu FR GB GR Rd HU HV IT LU MK NL PL PT RO Rp RU Si SK Sr SS TR Cc YU Ssx He CY IL Pa Hf IQ IR Ab LB SY Mt Ko Mu18
- 44.Thymelicus lineolus (Ochsenheimer,1808) (Hesperiidae) Synonym(s): lineolus Ochsenheimer,1808; virgula Hübner,1813 nec Retz.,1783; ludoviciae Mabille,1883; pallida Tutt,1896; clara Tutt,1905; hemmingi Romei,1927; melissus Zerny,1932; fornax Hemming,1934 Range (as codes): At Kts AF AL AO AT Ax Ba BG B-H BL BY CH CN CO CZ DE DK EE ES FI FR GB GR HU HV IL IR IT JO KG KK LB LT LU LV MA MK NL NO PA PL PT RO RU SE Si SK Sm SO Sr SS TM TR T-S UA Ui Uk VI YU Sur Ssx Ken Mt Ko DZ TN Or Bs Tt Cb Kg Ty Kt Rk Pw Ka Sp Mn No Tk Aa Slh Mu Aq Bn Tm Kuz Sli Sau Tar DsA Ax Tls TrA T-S GG AZ Nv Ord Smt Bjo Cc IQ Mos US Cnt Col Dw Id Idp Iln Io Knt Mai Mch Mis Mns Mon Mrl Msc NCa NDk Neb Nh Nje Ny Oh Pns RDi Tnn Vi Vr WVi Wc Wy Ab Sro Jal Kh Ifr Lbs Afr Ges Lkr Ouk Dju Hr BlM
- **45.Thymelicus novus (Reverdin,1916)** (Hesperiidae) Synonym(s): novus Reverdin,1916 Range (as codes): 10 IR TR
- 46. Thymelicus sylvestris (Poda,1761) (Hesperiidae) Synonym(s): sylvestris Poda,1761; flava Brünnich,1763; linea Müller,1764; thaumas Hufnagel,1766; divaricatus Fourcroy,1785; venula Hübner,[1813]; obscura Verity,1905 Range (as codes): AL AT Ba BE BG BY CH CZ DE DK EE ES Mu FR GB GR HU IT JO Kr LB LT LU LV MK NL PL PT RO RU Si SK Sm So Sr TR UA VI YU Cw Dv Smt H-W Sur Ssx Ken MA DZ IR Ab Kh Gls Cc GG AZ AM SY IQ Slh Mnf Ur Or Bs Sora Er Shq Koi

Libytheidae

In this country, a single species has been recorded.

47.Libythea (s.str.) celtis (Laicharting,1782) (Libytheidae) Synonym(s): celtis Laicharting,1782

Range (as codes): AL AT BG B-H Bw BY CH Cr CY DZ Clo Blid TN ES Mu FR GR HU HV IQ IR Ab Elb Gls IT Kp MK
PK Ci Nwf PT RO RU Sa Si SK SS TM TR Cc UA YU TrA Ax Tls KG CN TW JP KP KR T-S

Lvcaenidae

In this country, 51 species have been recorded so far.

- **48.Callophrys danchenkoi Zhdanko,1998** (Lycaenidae) Synonym(s): danchenkoi Zhdanko,1998 Range (as codes): Cc AM Alg Eri IR Ab Ak Msw Elb Fa Ke Zj SY Dms TR IQ Ssa
- 49.Callophrys rubi (Linnaeus,1758) (Lycaenidae) Synonym(s): rubi Linnaeus,1758; caecus Fourcroy,1785; virgatus Verity,1913; herculeana Pfeiffer,1927 Range (as codes): Ae AL AM At Bn AT AZ Ba BE BG BY CH CN Co CZ DE DK EE ES Mu Mu18 FI FR GB GG GR HU IE IQ IR IT KG Kp LB LT LU LV MK NL NO PL PT Rd RO RU Sa SE Si SK Sm So Sr TM TR UA Ui Uk VI YU Cw Dv Smt H-W Sur Ssx Ken MA DZ TN TrA Sau Tar DsA PK Ci Nwf Bl T-S Cc Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm Arr Dju Ifr Clo Orn
- 50.Celastrina argiolus (Linnaeus,1758) (Lycaenidae) Synonym(s): argiolus Linnaeus,1758; cleobis Sulzer,1776; thersanon Bergsträßer,1779; argyphontes Bergsträßer,1779; argalus Bergsträßer,1779; marginatus Retzius,1783; acis Fabricius,1787 nec Dru.,[1773]; #parvipuncta Fuchs,1880; calidogenita Verity,1919; britanna Verity,1919. Range (as codes): He IL Ae AL AM Ao At AT AZ Ba BE BG BY CH CN Co Cr CY CZ DE DK DZ EE ES FI FR GB GG GR HU IE IQ IR IT KG KK KU LT LU LV MA MK MT NL NO PL PT Rd RO RU Sa SE Si SK Sm So Sr TM TN TR UA UI UK VI YU Cw Dv Smt H-W Sur Ssx Ken SY Kuz Sli DsA TrA KuA Ax Sau Ta JP MN KP KR TW Yu PH Luz Vv Sh Buc Mrk US CA MX PA LB Sj AF Als Ssk Mnt Mon Wc Nfl Ti Btn Ats BCo Cf Ut Ne NMx PA GT Us Mc Bry Ok SCa Tx Ge Lou Kan Aks Mss Alb Bn T-S Ab Ak Elb Th Ha Fa Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm MX Arz Cf Cnt Col Dw Fl Id Idp Iln Knt Mai Mch Mis Mns Mon Mrl Msc NCa NDk NMx Ne Neb Nh Nje Ny Oh Org Pns RDi SDk Tnn Ut Vi Vr WVi Wc Ws Wy Nsr TH CMa CDo MM NP IN Clc SI Slo Ass VN Ann Cc Arr Shf Agi Ssa
- 51.Chilades (Freyeria) trochylus (Freyer,[1843]) (Lycaenidae) Synonym(s): trochylus Freyer,[1843]; #trochilus Herrich-Schäffer,[1845]; parva Murray,1874; persa Bytinski-Salz & Brandt,1937; #supraradiata Wagner,1931 Range (as codes): Ad AE AF AO AS BF BH BI BJ BW CF CG Chi CI CM Cr Dh DJ DZ EG EH ER ET GA GH GM GN Bio GR GW Hd Hj IL IN IQ IR JO KE KW LB LR LS LY MA ML MM MR Mu MW MZ NA NE Nf NG Nj OM PK QA Rd RW SA SD SL Sms SN SO ST SY SZ TD TG TN TR ZA Gau Ptc Lpo Tva Spb Mdk Ent TM TZ UG YE ZM ZR ZW AU MY PG PH Luz VN Pa Hf He Ci Ato Kba Ab Elb Th Kp Fa Ss Kru Pma Cc CY LK Ng Jla Bl Sora
- 52.Chilades (Lachides) galba (Lederer,1855) (Lycaenidae) Synonym(s): galba Lederer,1855 Range (as codes): AF Hr BIM BH CY IL IQ Agh Bag Su Sora Koi Chom Er Cc AZ IR Ab Fa Km Lo JO KW LB Bei Nf Nj QA SA SA78 SY TR AE PK Wa Bl Pm TJ
- **53.Cigaritis cilissa Lederer,1861** (Lycaenidae) Synonym(s): cilissa Lederer,1861; minima Staudinger,1901 Range (as codes): 10 Ry TR LB IL Pa IR
- **54.Cigaritis epargyros (Eversmann,1854)** (Lycaenidae) Synonym(s): epargyros Eversmann,1854 Range (as codes): T-S AF Hr Aq CN Db IQ Su IR Lo Km Ab Ak KG KK Kp Ky PK Bl Tk TM Ui UZ Ii RU At Am
- **55.Cigaritis uighurica Kemal & Koçak,2005** (Lycaenidae) Synonym(s): maxima Staudinger,1901 nec Elw.,1892; uighurica Kemal & Koçak,2005; ottostaudingeri Weidenhoffer & Bozano,2007 Range (as codes): IQ IR Zj Fa Ke TR
- **56.Glaucopsyche (Iolana) lessei Bernardi,1964** (Lycaenidae) Synonym(s): lessei Bernardi,1964; christinae Betti,1977; cappadocia Betti,1977 Range (as codes): Cc TR IQ Ssa LB
- 57. Glaucopsyche (s.str.) alexis (Poda,1761) (Lycaenidae) Synonym(s): alexis Poda,1761; damaetas [Denis & Schiffermüller,1775; #sublugens Strand,1909; #insulicola Turati & Fiori,1930; mironi Coutsis,1976. Range (as codes): AF AL AM AT At Bn Cc AZ Ba BE BG BY CH Co CZ DE DK DZ Afl Lbs Btna EE ES Mu Mu18 FI FR GG GR Rd HU Ii IT KG Ku LT LU LV MK NO PL PT RO RU SE Si SK Sm So Sr TM TN TR Arr LB IQ Ssa Rwz Shq Sora Koi UA Uk VI YU He IL Pa Hf IR Ab Jal Th
- 58.Lampides boeticus (Linnaeus,1767) (Lycaenidae) Synonym(s): boeticus Linnaeus,1767; damoetes Fabricius,1775; coluteae Fuessly,1775; pisorum Fourcroy,1785; boedicus Borkhausen,1788; #baeticus Latreille,1809; armeniensis Gerhard,1886; bagus Distant,1886 Range (as codes): Ae AF AL AM AZ AZ Ba BE BG BH B-H BY CH CN Co Cr CY DE DK DZ EG ES FR GG GR HU IL IN IQ IR IT JO Kab Kbb KG KK KW LB Ld LY MA MK MN MT NL OM Pag PK Cp PT QA Rd RO RU SA Sa Si SK Sm So Sr SW SY TJ TM TN TR UA AE UZ YE YU Cw Dv Smt H-W Sur Ssx Ken Cy Ao Mu18 Ci He Ket DsA Tls TrA Cp T-S Ab Ak B-A Bk Brz Bu By Es Fa Gh Gor Ha Hz Il Kaz Kd Kh Km Kz Lo Ma Mz Qz Se Ss Th Yz Zj Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm PG Vu Dmp PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib SIQ Sis Stu Tab MW Zom ZA Tva Lpo Spb Lj Mdk Kru Pma Pf Nta Kzu Ptb Fre Gau Pre Jh Brn Mpu US Pa Hf TH CMa Cuo Cuo7 Cu12 Lmp Sgk Hya PSu Nst Chw Ths Sya Bnk Kci MY Lkw IN Ass MM VN Hw SD SD91 SD119 Bgd Cc SO Zai Ad DZ Ah Agi Anna Orn Sbd Ges Ng Jla Lgh Kab Hr BlM ML Bgd Sora Koi Shq

- 59.Lycaena (Alciphronia) alciphron (Rottemburg,1775) (Lycaenidae) Synonym(s): alciphron Rottemburg,1775; lampetie [Denis & Schiffermüller],1775; hiere Fabricius,1787. Range (as codes): AL Cc AM Bn At Kts AT AZ Ba BG Bry BY CH CN Ui MN CZ DE DK EE ES Mu FR GG GR HU 10 IR Ab Ak Elb IT KG LT LV PL PT RO RU Si SK Sm So Sr TR T-S UA Uk VI YU KK Or Cb Ty Om Sp Tk Aa Rk Aq Tar Sau DsA Ket KuA TrA Nrk
- 60.Lycaena (Loweia) tityrus (Poda,1761) (Lycaenidae) Synonym(s): tityrus Poda,1761; acrion [Brünnich],1763; orientalis Staudinger,1881; argentifex Balint,1990. Range (as codes): AF Ca AL Cc AM Bn At AT AZ Ba BE BG BY CH CZ DE DK EE ES FR GG GR HU IQ Hjo Chom Koi Shq Er IR Ab Ak Msw Elb Th Ha IT LB LT LU LV MK NL PL PT RO RU SK Sm So Sr TR UA YU KG Tt Uk Aq Rk Ka Pw Om Sp Tk DsA Tar Lps CN Ui
- 61.Lycaena (s.str.) phlaeas (Linnaeus,1761) (Lycaenidae) Synonym(s): phlaeas Linnaeus,1761; virgaureae Fourcroy,1785 nec Linn.,1758; eleus Fabricius,1798; aestivus Zeller,1850; schmidtii Gerhard,1853 Range (as codes): Ad Ae AF AL AM Ao As At AT Aty AZ Ba BE BG BY CH Cm CN Co Cr CY CZ DE DK EE ES FI FR GB GG GR HU IE IL IN IQ IR IT JO KG Kgs KK Kmt Ku LB Ld LT LU LV MK MN MT NL NO PK PL PT Rd RO RU SA Sa SE Si SK Sm So Sr SY Ti TJ Tk TM TR UA Ui Uk Vl YE YU Cw Dv Smt Mu18 Bn Cy LY H-W Sur Ssx Ken MA DZ TN Pm Bik Ci Bl Ca Cp Sau Tar DSA Ax TrA KuA TeA Ket T-S Pes Mre Mus Krl JP US Cf UG ZR ET Md Mon Abt CA Msc Ab Ak B-A Bk Brz Bu By Es Fa Gh Gor Ha Hz Il Kaz Kd Kh Km Kz Lo Ma Mz Qz Se Ss Th Yz Zj Prj Us Pa Hf Sml Arr Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm US Aks Cf Cnt Col Dw Ge Id Idp Iln Io Kan Knt Mai Mch Mis Mns Mon Mrl Msc NCa NDk NMx Neb Nh Nje Ny Oh Ok Org Pns RDi SDk Tnn Ut Vi Vr WVi Wc Wy Um Adu Bgd Cc Msw Qba Bhh Gha Azr Rbt Ges Ng Jla Hr BlM Sora
- **62.Lycaena (Thersamonia) asabinus (Gerhard,[1850])** (Lycaenidae) Synonym(s): #helius Herrich-Schäffer,[1851]; asabinus Herrich-Schäffer,[1852]. Range (as codes): Cc GG IQ Hjo IR Ab Jal Qba LB TR
- 63.Lycaena (Thersamonia) kefersteinii (Gerhard,[1850]) (Lycaenidae) Synonym(s): kefersteinii Gerhard,[1850]; phaeton Freyer,[1850]; #ochimus Herrich-Schäffer,[1851]; ochimus Herrich-Schäffer,[1852]. Range (as codes): He IL LB TR IQ Ssa Hjo IR Ab Khy Ak Sah Elb Th Cc GG Ru Smt Akh Sah Zj Mz
- **64.Lycaena (Thersamonia) kurdistanica (Riley,1921)** (Lycaenidae) Synonym(s): kurdistanica Riley,1921 Range (as codes): AF Hr BIM IR Ak Ab Sro Shf Jal Krd Km IQ Hjo TR LB AM Cc
- 65.Lycaena (Thersamonia) thetis (Klug,1834) (Lycaenidae) Synonym(s): thetis Klug,1834. Range (as codes): GR IQ IR Ab Sro Qba Elb Th LB Cc TR Arr
- **66.Plebejus (Kretania) iranicus (Forster,1938)** (Lycaenidae) Synonym(s): iranicus Forster,1938 Range (as codes): AF IR Ak Ab Jal Elb Ke Kp TM TR IQ
- 67.Plebejus (Plebejides) zephyrinus (Christoph,1884) (Lycaenidae) Synonym(s): zephyrinus Christoph,1884 Range (as codes): TR Cc AZ Nv Ord GG IQ Ssa Sora IR KG Kp TM Sau Mn Ak Ab Elb Mz Lo Fa Shr RU T-S Ax Fe UZ
- 68.Plebejus (s.str.) argus (Linnaeus,1758) (Lycaenidae) Synonym(s): argus Linnaeus,1758; aegon Denis & Schiffermiller,1775; plouharnelensis Oberthür,1926; pulchraphilonome Verity,1931. Range (as codes): AL Ao At Bn Kts AT Ba BE BG BY CH CN Co CZ DE DK EE ES Mu FI FR GB GR HU IT IR Elb Ab Ak IQ KG Ku LT LU LV NL NO PL PT RO RU Sa SE Si SK Sm So Sr TR Cc GG Smt Akh AZ AM UA Ui Kml Uk Vl Ya YU Cw Dv Smt H-W Sur Ssx Ken Kuz Sli Sau Tar Mn Mgd KP KR JP Sh Us Arr Shf Khy AF Kab
- 69.Polyommatus (Albulina (Plebejidea)) loewii (Zeller,1847) (Lycaenidae) Synonym(s): loewii Zeller,1847; empyrea Gerhard,[1851]; gigas Staudinger,1871; #robusta Turati & Fiori,1930; germaniciae Pfeiffer,1932; dzhegamati Sheljuzhko,1934. Range (as codes): Nwf Ci Bl Chm Bm Kab AF Cc AM AZ EG GG Smt Akh GR IL IQ IR Ab Ak Msw Zj By Fa Elb Th JO Kc KG KK LB Nf Nj OM PK Rd RU SA SY TJ TM TR Ld Ng Hr Log Kab
- 70.Polyommatus (Albulina (Vacciniina)) alcedo (Christoph,1877) (Lycaenidae) Synonym(s): alcedo Christoph,1877 Range (as codes): Cc AM AZ IR Ab YZ Elb Ke TR IQ
- 71.Polyommatus (Aricia (s.str.)) agestis ([Denis & Schiffermüller],1775) (Lycaenidae) Synonym(s): medon Hufnagel,1766 nec Linn.,1763; alexis Rottemburg,1775 nec Poda,1761; agestis [Denis & Schiffermüller],1775; astrarche Bergsträßer,[1779]. Range (as codes): AL AM Ao At AT AZ Ba BE BG B-H BY CH CN Co Cr CZ DE DK FR GB GG GR ES Mu HU HV IL 1Q IR ÎT JO KG KK Ku LB LT LU MK MT NL PL Rd RO RU SE SI SK Sm So Sr SS SY Tk TM TR T-S UA UI UK VI YU Cw Dv Smt H-W Sur Ssx Ken LAT Wn Sau Tar DsA TrA Ax T-S PK Nwf Ci Mre Haz IN Kma Bl Sml Hp Ch CY Ab Sro Msw Qba Ak Elb Th Kp Fa Cc Arr AF Hr Chom Er Sora Koi
- 72.Polyommatus (Aricia (Ultraaricia)) crassipunctus (Christoph,1893) (Lycaenidae) Synonym(s): crassipunctus Christoph,1893; #crassipunctata Seitz,1909. Range (as codes): Cc AM IQ IR Ab Ak Nv Elb Th Es TR
- 73. Polyommatus (s.str. (Agrodiaetus (Actisia))) pseudactis (Forster,1960) (Lycaenidae) Synonym(s): pseudactis Forster,1960 Range (as codes): Cc AM Eri IR Gor Ab Khy IQ Ry TR Arr
- 74. Polyommatus (s.str. (Agrodiaetus (Admetusia))) alcestis (Zerny,1932) (Lycaenidae) Synonym(s): alcestis Zerny,1932; ahmadi Carbonell,2001; karacetinae Lukhtanov & Dantchenko,2002. Range (as codes): IL He Pa Cc AM GG IO Sora IR Ab Ak Mrd Zj LB TR SY Bld
- 75.Polyommatus (s.str. (Agrodiaetus (Antidolus))) mithridates (Staudinger,1878) (Lycaenidae) Synonym(s): mithridates Staudinger,1878 Range (as codes): TR Cc IQ
- 76.Polyommatus (s.str. (Agrodiaetus (Musa))) wagneri (Forster,1956) (Lycaenidae) Synonym(s): wagneri Forster,1956 Range (as codes): TR Cc 1Q IR

- 77. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) phyllis (Christoph,1877) (Lycaenidae) Synonym(s): phyllis Christoph,1877 Range (as codes): Cc RU Da AM AZ IR Elb Shh Nv TR IQ GG
- 78. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) vanensis (De Lesse,1957) (Lycaenidae) Synonym(s): vanensis De Lesse,1957 Range (as codes): TR IQ Er Ry Cc AM IR Ak Ab GG
- 79.Polyommatus (s.str. (Agrodiaetus (Transcaspius))) zapvadi (Carbonell,1993) (Lycaenidae) Synonym(s): zapvadi Carbonell,1993 Range (as codes): TR 10
- 80.Polyommatus (s.str. (Cyaniris)) bellis (Freyer,[1842]) (Lycaenidae) Synonym(s): bellis Freyer,[1842] Range (as codes): AM GG Cc IR Ab Ak Elb Th Gor Se TR SY LB IQ He IL Pa
- 81.Polyommatus (s.str. (Lysandra)) bellargus (Rottemburg,1775) (Lycaenidae) Synonym(s): bellargus Rottemburg,1775; thetis Rottemburg,1775 nec Dru.,1773; adonis Denis & Schiffermüller,[1775]; salacia Bergsträßer,1779; venilia Bergsträßer,1779; hyacinthus Lewin,1795; urania Gerhard,[1851]; persemagna Verity,1937; arentissima Verity,1937; arens Verity,1937; arentior Verity,1937; antearentior Verity,1937; parabellargus Verity,1939; shakla Higgins,1958 Range (as codes): AL AM AT AZ Cc Arr BG B-H BL BY CH CZ DE EE ES Mu Mu18 FR GB GG GR HU HV IQ Hjo IR Ab LB IT LT LU LV MK PL PT RO RU Si SK Sm So Sr SS TR UA VI YU Cw Dv Smt H-W Sur Ssx Ken
- 82.Polyommatus (s.str. (Meleageria)) daphnis ([Denis & Schiffermüller],1775) (Lycaenidae) Synonym(s): daphnis [Denis & Schiffermüller],1775; endymion [Denis & Schiffermüller],1775 nec Fabricius,1775; meleager Esper,1778; dalmatina Wagner,1909. Range (as codes): Aq Sms AL Cc AM AT AZ Ba BG B-H BY CH CZ DE ES FR GG GR HU HV Zad IQ IR Ab Ak Mrd Qba Sro Lo Ha Elb Th Gor IT KG LB MK PL RO RU Si SK Sm So Sr SS SY TR UA VI YU LAT Wn
- **83.Polyommatus (s.str. (Neolysandra)) alticola (Christoph,1893)** (Lycaenidae) Synonym(s): alticola Christoph,1893; alexander Higgins,1981 Range (as codes): Cc AM TR IQ IR Ak Ab
- 84.Polyommatus (s.str. (Plebicula)) amandus (Schneider,1792) (Lycaenidae) Synonym(s): icarius Esper,1789 nec Rottemburg,1775; amandus Schneider,1792 Range (as codes): Lsb Bn At AL AM AT AZ Ba BG BY Cc CH CN CZ DE DK EE ES FI FR GG GR HU IQ Ssa IR Ak Ab Jal Elb Th IT KG KK LB LT LV NO PL RU SE SI SK Sm So Sr Tk TR T-S UA Ui Uk VI YU Aq Cb Bs Or Kg Pp Kw Ty Pw Om No Mn Sp Tk Aa Db Ax Kuz Sli Sau Tar DsA TrA TeA T-S
- 85. Polyommatus (s.str.) icarus (Rottemburg,1775) (Lycaenidae) Synonym(s): argus Poda,1761 nec Linn.,1758; alexis Scopoli,1763 nec Pda,1761; thetis Esper,1777 nec Dru.,1773; icarus Rottemburg,1775; pampholyge Bergsträßer,1779; candybus Bergsträßer,1779; candiope Bergsträßer,1779; candaon Bergsträßer,1779; oceanus Bergsträßer,1779; fusciolus Fourcroy,1785; icarinus Scriba,1795; pusillus Gerhard,1851; celina Austaut,1879; neglectus Stradomsky & Arzanov,1999 Range (as codes): Ae Af Al Ao At Ba Be BG B-H BY CH CN Co Cr CY CZ DE DK DZ EE ES FI FR GB GR HU HV IE II IL IQ IR IT JO KG KK Ku LB LT LU LV MA MK MN MT NL NO PK PL PT Rd RO RU Sa SE Si SK Sm So Sr SS SY TJ TM TN TR T-S Tv UA Ui Uk Us UZ VI YU Cw Dv Smt H-W Sur Ssx Ken Hjo Da Der AZ Bak Mu Mu18 Bn At Kts Sau Tar Buc Bkb Mrk Ssn Ktm Nym Sb DsA TrA KuA TeA Ax Ii Kuz Sli Bl Ci Nwf Kmt Sju Prj Pa Hf Cc Kc Pe Ir Irk Bc Arr Ab Sro Jal Shf Msw Swa Sgl Mdy Btna Nra Abe Sbd Lbs Ges MA Tgr Rbt Azr LY Cy Hr BlM Ng Kab Ca
- 86.Polyommatus (s.str.) persicus (Bienert,1870) (Lycaenidae) Synonym(s): persica Bienert,1870; bienerti Balint,[1993]. Range (as codes): AF Hr IQ IR Yz PK Ci TR TM Kp TJ Gis Pm CN KK Ti? Ui Um Yk Ga RU Tv T-S KG Drw TJ At DsA TrA KuA Sau Tar
- 87.Pseudophilotes vicrama (Moore,1865) (Lycaenidae) Synonym(s): vicrama Moore,1865 Range (as codes): AF Ng Kab Jla AL At Bn AT Ba BG BY CY Ch Ci CN Cr CZ DE EE FI GR HU Ii IN IR Ab Ak Shf Elb Fa Kp IL Pa JO IQ Sora Ssa IT KG Ld LT LV PK PL RO RU SK Sm So Sr Ti TM TR Cc GG Smt Akh UA Ui VI YU Uk Kt Ka Sp Sau Tar DsA TrA Db Syr Tm Ku T-S
- 88.Quercusia quercus (Linnaeus,1758) (Lycaenidae) Synonym(s): quercus Linnaeus,1758; longicauda Riley,1921 Range (as codes): AL AM AO AT AZ CC Len Ba BE BG B-H BY CH Cr CY CZ DE DK DZ EE ES FI FR GB GG GR HU HV IE IQ IR Fa IT KG LB Le LT LU LV MA MK NL NO PL PT Rd RO RU Sa Sms SE Si SK Sm So Sr SS TR UA Uk VI YU Cw Dv Smt H-W Sur Ssx Ken SY Alv Atu Av Bad Bar Bgs C-M Cas Ccs Krd Da Der Cor Dja Cue Ct Gna Gp Gu Hue Lda Leo Mdr Mu Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Ter Tol Trg Val Vcl Zg Zm Akh Ab Rf
- **89.Satyrium (Nordmannia) abdominalis (Gerhard,[1850])** (Lycaenidae) Synonym(s): abdominalis Gerhard,[1850]; gerhardi Staudinger,[1895]; alboabdominalis Pfeiffer,1938; persica Riley,1939; #gerhardti Wiltshire,1943; elta Higgins,1964. Range (as codes): He IL AM Cc AZ GG IQ IR Elb Ab Khy Ak Fa Ke LB TR
- 90. Satyrium (Nordmannia) ilicis (Esper,[1779]) (Lycaenidae) Synonym(s): ilicis Esper,[1779] Range (as codes): AL Cc AM AT AZ Ba BE BG B-H BY CH CZ DE DK EE ES Mu FR GG GR HU HV IQ IR Ab IT LB LT LU LV MK NL NO PL PT RO RU SE SK Sm So Sr SS TR UA VI YU SY IL Pa Hf
- 91.Satyrium (Nordmannia) marcidum (Riley,1921) (Lycaenidae) Synonym(s): marcidum Riley,1921 Range (as codes): IQ Sora IR Ab Km Krd TR
- **92.Satyrium (Nordmannia) zabni Oorschot & Brink,1991** (Lycaenidae) Synonym(s): #zabni Higgins,1964; zabni Oorschot & Brink,1991. Range (as codes): IQ Er Slh IR Lo TR
- 93.Satyrium (Strymonidia) spini (Fabricius,1787) (Lycaenidae) Synonym(s): #spini [Denis & Schiffermüller],1775; lynceus Esper,[1779] nec Drury,1773; spini Fabricius,1787; cerasi Herbst,1804 nec Fabricius,1787; #albosparsa Oberthür,1910; anatolicus De Lattin,1950. Range (as codes): AF AL AM AT AZ BA BE BG BY CH CZ DE ES FR GG GR HU IQ IR Ab Ak Elb IT KG Kp LB Le LT LU PL PT RO RU SK Sm So Sr TM TR UA Uk VI Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm Arr Hr

- 94. Tarucus (s.str.) balkanicus (Freyer,[1843]) (Lycaenidae) Synonym(s): balkanicus Freyer,[1843]; #balcanicus Röber,1897 Range (as codes): AE AF Ng Jla AL Cc AM AZ BG BH Cr CY Dh DZ Gha Bsk EG EH GG GR Hd IL IN IQ Sora Nsr Agh Bgd IR Ab JO KK KW LB LY LY MA MK MR NE Nf NG NJ OM PK QA SA SD SI SY TJ TM TN TR UG UZ YE Bl Bol Nwf Pes Elb Th Kp
- 95. Tarucus (s.str.) rosaceus (Austaut,1885) (Lycaenidae) Synonym(s): rosacea Austaut,1885; mediterraneae Bethune-Baker,1918. Range (as codes): MA DZ EG EH ET IQ Nsr Agh Mg Bgd IR Fa Ke Hz JO KE LB LY MA MR OM QA SA SD SN SO TD TN UG YE BI AF Ng PK
- 96.Tomares callimachus (Eversmann,1848) (Lycaenidae) Synonym(s): callimachus Eversmann,1848; epiphania Boisduval,1848; #dentata Staudinger,[1892] Range (as codes): Cc AZ Kir TR IQ Koi IR Ab Elb Fa Ao RU Sr Uk Vl Cm Syr Tm Gj Ind KK KG TrA GG Tbl Smt Akh
- 97.Turanana endymion (Freyer,[1850]) (Lycaenidae) Synonym(s): endymion Freyer,[1850]; #panagaea Herrich-Schäffer,[1851]; endymion Gerhard,[1851]; panagaea Herrich-Schäffer,[1852] Range (as codes): Cc GG IL Pa He IR LB TR IQ Ssa Zj Ab Ak Elb Kp Se Ha TM Ke
- 98.Zizeeria (s.str.) karsandra (Moore,1865) (Lycaenidae) Synonym(s): karsandra Moore,1865 Range (as codes): Af Ng Jla AU BH Cr CY MA TN DZ Tou Omy Gle ID IL Pa Hf IN IQ Diw Er Koi IR Elb Th Fa JO KW LB MM Nf Nj OM PK Ci Cp Haz Mre QA SA Si SY TH Nrt Rat CMa Cmz Cuo Cuo1 Nst Chw MY Lkw TN TR AE VN YE PH Jol Luz Mno Pal

Papilionidae

In this country, 6 species have been recorded so far.

- 99.Archon apollinaris (Staudinger,[1892]) (Papilionidae) Synonym(s): apollinaris Staudinger,[1892]; pallidior Spuler,1892; #mardina Stichel,1907 Range (as codes): Dk IQ Mos Sora Koi IR Lo Km
- 100. Papilio (s.str. (Alexanoria)) alexanor Esper,[1800] (Papilionidae) Synonym(s): polidamas De Prunner,1787 nec Linn.,1758; alexanor Esper,[1800]; polychaon Loche,1801; destelensis Nel & Chauliac,1983. Range (as codes): Af Kbb Ng AL B-H FR GR HV IL IQ AZ Nv Ord Cc Arr IR Ab Ak Zj Fa Elb Th IT JO KG KK LB Ftr Aiz MK Si TJ TM TR UZ SS B-H HV Syr Tm PK Bl T-S
- 101.Papilio (s.str.) machaon Linnaeus,1758 (Papilionidae) Synonym(s): machaon Linnaeus,1758; reginae Retzius,1783; umbellatarum Fabricius,1807; aurantiaca Speyer,1858. Range (as codes): AF AL AM Ao At AT BE BH B-H BY Ch Ch Cn Co Cr Cy CZ DE DK DZ EE ES Mu FI FR GB GG GR HV II IN IQ IR Ir IT KG Kmt Kp Kr Krl Ku KW LB LT LU LV MA MD MK MN MT NL NO OM PK PL PT QA Rd RU Sa SA SE Sh Si SK Sm So Sr SS SY TM TN TR UA UI UK US UZ VI Ya Ass BG BT Chb Hkk JP Kis Kr Mc MM NP Pja Shn SI Teb Ti Vv Yu Sjv Trb Mst Slv Rg Rtc Mt Ko JO Kts Tm KK KP KR Um Bn Cho Ax Dj DsA II Ket KuA Sau Sem Tar TeA Tk TrA T-S Ab Ak Elb Th Ss Ke Fa Ba Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs CA Cd Agi Ng Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Lug Mdr Mlg Mu18 Nrr Ore Pv Ple Rio Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm Bei Bmm YU RO HU AZ TJ Zj Als Yuk BCo Abt Ssk Mnt On Qb Qg US MX Arz Cf Col Id Kan Mch Mon NDk NMx Ne Neb Org SDk Ut Ws Wy TW Hr Gn IL Pa Hf Shn Yu VN Ton Ass Cc Cp Haz Mre Ci Bt Skd Kh Khh Saia Ges Gf Abe Hrh Sfr Hmk BlM Koi
- 102.Parnassius (Driopa) mnemosyne (Linnaeus,1758) (Papilionidae) Synonym(s): mnemosyne Linnaeus,1758 Range (as codes): AF AL Cc AM AT Ba BG B-H BY CH CZ DE DK EE ES FI FR GG GR HU HV IR IQ IL IT KG KK Kr LB LT LV MK NO PL RO RU SE Si SK Sm So Sr SS TJ TM TR UA UK UZ VI YU Mt Ko Mkl Trb Dur Sof Rg Rtc Slv Zag Skp Beo SY Aa Ax Dj DsA Ik Ikc Ket T-S KuA Sem T-A Tk Tu TrA Ssa Tl CN Ui Brk Fa Ab Ak Gh Gor Ara Lo Elb Mz Eri Alg AZ Nv Dz Teb Kc Ist Kh
- 103. Princeps (s.str. (s.str.)) demoleus (Linnaeus,1758) (Papilionidae) Synonym(s): demoleus Linnaeus,1758; erithonius Cramer,[1782]; epius Fabricius,1793; sthenelus Macleay,1826; demoleinus Oberthür,1879; pictus Fruhstorfer,1898; #chryseis Boullet & Le Cerf,1912; flavosignatus Heydemann,1954 Range (as codes): SY TR AF AU BH Ch CN ID IN IQ IR Th KW LK MM MY TW PH Nf Nj OM PG PK QA SA TH CMa AE VN YE Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib SIQ Sis Stu Tab Taw Tic Alo Sbw Grm Sba Ass Slo Cm1 Phr TAk Non Chy Nrt Knc Bnk Rat Cbu Cbi Ray Rng Srt Tng Phu Sat Ptt Yal Nna Dst Qs Cuo Cuo5 Cuo7 Cu10 Cu12 Phi Pno Ton Ann KH LA NP Ctw Ctw1 Ctw2 Ctw3 Ctw4 Ctw5 Ctw6 Ctv7 Fa Kz Es Hz Ke Ss Yz Bu By Hil Sum Ja Bor Hn Flo Alo Bli CDo CD2 Tnc Hya Sgk Tda Pmy Bgd Cp Koh Msr Pes Nwf Bnu Bhh SO YE47 Ng Jla Koi
- 104.Zerynthia (Allancastria) deyrollei (Oberthür,1869) (Papilionidae) Synonym(s): deyrollei Oberthür,1869; eisneri Bernardi,1970; lycaoniae Eisner & Wagener,1974; #flavomaculata Verity,1905; #ochracea Verity,1905; #obscurior Verity,1905; #subflava Schultz,1908; #deflexa Schultz,1908; #charis Schultz,1908; #separata Sheljuzhko,1927. Range (as codes): He IL Js Pa IQ Ssa Mos Bgd Slh Tkr IR Ab Oru Jal Kd Km JO LB Bsa Baa Aiz Zah Bmd SY Dms TR Sora Koi Shq

Pieridae

In this country, 27 species have been recorded so far.

105.Anthocharis cardamines (Linnaeus,1758) (Pieridae) Synonym(s): cardamines Linnaeus,1758; hesperides Newman,1894; britannica Verity,1908; meridionalis Verity,1908 nec Lederer,1852; montivaga Turati &

Verity,1911 Range (as codes): Aa AL AM At AT Ba BE BG B-H Bs BY CH CN Co CY CZ DE Dj DK EE ES FI FR GB GR HU HV IE IL IQ IR IT Kb KG KK Kr Ku LB Le LT LU LV MK Mn NL NO Or PL PT Pw RO RU Sa SE Sem Si Sj SK Sm Sms So Sp Sr SS SY Teb Tk TM To TR TrA T-S Tt Ty UA Ui Uk VI YU Cw Dv Smt Ssa Mu Sr VI H-W Sur Ssx Ken Mt Ko Sof Ril Rg Rtc Mkl Trb Ti Kts Bn Ax DsA His Al Gh Pa Hf Gh Kas Shq Rwz Cc CY Ab Sora Koi

08 09 2018

- 106.Anthocharis damone Boisduval,1836 (Pieridae) Synonym(s): damone Boisduval,1836 Range (as codes): AL GR IT MK Si He GR IQ Ama Hjo Rwz Cc AM IR Ab Elb Th Es MK TR LB SY IL Pa Hf
- 107.Anthocharis grueneri Herrich-Schäffer,[1851] (Pieridae) Synonym(s): grueneri Herrich-Schäffer,[1851]; #diluta Röber,1907; eros Röber,1907 Range (as codes): AM BG GR IL Js Pa IQ IR Ak Msw By Elb Th Lo LB MK SY TR Cc GG Bjo AZ Nv Ord
- 108. Aporia (s.str.) crataegi (Linnaeus,1758) (Pieridae) Synonym(s): crataegi Linnaeus,1758; nigronervosus Retzius,1783; minor Verity,1907; basanius Fruhstorfer,1910; crataegiaugusta Verity,1937. Range (as codes): Ae Af Al Am Ao At At Az Ba Be Bg B-H Bs By Cb CH CN CY CZ DE DK DZ EE ES FI FR GG Gn GR HU HV IL IQ IR IT JP Kg KG KK KP Kr Krl LB LT LU LV MA MK MN NL No NO Om Or PL Pm PT Rd RO RU Sb SE Si Sj SK Sm So Sr SS SY Sz Ti TJ TM To TR Ts Tt UA Ui Uk Vl Tm T-S Aq Ax Bog Dg DsA DsA Ka Kt Ktm KuA Kw Mn Pp Pw Rk Sp Syr Tar TeA Tk TrA Ze Mt Ko Sjv Sof Ril Slv Rtc Rg Vrn Beo JO Ktn Bn Kp Kh Ab Ak Kz Fa Ke Lo Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Cc SSa Mdr Mlg Mu Nrr Ore Pv Lug Ple Rio Seg San Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm Yz TN Kml Bc Mz Kh Blid Btna Tni Tis Sbd Orn Azr Hr BlM Sora Shq Koi
- 109.Belenois aurota (Fabricius,1793) (Pieridae) Synonym(s): mesentina Cramer,[1780] nec Cr.,[1777]; aurota Fabricius,1793; augusta Olivier,1804; syrinx Wallengren,1860; lordaca Walker,1870; auriginea Butler,1886; turanica Sheljuzko,1908; #iris Gauckler,1912; #sulphurea Gauckler,1912; #pusillima Strand,1915; #punctifera Hulstaert,1924. Range (as codes): Af Ng Hr Prw DJ DZ EG ER ET IL Js Pa Hf IN IQ Qg IR Kz Fa Ke Ss JO KE LB Bei LK MG NA OM PK Ci Cp C-P Koh SA Bhh SD SO Zai SY TR TD Tbt TZ UG YE ZA Tva Lpo Kru Pf Spb Ent Lj Mdk Jh Pre Gau Nta Kzu Ptb Est Tug Wnn Mpu ZR MW Zom ML TM TJ NP
- 110.Catopsilia florella (Fabricius,1775) (Pieridae) Synonym(s): florella Fabricius,1775; pyrene Swainson,1821; hyblaea & rhadia Boisduval,1836; marchellina Bertolini,1850; aleurona Butler,1876; rufosparsa Butler,1880; swainsoni Westwood,1881. Range (as codes): AO BF BH BI BJ BW CF CG CI CM Cn DJ DZ EG EH ER ET GA GH GM GN GO Bio GW IN IQ Jd Fat IR B-A Fa Hz KE LB IL LK LR LS LY MA ML MR MW Zom MZ NA NE NG OM PK RW SA SL SN SO ST SZ TD TG TN TR TZ UG YE ZA Tva Spb Lj Lpo Mdk Kru Pma Ent Nta Kzu Ptb ZM ZR ZW SD Ad Zai YE47 YE60 SD91 SD119 Bhh Tnga Usa Ani Ate JO CY Tmn Ah
- 111.Colias (Eriocolias) crocea (Fourcroy,1785) (Pieridae) Synonym(s): crocea Fourcroy,1785; pyrenaica Groum-Grshimailo,1893. Range (as codes): AL AM Ao AT AZ AZ Ba BE BG B-H BY CH Co Cr CY CZ DE DK DZ EG ES FI FR GG GR HG HV IQ IR IT Kb Kr LB LT LU LY LV MA MK MT NL NO PL PT Rd RO RU Sa SE Si SK Sm So Sr SS SY Teb TR TN UA VI YU KG AQ Or Uk VI Bs Cb Kt Rk Cw Dv Smt H-W Sur Ssx Ken Mt Sof Ril Syr Cy Rg Rte Bgz Vrn Slv Sjv Trb Mkl Mst Ko JO He IL Ab Ak Fa Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Mu18 Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm Pa Hf SA TD SD Agh Cc Arr Ab Khy Oru Jal Ak Shf Msw Qba Sro Mz Dju Tth Ess Tlm Saia Orn Agi Blid Ges Dje BSa Ogl Omy Tou Bsk Ktr Khh Btna Tun Dhm Tgr Phv Ceg Cn Azr
- 112.Colias (Neocolias) libanotica Lederer,1858 (Pieridae) Synonym(s): libanotica Lederer,1858 Range (as codes): He ALb LB GR IQ Ama IR Mz Gor
- 113.Colotis (s.str.) fausta (Olivier,[1804]) (Pieridae) Synonym(s): fausta Olivier,[1804] Range (as codes): LB Bei Ad AF Ng As BH Dh Hd Hj IL Pa Hf IN LK IQ IR Hz Ke Ss Fa JO KW Nf Nj OM PK QA SA SO SY TD TR YE BI EG SA Bhh Krc Nwf Ca Pj Cp C-P TM
- **114.Euchloe (Elphinstonia) penia (Freyer,[1852])** (Pieridae) Synonym(s): penia Freyer,[1852]; mesopotamica Baker,1889. Range (as codes): IL Pa He BG GR MK TR SY LB IQ Kbl Ukh IR Zj
- 115.Euchloe (Elphinstonia) transcaspica (Staudinger,[1892]) (Pieridae) Synonym(s): transcaspica Staudinger,[1892] Range (as codes): IQ Dy Qg Jd IR OM Fa Bu Hz Elb Kp TM
- 116.Euchloe (s.str.) ausonia (Hübner,[1804]) (Pieridae) Synonym(s): ausonia Hübner,[1804]; marchandae Geyer,[1832]. Range (as codes): Aa AF AL Cc AM Ao At AZ Ba BE BG B-H Bs BY CH Cm CN Co Cr FR GG GR HV IL IQ IT JO KG Kp Ku Ky LB LY MK Mn Or Rd RO RU Si Sm Sp Sr SS SY Tk Syr Tm TM TR T-S UA Ui Uk YU Mt Ko Slv Skp Vrn Rg Rtc TrA Aa Sau Tar DsA Mrk Nym Ktm CY IR Ak Msw Fa Lo Elb Th Zj MA DZ Btna Orn Agi Dja Ah Eba Ktr TN Rbt Tlm Blid Cst Tun Ess Tth Saia Berr BSa Bsk Khh Lbs Hrh Hmk Ndr Ahr Ges Kab Ng Jla
- 117. Euchloe (s.str.) belemia (Esper,[1800]) (Pieridae) Synonym(s): belemia Esper,[1800]; glauce Hübner,[1804]; desertorum Turati,1905; distincta Röber,1907; evanescens Röber,1907; marmorata Chnéour,1934 Range (as codes): Bl Cn Cy DZ Bsk Ktr Agi Ah Ski Eba Dju EG ES IL Pa Hf IQ IR Bu Kz JO KW LB LY MA MT PK PT SA Bhh SY TN TR YE Cz Mlg Hv Svl Cd Grn Jae Alm Mu Mu18 Alc Cue Ter Mdr Val Gu Bgs Tgr Ess Rbt Saia Orn Blid Berr Ges BSa Khh Lbs Btna Dhm Tun Phv Mzg Hrh Dzc Ahr Out Ceg Hmk Nbr Bea Clo Rbt Sora Er Koi Shq
- 118.Gonepteryx (s.str.) farinosa (Zeller,1847) (Pieridae) Synonym(s): farinosa Zeller,1847 Range (as codes): Ae AL Cc AM AZ BG GG GR IQ IR Ab Ak Qba Elb Es Th Fa Ke LB MK Rd TJ TM Kp TR YU Mt
- 119.Gonepteryx (s.str.) rhamni (Linnaeus,1758) (Pieridae) Synonym(s): rhamni Linnaeus,1758; gravesi Huggins,1956. Range (as codes): Af Al Cc AM Asr AT At AZ Ba BE BG B-H Bl BY CH Cls CN Ui Co CZ DE DK DZ ES FI FR GB Gg GG RHU HV IE IN IQ IR IT Kb KG KK Kp Kr Ku LB Ld LT LU LV MA MK NL NO NP Nwf PK Ci PL PT RO RU Rw Sa SE Si SK Sm So Sr SS SY Sz Teb TJ TM TN TR UA Uk UZ VI Zi Gj Aq YU Ng Jla Lgh T-S Mu Bn Tk Aa Sp Mn At No To Om Ty Kg Cb Kw Pw Ka Sb Tt So Sau Tar DsA TrA Cw Dv Smt H-W Sur Ssx Ken Mt Ko Sof Rtc Slv Bgz Sjv Trb LB Kts MM Ab Ak Msw Gh Mz Elb Th Arr Kh Gls Koh Swa Sgl Dju Rf Agi Blid Btna Tun Dhm Tgr Hrh

- **120.Leptidea duponcheli (Staudinger,1871)** (Pieridae) Synonym(s): duponcheli Staudinger,1871; #dupncheli Nazari,2003 Range (as codes): AL BG B-H ES FR GR MK TR Cc LB YU Mt Ko Slv IQ IR Ab Ak Elb Th Fa
- 121.Pieris (Artogeia) ergane (Geyer,[1828]) (Pieridae) Synonym(s): ergane Geyer,[1828]; narcaea Freyer,[1828]. Range (as codes): AL Cc Arr AM AT AZ BG B-H Cr ES FR GG GR HU HV IQ Hjo IR Ab Sro Msw Ak Elb Th Kdj IT LB MK RO SS TR YU Mt Ko Mst Trb Ple Cue Hue Lda Gna Koi
- 122.Pieris (Artogeia) krueperi Staudinger,1860 (Pieridae) Synonym(s): krueperi Staudinger,1860 Range (as codes): AF AL BG Chi GR IQ IR Elb Th Fa Ke Ss Kos Ld MK OM SA Bhh PK SY Syr TeA TR Cc Slv Tm Ikc KK KG T-S IN CN Ui Ga UZ Smk
- 123.Pieris (Artogeia) persis Verity,1922 (Pieridae) Synonym(s): persis Verity,1922; higginsi Bowden,1961. Range (as codes): IR Kd TM Kp TR IQ Hjo Ry
- 124. Pieris (Artogeia) pseudorapae Verity,1908 (Pieridae) Synonym(s): pseudorapae Verity,1908 Range (as codes): Cc Arr AM AZ BG B-H Da GG GR HV IQ Ssa Slh Hjo Er Koi IR Elb Mz Th JO LB Le MD MK RO RU SY TR UA YU
- 125.Pieris (Artogeia) rapae (Linnaeus,1758) (Pieridae) Synonym(s): rapae Linnaeus,1758; nelo Bergsträßer,1780; metra Stephens,1827; alpica Rossi,1929. Range (as codes): Ae AF AL AT Az BE BG BH B-H BY Ch CH Ci CN Cn Co Cr CY CZ DE DK DZ EE ES FI FR GB Gg GR Hk HU HV IE IN IQ IR IS IT JO JP KG KK Kp KW Ld LT LU LV MA Mc Md MK MN MT Nf Nj NL NO OM PK PL PT QA Rd RO SA SA SE SI SK SS SY TJ TM TN TR UA UZ YU AA AM AO At Aty Ax Ba Bs Cb Ikc Ir Ka Kg KP Kr KuA Kw Ky Mn No Om Pe Pr Pt Pw RU Sb Sj Sm So Sp Sr St TeA Tk Tm TrA Tt Us Vl Cw Dv Smt H-W Sur Ssx Ken Mt Ko Ril Sjv Mst Mkl T-S Um Bl Ci Bn DsA Sju Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Mu18 Nrr Ore Pv Rio Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm Lug Ple San US MX Aks Alb Arz Cf Cnt Col Dw Fl Ge Id Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mon Mrl Msc Mss NCa NDk NMx Ne Neb Nh Nje Ny Oh Ok Org Pns RDi SCa SDk Tnn Tx Ut Vi Vr WVi Wc Ws Wy AU Hw Agh Pa Hf TW Kml JP RU Am Us Sh TW VN D-l Ldo GG AZ Kir AM Cc Arr Ab Jal Mz Gls Kh Koh Nra Bhh Rbt Tbl Sok Ess TIm Saia Orn Agi Blid Ges Ogl Btna Cst Tun Tgr Tou Bea Gle Azr Ng Hr BlM Kab AU QAu NSw Syd SAu Cai Er Sora Chom Koi Shq
- 126.Pieris (s.str.) brassicae (Linnaeus,1758) (Pieridae) Synonym(s): brassicae Linnaeus,1758; chariclea Stephens,1827; #venata Verity,1908; cyniphia Turati,1924. Range (as codes): Adr Af AL At AT Az Bd BE BG B-H Bs BY Cb CH CN Co Cr CY CZ DE DK EE ER ES FI FR GB GR HK HU HV IE Ii IL IQ IR IS IT JO KA KAb Kbb Kg KG KK Kp Kr Kw Ky LB LT LU LV MK MT NL No NO NP Om Pag PK Ci PL PT Pw Rd RO RU Sa Sb SE Si SK So SS Tm TM TR Tt UA Ui UZ Aa Ax Ikc KuA Mn Sp Tk TrA Cw Dv Smt H-W Sur Ssx Ken Ko MA DZ TN Sjv Trb Sof Rg Rtc Slv Mt LY Cy SY Kts T-S Um Bn DsA Elb Th Sju Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Nrr Ore Ssa Cc AZ Len Pv Rio Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm Lug Ple San Mu18 IN Ass Slo Dk TH Pa Hf Ab Ak Shf Mz Gls Kh Koh Swa Gg Bt Nwf Pes Mdy Rbt Azr Ess Orn Agi Blid Bsk Ktr Tlm Cst Btna Tun Tgr Mzg Hrh Ng Hr Prw Sora Koi Shq Er
- 127.Pontia callidice (Hübner,[1800]) (Pieridae) Synonym(s): callidice Hübner,[1800]; callidice Esper,[1803]. Range (as codes): Aa AF At Kts AT Ax Bv Py Fo6 F65 BY Ch CH CN DE DsA ES FR Hu IQ IR Ab Ak Bk Elb Th IT KG KK KuA Ld Mn PK Ci Pm RU Sau Sp SS Tar TeA TJ Tk TR Arr Cc TrA UA Ui Ku Um T-S
- 128.Pontia chloridice (Hübner,[1813]) (Pieridae) Synonym(s): russiae Esper,[1784] nec russiae Esper,[1783]; chloridice Hübner,[1813]; #aestuosa Staudinger,1901; albidice Staudinger,1901 nec Oberthür,1881.

 Range (as codes): Af Ng Jla Bl Ao Aq Bn At Ba BG BY Cb Ci CY Dj DsA FI Gg GR IQ Kq IR Ab Ak Elb Th Kh Lo Ka Kbb KG KK Kw Ld LT LV MK Mn MN Mrk Om Or PK Pnj Pw Rk RU Sau Sb Sem Sm So Sp Sr Tar TeA Tk TR Cc Tt UA Uk VI Slv Rg T-S CN Ui Adu Um
- 129.Pontia edusa (Fabricius,1777) (Pieridae) Synonym(s): edusa Fabricius,1777; bellidice Ochsenheimer,1808; persica Bienert,1869; #nitida Verity,[1908]. Range (as codes): Aa Ae Aq Bn At Kts Aty Ax BG Bs Cb CN CY DE Dg Dj GG Gj GR IQ IR IT Kg KG KK Kp Kt KuA Ky Mg MK Mn No Nrk Om Or Pp Rd Rk RU Sb Sem Sm Sp SS TeA TJ Tk Syr Tm TM TR TrA Ty Ui Uk UZ YU Ze SY Um Ku DsA T-S Ab Ak Ahw Ar Ara B-A Bk Brz Bu By Dzf Es Fa Gh Gor Adu Sju Ha Hz Il Kaz Kd Kh Km Kz Lo Ma Mz Qz Se Ss Th Yz Zj Ab Jal Sro Msw Ak Agh Cc Sora Er Shq
- 130.Pontia glauconome Klug,1829 (Pieridae) Synonym(s): glauconome Klug,1829 <u>Range (as codes):</u>
 CV MR MA DZ Tmn Ah Ajj Gha Cst Omy Dje Gtt TN IQ IR Th Kz Fa Ke Ss SA Bhh YE Sk SY JO PK Pj Bl Ci Nwf Krc KE
 TD Tbt EG Sn SO SD IQ AF Ng Jla UZ TM
- 131.Zegris eupheme (Esper,[1804]) (Pieridae) Synonym(s): eupheme Esper,[1804]; erothoe Eversmann,1832; tschudica Herrich-Schäffer,[1851]. Range (as codes): MA Azr Ifr Cc AM At AZ CN DsA ES Mu Mu18 GG IQ Fat Qg Jd IR Ar Ab Khy Ak Zj Kz Fa Ha JO KG Ku MA Mn Nym Rk RU SA Sm Sp Sr TR Arr TrA DsA Ui Uk Vl T-S SY Mu Lda Hue Mlg Sma Snv Sor Vcl Zg Bgs Bar Alc Act Abr Mdr Cue Ter Cas Gu Seg Tol CRe Jae Grn Alm Av Trg Koi

Satyridae

In this country, 26 species have been recorded so far.

- 132.Brintesia circe (Fabricius,1775) (Satyridae) Synonym(s): circe Fabricius,1775; proserpina Denis & Schiffermüller,1775; maga Fruhstorfer,1909; venefica Fruhstorfer,1909; gabalae Gaillard,1959; maladettae Varin,1962.

 Range (as codes): AL AT BE BG BY CH CZ DE ES Mu FR GR HU IT Kr LU PL PT RO RU Da Der Sa Si SK Sr TR Cc AZ Len UA YU IR Ha Ab Oru Qba Ak IQ Slh S-T Sora Koi
- **133.Chazara** (Neochazara) anthe (Hoffmannsegg, 1804) (Satyridae) Synonym(s): anthe Hoffmannsegg, 1804; persephone Hübner, 1805; anthe Ochsenheimer, 1807. Range (as codes): Cc AM Ao Aq At AZ Ba

- Cm GG Gj IQ Ssa IR Ab Qba Ak Zj Elb Th Fa Ss TM Krn JO KG LB Mg Mn RU Sm So Sp Sr TR Arr UA Uk Vl Ktm Nym SY IL Pa Hf
- 134.Chazara (s.str.) briseis (Linnaeus,1764) (Satyridae) Synonym(s): briseis Linnaeus,1764; daedale Bergsträßer,1780; bataia Fruhstorfer,1909; interjecta Verity,1916; variabilis Varin,1958; pictonica Varin,1958. Range (as codes): Af Al AM Ao At Bn Kts AT Aty AZ Ba BE BG B-H BY CH CN CY CZ DE DZ ES FR GG GR HU HV IQ IR IT Ju KG KK LU MA MK MN PL RO RU SE Si SK Sm So Sr SS TJ TM TN TR T-S UA Ui Uk UZ VI YU Tm VI Ao Sr Uk Aq Or Sm Tt Cb Kt Kw Ty Om Pw Ka Rk Tar Sau Ssn Mn Buc At Bn Da Der Mu Trt Kts Ur Aa Ku Sem Tk Ui TeA KuA DsA Bc Ab Sro Qba Msw Ak Kd Mz Elb Kp Sju Cc Bc Btna Hr
- 135.Coenonympha (s.str.) pamphilus (Linnaeus,1758) (Satyridae) Synonym(s): pamphilus Linnaeus,1758; menalcas Poda,1761; nephele Hufnagel,1766; marginata Heyne,1894; orantia Fruhstorfer,1908; scota Verity,1911; infrarasa Verity,1926; juldusica Verity,1926; asiaemontium Verity,1926; euxina Verity,1926; posteuxina Verity,1926; londonii Verity,1926; neolyllus De Lattin,1950 Range (as codes): Aa AL AM Ao Aq AT Aty AZ Ba BE BG B-H Bs BY Cb CH CN Co CZ Db DE Dg DK EE ES Fe FI FR Ga GB GG RH UH VIQ IR IT JU KG Kg KK Kr Ku Kw Ky LB LT LU LV MK Mn NL NO Or PL Pp Psa PT Pw Rk RO RU Sa SE Si SK Sm So Sp Sr SS Tk Tm TM TR T-S Tt UA Ui Uk UZ VI YU Ssa Slh Mu MA DZ IE MA MT Om TN Ty DsA Tar Sau Tar TrA Mrk Cw Dv Smt H-W Sur Ssx Ken At Bn SY Elb Kp Ab Oru Sro Ak Ha Gls Kh Cc Ouk Rf Lkr Azr Ifr Dju Tth Rbt Tlm Orn Berr Ges Dje BSa Khh Btna Lbs Cst Dhm Dzc Hrh Ght Sora Shq Koi
- **136.Coenonympha (s.str.) saadi (Kollar,[1849])** (Satyridae) Synonym(s): saadi Kollar,[1849]; iphias Eversmann,1851. Range (as codes): Cc AM IR Ab Ak Msw Zj Fa Elb Th Ha TR Arr IQ Slh Sora Shq
- 137. Esperarge (s.str.) clymene (Fabricius,1787) (Satyridae) Synonym(s): #climene Esper,[1783]; clymene Fabricius,1787; boroeas Latreille,1803; synclimene Hübner,[1819]. Range (as codes): AL Cc AZ BG Elb GG GR IQ Slh IR Ab Qba Jal Ak Elb Th Fa Mz RO RU Sm Sr Th TR VI YU
- 138.Hipparchia (Neohipparchia) fatua (Freyer,1844) (Satyridae) Synonym(s): fatua Freyer,1844; sichaea Lederer,1857; insularis Turati,1929; elineata Verity,1937; infracastanea Verity,1938; kosswigi De Lattin,1950. Range (as codes): Ae AL BG Cc GG GR HV IL Pa Hf IO Sora IR Ab Mak Ak Elb Th Fa JO LB Rd SY TM TR
- 139.Hipparchia (Neohipparchia) parisatis (Kollar,[1849]) (Satyridae) Synonym(s): parisatis Kollar,[1849]; macrophthalmus Eversmann,1851; malatinus Heyne,1894; ismail Gross & Ebert,1975; huochenensis Huang & Zhou,2000. Range (as codes): AF Kab Nu Hr BlM Bd Shv Ng AM Cc IN IQ IR Ab Fa Ss Elb Th Kp AE OM TM TR Bl Ci Gg Hu Nwf PK Abb Thu Koh K-P CN Ui
- 140.Hipparchia (Parahipparchia) pellucida (Stauder,1924) (Satyridae) Synonym(s): pellucida Stauder,1924; cotys Jachontov,1935; hesselbarthi Kudrna,1976. Range (as codes): AM AZ Cm Cc GG GR Ika IQ Ssa IR Ab Ak Le TR Arr UA
- 141.Hipparchia (s.str.) syriaca (Staudinger,1871) (Satyridae) Synonym(s): syriaca Staudinger,1871; attikana Fruhstorfer,1907; meschetica Jachontov,1915; tokatensis Gross,1959. Range (as codes): Ae AL BG B-H CY GR HV IQ IR Ab LB Bei MK Rd RO TR Cc YU SY
- 142. Hyponephele (s.str. (Turaninephele)) wagneri (Herrich-Schäffer,[1846]) (Satyridae) Synonym(s): wagneri Herrich-Schäffer,[1846]; schmidti Bang-Haas,1927. Range (as codes): AF Hr Bl IQ Sora IR Ab Zj Kdj Elb Ma Hz PK TR Arr
- 143. Hyponephele (s.str.) lupina (Costa,[1836]) (Satyridae) Synonym(s): lupina Costa,[1836] Range (as codes): At Bn Ae AF AL AM Ao AZ Ba B-H Cr CY CZ DZ ES Mu FR GG GR HU Hr HV IL IQ IR IT JO KG KK LB MA MK MN PK PT Rd RU Si SK Sm Sr SS TJ TM TR UA UZ VI YU Uk Aq Ky Syr Tm Db Aa Tk Ka Kt Ty Pw Sp Mn Or Bs Sm Kg Sau Mrk Tar DsA IiD T-S SY Tls CN Ui Il Ku Sju Hr Ax Kh Kp Cc Ab Krd Kro Su Sro Qba Jal Lbs Sbd Abe Dje Ktr Khh Btna BlM Kab Bl Bnu Sora
- 144.Hyponephele (s.str.) lycaon (Rottemburg,1775) (Satyridae) Synonym(s): lycaon Rottemburg,1775; #lycaon Kuhn,1774; eudora Esper,1778; janirula Esper,1800; rufomaculata Korb,2005 Range (as codes): AL Ao AT Ba BG BY CH CN CZ DE EE ES Mu FI FR GR HU II IT IQ KG Ku LT LV PL PT RO RU SI SK Sm So Sr TR Cc UA UI UK VI YU SY At Bn Kts Kuz Sau Mrk Tar Ter KuA TrA DsA Ket Ax IL He LB T-S IR Ab Khy Ar Sbl
- 145. Kirinia (Melike) roxelana (Cramer,[1777]) (Satyridae) Synonym(s): roxelana Cramer,[1777]; #anatolica Koçak,1989 Range (as codes): Ae AL BG Cc Cm CY GR Rd RO RU LB IQ Ssa Sora IR Ab Lo TR UA YU SY
- 146.Lasiommata megera (Linnaeus,1767) (Satyridae) Synonym(s): megera Linnaeus,1767; caledonia Verity,1911; alticola Verity,1911; pseudoadrasta Stauder,1922; infrapallens Verity,1922; ocellatior Verity,1923; pallidedepulverata Verity,1923. Range (as codes): Ae AL AT BE BG B-H BY CH Co Cr CY CZ DE DK EE ES Mu Mu18 FI FR GB GR HU HV IE IL IQ Dy IR Ab Qba Jal Ak Msw Krd IT Kp Kr LB LT LU LV MK MT NL NO PL PT Rd RO RU Sa SE Si SK Sm So Sr SS SY TM TR Cc JO UA VI YU Cw Dv Smt H-W Sur Ssx Ken DZ MA TN Ski Ktr Dja Mkn Masc Ndr Saia Orn Agi Blid Ges Dje Bsk Btna Lbs Khh Cst Ess Mzg Hrh Ahr Azr Rbt Sora Koi Shq
- 147.Lasiommata menava Moore,1865 (Satyridae) Synonym(s): menava Moore,1865. Range (as codes): T-S AF Kab Ng Bl Ch Ci Gg Hp IN IQ IR Ab Ak Elb Fa Ke Yz Knw Kp Ld PK TJ TM TR KK KG Ax Syr Tm
- 148.Maniola (Telmessiola) telmessia (Zeller,1847) (Satyridae) Synonym(s): telmessia Zeller,1847; pallescens Butler,1868; kurdistana Heyne,1894; oreas Le Cerf,1912; maniolides Le Cerf,1912; ornata Turati & Fiori,1930; marenigrans Verity,1938; pelekasii Kattulas & Koutsaftikis,1978. Range (as codes): Ae GR IL Pa Hf IQ Sora IR Km Ab Lo Krd JO LB Rd SY TR
- 149.Maniola (s.str.) jurtina (Linnaeus,1758) (Satyridae) Synonym(s): jurtina Linnaeus,1758; janira Linnaeus,1758; lemur Schrank,1801. Range (as codes): Ae AL AM Ao AT AZ Ba BE BG B-H Bw BY Cc CH Co Cr CZ DE DK EE ES FI FR GB GG GR HU HV IE IQ IR IT Kr LT LU LV MK MT NL NO PL PT RO RU Sa SE Si SK Sm So Sr SS TM TR UA VI YU Cw Dv Smt H-W Sur Ssx Ken PT Cn MA DZ TN ES MT F66 Sr Sm Or Bs Cb Tt So Ao KG Uk Mu Ab Ak

- Oru Msw Qba Gh Mz Elb Th Lo Kd Ha Gls Rbt Ndr Saia Agi Blid Ges Dje BSa Btna Dhm Tun Cst Phv Lbs Hrh Hmk Sbd Tgr Azr AF Hr Sora
- **150.Melanargia (Turcargia) grumi Standfuss,1892** (Satyridae) Synonym(s): grumi Standfuss,1892 Range (as codes): 10 Ssa Slh TR IR Il Kd Km Bkn Lo Drd Krr Mml Pld
- **151.Melanargia (Turcargia) hylata (Ménétriés,1832)** (Satyridae) Synonym(s): hylata Ménétriés,1832 Range (as codes): Cc AZ IR Ab Jal Ak Mrd Zj Elb Th Fa TR IQ Shq Sora Koi
- 152.Pararge aegeria (Linnaeus,1758) (Satyridae) Synonym(s): aegeria Linnaeus,1758; meone Cramer,1782; egeria Ochsenheimer,1807; sardoa Verity,1908. Range (as codes): Ae AL AM AT AZ Ba BE BG BY Cc CH Co Cr CY CZ DE DK DZ EE ES Mu Mu18 FI FR GB GG GR HU IE IT LB LT LU LV MA MT NL NO PL PT RO RU Sa SE Si SK Sm Sr TN TR UA VI YU Sr Or Bs Tt Cw Dv Smt H-W Sur Ssx Ken SY IQ IR Ab Sbd Agi Tth Rbt Tlm Saia Orn Blid Ges Ktr Er Bsk Khh Btna Cst Phv
- 153.Pseudochazara (Achazara) telephassa (Geyer,[1827]) (Satyridae) Synonym(s): telephassa Geyer,[1827] Range (as codes): AF Ng Jla Pag Kab Cc AZ Bl Gg Hyb Nwf IL Pa Hf IQ Er IR Ab Ak Shf Msw Ahz Ar Ara B-A Bk Brz Bu By Dzf Es Fa Gh Gor Ha Hz Il Kaz Kd Kh Km Kz Lo Ma Mz Qz Se Ss Th Yz Zj JO LB PK SY TM TR
- 154. Pseudochazara (s.str.) pelopea (Klug,1832) (Satyridae) Synonym(s): pelopea Klug,1832 Range (as codes): IL Pa 10 TIH IR Ab Sro Ak Elb Th Ke Fa JO LB SY TM Kp Kh TR Cc
- 155. Satyrus (s.str.(s.str.)) favonius Staudinger,[1892] (Satyridae) Synonym(s): favonius Staudinger,[1892] Range (as codes): IR Ab Khy TS Lo Kd Sqq Bne TR Cc IQ
- **156.Satyrus (s.str.(s.str.)) parthicus Lederer,1869** (Satyridae) Synonym(s): parthicus Lederer,1869; pimpla sensu Wiltshire,1957 Range (as codes): IR Elb Th Ab Ak TR Cc Arr IQ
- 157.Ypthima asterope (Klug,1832) (Satyridae) Synonym(s): asterope Klug,1832; marlenii Kattulas & Koutsaftikis,1978. Range (as codes): Ad Ae AF Ng Jla As CY Dh EG GR Hd Hj IL Pa Hf IN Ass MM May Shn Mpr IQ IR JO KW LB OM PK Rd SA SY TR AE YE ZA Tva Lpo Spb Mpu Brb Wca Kru K12 Wv Kaa Ly Suw Wri Wb NA AO VN Ann TH

Moths

Below, 1079 species recorded from various parts of Iraq are listed alphabetically. They belong to the following 42 families: Adelidae (1), Arctiidae (19), Autostichidae (13), Batrachedridae (2), Brachodidae (1), Bucculatricidae (1), Choreutidae (1), Cimeliidae (1), Coleophoridae (23), Cosmopterigidae (6), Cossidae (23), Ctenuchidae (6), Deoclonidae (1), Douglasiidae (1), Drepanidae (2), Epermeniidae (1), Ethmiidae (11), Gelechiidae (33), Geometridae (109), Glyphipterygidae (1), Gracillariidae (4), Lasiocampidae (15), Lecithoceridae (1), Lemoniidae (2), Lymantriidae (9), Noctuidae (384), Notodontidae (10), Oecophoridae (14), Psychidae (4), Pterolonchidae (1), Pterophoridae (11), Pyralidae (265), Saturniidae (1), Scythridae (5), Sesiidae (4), Sphingidae (22), Thaumetopoeidae (1), Thyatiridae (2), Tineidae (17), Tortricidae (38), Yponomeutidae (2), Zygaenidae (12).

The faunal affinities of the moth fauna of Iraq are calculated here for the first time by using Dice-Similarity Index (Table 2). The index values vary from 26 to 39%. Surprisingly, the higher index value belongs to Lebanon, which is very far from Iraq. A similar result is obtained here among the butterflies (see Table 1, on page 115).

Table 2 - Dice-similarity index among some neighbour countries.

| | / | | | | | | | |
|------------------------|--------|--------------|-------------|-------------|---------------|----------------|--|--|
| countries + total spp. | Iraq | Jordan (578) | Syria (633) | Iran (3627) | Turkey (5167) | Lebanon (1104) | | |
| | (1079) | | | | | | | |
| common spp. | - | 255 | 263 | 815 | 822 | 435 | | |
| index | - | 30.77% | 30.72% | 34.63% | 26.32% | 39.85% | | |

Alphabetical List

Adelidae

In this country, a single species has been recorded so far.

158.Adela antilyca (Meyrick,1936) (Adelidae) Synonym(s): antilyca Meyrick,1936 Range (as codes):

Arctiidae

In this country, 19 species have been recorded so far.

- **159.Andala semiramis (Staudinger,1892)** (Arctiidae) Synonym(s): semiramis Staudinger,1892; brandti Daniel,1949 Range (as codes): TR IR Lo Bk Ab Khy Oru Fa Sse Ke Ss Mz Th Qm Ak IQ PK
- 160.Arctia (Eucharia) festiva (Hufnagel,1766) (Arctiidae) Synonym(s): festiva Hufnagel,1766; hebe Linnaeus,1767; interrogationis Ménétriés,1863; sartha Staudinger,1886; nivea O.Bang-Haas,1927; ragusai Stauder,1928; arafati De Freina,1997 Range (as codes): PT ES FR SI IT BE NL LU DE AT PL CZ SK HU RO YU AL BG GR Rd TR SY Hal LB IR Ak Shf Zj Tbz Ar Kd Snj Km Ha Ma Ke Kh Fa Hz LV LT MD UA BY KK Ax RU Tv MN CN Ui IMn Hph GG Tbl Bjo Kir Smt Akh AZ Bak Cc AM KG Ssn Tk Ii UZ Fe Man IQ Shq
- 161.Axiopoena karelini Ménétriés,1863 (Arctiidae) Synonym(s): karelini Ménétriés,1863; transcaucasia Sheljuzhko,1926; manissadjiani O.Bang-Haas,1927. Range (as codes): Cc GG Btm Tbl Abk Sok TR AM Mig AZ Nv IQ Rwz Brs IR Bzg Ab Lo Km Kz Bk By Es Fa Shr
- 162.Callimorpha dominula (Linnaeus,1758) (Arctiidae) Synonym(s): dominula Linnaeus,1758; insubrica Wackerzapp,1890; rhodanica Kettlewell,1943. Range (as codes): PT ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR IQ IR Gh Mz Gls Ab Ak Cc AM GG Smt Bjo Lag AZ DK NO SE FI EE LV LT RU VI MD UA Lvv BY TM
- **163.Creataloum arabicum (Hampson,1896)** (Arctiidae) Synonym(s): arabicum Hampson,1896; gracilis Staudinger,1899 Range (as codes): IL Pa SA YE Ad IQ IR Ss Hz
- **164.Cymbalophora oertzeni (Lederer,1855)** (Arctiidae) Synonym(s): oertzeni Lederer,1855 <u>Range</u> (as codes): IL Pa Hf LB Bei TR IO IR Fa
- 165.Euplagia splendidior (Tams,1922) (Arctiidae) Synonym(s): splendidior Tams,1922; tkatshukovi Sheljuzhko,1935. Range (as codes): IR Ab Oru Kd Mrv Km Il By Es Lo Fa Shr Ma IQ Rwz Shq Mos TR Cc AM Eri Ink AZ Nv Ord
- 166.Lacydes spectabilis (Tauscher,1806) (Arctiidae) Synonym(s): spectabilis Tauscher,1806; intercissa Freyer,1842. Range (as codes): RU KG Ssn Uk T-S Sb TM AF Bd CN Ui Kml MN IR Th Dam Elb Mz Gls Kp Kh Fa Sse Ak Mz Gls Ma Se IQ TR Cc AM KK
- 167.Manulea (s.str.) palliatella (Scopoli,1763) (Arctiidae) Synonym(s): palliatella Scopoli,1763; unita [Denis & Schiffermüller],1775; palleola Hübner,[1808]; gilveola Ochsenheimer,1810; vitellina Treitschke,1834; flaveola Rambur,1866. Range (as codes): AET DZ Bsk ES FR Sa Si IT BE DE CH AT PL CZ SK HU RO YU AL BG GR TR IR Elb IQ Brs Cc GG Bjo Smt Da Der LT RU MD UA BY KG Lps AF Nu
- **168.Muscula brevifurca (Wiltshire,1957)** (Arctiidae) Synonym(s): brevifurca Wiltshire,1957 Range (as codes): TR 10 Shq
- **169.Muscula muscula (Staudinger,1899)** (Arctiidae) Synonym(s): muscula Staudinger,1899 Range (as codes): TR GR Rd IO Shq LB Bei CY SY IL Pa IR Mz
- 170.Ocnogyna (s.str.) armena Staudinger,1871 (Arctiidae) Synonym(s): armena Staudinger,1871 Range (as codes): TR Cc AM AZ RU Da 10? TM Kp UZ TJ AF IR ArL Kz Bk Kh Th Kdj Bu Fa Shr
- 171.Ocnogyna (s.str.) bellieri (Lederer,1855) (Arctiidae) Synonym(s): bellieri Lederer,1855; banghaasi Staudinger,1895. Range (as codes): LB Bei TR IQ Dia Su
- 172.Ocnogyna (s.str.) loewii (Zeller,1846) (Arctiidae) Synonym(s): #löwii Zeller,1846; loewii Zeller,1846; clathrata Lederer,1855; andresi Draudt,1931. Range (as codes): GR Rd TR LB Bei IL Pa Hf EG LY Cy IR Ak Tbz Ke AF IQ
- 173. Paidia (Conjuncta) conjuncta (Staudinger,1892) (Arctiidae) Synonym(s): conjuncta Staudinger,1892 Range (as codes): AET DZ Agi Cc TR AF Pag Slg PK Gg Ch IR Elb Th Fa IQ Dk
- 174. Paidia (s.str.) cinerascens (Herrich-Schäffer,[1847]) (Arctiidae) Synonym(s): cinerascens Herrich-Schäffer,[1847] Range (as codes): TR GR Pl Cr 10 Rwz AZ Cc Nv Ord JO Amm IL Pa Js Hf
- 175.Phragmatobia fuliginosa (Linnaeus,1758) (Arctiidae) Synonym(s): fuliginosa Linnaeus,1758; fervida Staudinger,1871 nec Walk.,1855; lurida Rothschild,1910; monticola Daniel,1970 nec Reiss.,1934 Range (as codes): AET DZ MA TN PT ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IR Elb Th Mz Kdj GG AZ Kir AM LB Bei JO IL Hf DK NO SE FI EE LV LT RU Sr MD UA BY AF Bark TJ KK KG Ssn CN

Ui Ku Ts Kno Gn UZ Fe Ti CA Bd Hr Gbh Fz Srb Pli Dw Cc Smt Bjo Tbl Mng Da Der IQ SY Sc On Mai Wc BCo NCa Mnt Ssk Vc Yuk Ts B-B Ab Khy Oru Ak Aha Gh Mz Gls Kh Kd Bne Km Fa Pag Kön PK Gg Hu Psu Khh Dhm Anna Lvv

- 176.Phragmatobia placida (Frivaldsky,1835) (Arctiidae) Synonym(s): placida Frivaldsky,1835 Range (as codes): YU AL BG GR TR RU UA Cm Cc AM AZ NV Ord AF TM LB Ale Bsa 1Q IR Elb Th Kdj Mz Ak Tbz Kdv IL Pa
- 177. Utetheisa (s.str.) pulchella (Linnaeus,1758) (Arctiidae) Synonym(s): pulchella Linnaeus,1758; pulchra [Denis & Schiffermüller],1775; thyter Butler,1877; shyama Bhattacherjee & Gupta,1969; menoni Bhattacherjee & Gupta,1969. Range (as codes): CV Az PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Rd Cr TR DK LV LT RU MD UA BY IL Pa Hf IR Kz Ss Kd Ke CY GG AZ Len Cc AM KG ZR ZA Ec Nta Kzu Gau Pre Spb Mdk Ent Tva Lpo AF Ca Kab Asm Nu Bsg CN Ui GP IQ Agh TH CMa Knc Sbu Ab Oru Gh Mz Kh Gls Se Th Qz Kd Bne Mrv Snj Lo Km II Es Yz By Bk Fa Ke Ss Hz Bu Kz Tbl Bjo Smt Lag Der Da Bak Len PK Nwf Pes Bt Skd Bl Cp SO IN Cn Md ID Ja VN LK Cob Pdy Dck AU Bhh SO Zai YE Ad MA DZ TN Afl Ess Tun Tgr Khh Btna Ktr BSa Gha Dje Ges Agi Gle Hdd Bsk Ah Ajj

Autostichidae

In this country, 13 species have been recorded so far.

- 178.Acrosyntaxis albella (Amsel,1959) (Autostichidae) Synonym(s): albella Amsel,1959; griseella Amsel,1959. Range (as codes): SY Dms IQ Rba IR Th Fa
- 179.Acrosyntaxis kalifella (Amsel,1949) (Autostichidae) Synonym(s): kalifella Amsel,1949; #khalifa Hacker,1999 Range (as codes): 10 Bgd Kbl
- **180.Acrosyntaxis vartiani Gozmany,2008** (Autostichidae) Synonym(s): vartiani Gozmany,2008 Range (as codes): **10** Rba
- **181.Apiletria apaurta Gozmany,1965** (Autostichidae) Synonym(s): apaurta Gozmany,1965 Range (as codes): 10 Ry
- 182.Apiletria endopercna (Meyrick,1936) (Autostichidae) Synonym(s): endopercna Meyrick,1936 Range (as codes): AM Cc IQ Bag Dia Bgd Mos SY Dms TR IR Fa Bne Bu Ha Avd Yz Ab Khy Kdj Th Sdt Km Kd Mrv Snj
- **183.Apiletria nervosa Stainton,1867** (Autostichidae) Synonym(s): nervosa Stainton,1867 Range (as codes): LY 1Q Bgd Agh IL Pa Hf JO
- 184.Apiletria purulentella Stainton,1867 (Autostichidae) Synonym(s): purulentella Stainton,1867 (Autostichidae) Synonym(s
- **185.Aprominta bifasciata (Staudinger,1870)** (Autostichidae) Synonym(s): bifasciata Staudinger,1870; virginella Rebel,1902. Range (as codes): GR TR LB IQ
- 186.Oegoconia caradjai Popescu-Gorj & Capuse,1965 (Autostichidae) Synonym(s): caradjai Popescu-Gorj & Capuse,1965 Range (as codes): AET MA DZ Hsb TN Sfx Gf LY PT ES Mu FR Co Si BE IT GB DE CH CZ HU RO YU BG GR Cr Rd TR RU EG SA AS UZ TJ IR Elb Mz Dam Plr Shh Srd Gls AZ AM GG Cc IQ LB Bsa NZ
- **187.Symmoca (s.str.) costobscurella Amsel,1949** (Autostichidae) Synonym(s): costobscurella Amsel,1949 Range (as codes): IQ Bsr SA IR Ahz Th
- **188.Symmoca (s.str.) fuscella Amsel,1959** (Autostichidae) Synonym(s): fuscella Amsel,1959 Range (as codes): 10 Ry
- 189.Symmoca (s.str.) sparsella (De Joannis,1891) (Autostichidae) Synonym(s): sparsella De Joannis,1891; ratellina Turati,1919 Range (as codes): ES Mu LB Bei IL Pa Hf Js JO Amm EG Cr TR SY Dms IQ Shq Rwz Dia

Batrachedridae

In this country, 2 species have been recorded so far.

- 190.Batrachedra amydraula Meyrick,1916 (Batrachedridae) Synonym(s): amydraula Meyrick,1916 Range (as codes): DZ IN Ben Pus 10 Bgd SA AE
- 191.Batrachedra philocarpa Meyrick,1921 (Batrachedridae) Synonym(s): philocarpa Meyrick,1921 Range (as codes): 10 Bsr

Brachodidae

In this country, a single species has been recorded so far.

192.Brachodes mesopotamicus (Amsel,1949) (Brachodidae) Synonym(s): mesopotamicus Amsel,1949 Range (as codes): **10**

Bucculatricidae

In this country, a single species has been recorded so far.

193. Bucculatrix albella Stainton, 1867 (Bucculatricidae) Synonym(s): albella Stainton, 1867 Range (as codes): FR IT RO YU GR IL Pa 10 Bgd

Choreutidae

In this country, a single species has been recorded so far.

194. Choreutis nemorana (Hübner,[1799]) (Choreutidae) Synonym(s): nemorana Hübner,[1799]; incisalis Treitschke,1828; nemoranalis Treitschke,1829; nemorella Herrich-Schäffer,1862 Range (as codes): Md Cn DZ Anna MA PT ES Co MT AT GR Cr CY TR IQ Shq IR Gh Tgo Ak Qm RU MD UA Cm Cc GG AZ AM TM CN Yu

Cimeliidae

In this country, a single species has been recorded so far.

195. Axia (Epicimelia) theresiae (Korb,1900) (Cimeliidae) Synonym(s): theresiae Korb,1900 Range (as codes): TR Cc IR Ab Oru SY Hal IQ

Coleophoridae

In this country, 23 species have been recorded so far.

- 196.Coleophora agnatella Toll,1960 (Coleophoridae) Synonym(s): agnatella Toll,1960 Range (as codes): MA ES 10 Rba LY TN
- 197.Coleophora alcyonipennella (Kollar,1832) (Coleophoridae) Synonym(s): alcyonipennella Kollar,1832; cuprariella Zeller,1847; praticolella Zeller,1849; cuprifulgella Toll,1962 Range (as codes): MA PT ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc LB Ghz IQ Hjo Ry IR Elb Th Kh Msh Ab Mak AF Nu Pag Kab Bd PK Swa Mdy DK NO SE FI EE LV LT RU MD UA BY JP NZ AU NSw Syd KK CN Ui Ku Um
- 198.Coleophora amasiella Stainton,1867 (Coleophoridae) Synonym(s): amasiella Stainton,1867 Range (as codes): TR IL Pa SY Dms JO IR Se IQ Rba AF Kab
- 199.Coleophora amethystinella Ragonot,1885 (Coleophoridae) Synonym(s): amethystinella Ragonot,1885; metallica Toll,1961 Range (as codes): ES An TR IL Pa PT FR MK IQ Agh MA Azr Ifr
- **200.Coleophora assyriae Baldizzone,1994** (Coleophoridae) Synonym(s): assyriae Baldizzone,1994 Range (as codes): 10 Rba SY Dms
- **201.Coleophora canariipennella Toll,1959** (Coleophoridae) Synonym(s): canariipennella Toll,1959 Range (as codes): 10 Hjo Ry TR
- 202.Coleophora chamaedriella Bruand,1852 (Coleophoridae) Synonym(s): chamaedriella Bruand,1852; setipalpella Staudinger,1879. Range (as codes): MA ES FR Sa IT BE CH AT PL CZ SK HU RO YU AL GR TR IQ Mos
- 203.Coleophora conspicuella Zeller,1849 (Coleophoridae) Synonym(s): conspicuella Zeller,1849; centaureicolella Bruand,[1856]; similis Staudinger,1880; aceris Caradja,1920 Range (as codes): DZ Eba ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU GR TR Cc SY Dms LB Bsa IQ Hjo Ry DK SE FI EE LV LT AM Cc RU Sb At Us KG MD UA BY CN Ui Ku
- 204.Coleophora dianthi Herrich-Schäffer,1855 (Coleophoridae) Synonym(s): dianthi Herrich-Schäffer,1855; dianthella Herrich-Schäffer,1861; amseli Toll,1942 Range (as codes): FR Sa Si IT CH? AT PL CZ SK HU RO YU BG GR TR IR Ab Oru Th Elb Plr Gls Cc AM Eri Geg IQ Hjo Ry SE FI EE LV LT RU
- 205.Coleophora dubiella Baker,1888 (Coleophoridae) Synonym(s): dubiella Baker,1888; reisseri Rebel,1926; eucera Toll,1952; microeucera Toll,1960; leucostrigella Toll,1960 Range (as codes): DZ Lbs ES FR TR Cc JO 1Q Rba IR Ab Mak Qm Fa AF RU
- **206.Coleophora gazella Toll,1952** (Coleophoridae) Synonym(s): gazella Toll,1952; gazella Toll & Amsel,1967; argandabella Amsel,1968 Range (as codes): TR 10 Rba IR Kd Elb Th Kh Msh AF Kab TM

08 09 2018

- **207.Coleophora machinopis (Meyrick,1936)** (Coleophoridae) Synonym(s): machinopis Meyrick,1936; #machimopis Amsel,1949; alhagii Falkovich,1972 Range (as codes): TR IQ Dia Rmd IR Qm TM UZ
- **208.Coleophora mareki Tabell & Baldizzone,2014** (Coleophoridae) Synonym(s): mareki Tabell & Baldizzone,2014 Range (as codes): IT FR Sa BG GR HU CZ AT UA MK TR 10 Mos
- **209.Coleophora onopordiella Zeller,1849** (Coleophoridae) Synonym(s): onopordiella Zeller,1849; eremica Amsel,1935; cerinaula Meyrick,1936; fusca Toll,1952; pseudophlomidella Toll,1952; sivandella Toll,1959; litorella Nemeş,2003 Range (as codes): FR IT AT PL CZ SK HU RO BG GR ME Ctn MK Och TR Cc AM Geg SY Dms IR Fa Elb Th Kdj IL Pa IQ Dia
- 210.Coleophora paravestalella Baldizzone,1994 (Coleophoridae) Synonym(s): paravestalella Baldizzone,1994 Range (as codes): 10 Mos
- 211.Coleophora parthenica Meyrick,1891 (Coleophoridae) Synonym(s): parthenica Meyrick,1891; cygnipennella Toll,1959; candidella Toll,1959; transcaspica Toll,1959; lashkarella Toll & Amsel,1967; hilmendella Amsel,1968. Range (as codes): MA DZ Bsk TN Gf RO GR Cr TR LB JO IR Kh Elb Th Msh Hz B-A Fa Es IQ Bgd CY PK Sd Krc RU
- 212.Coleophora praecipua Walsingham,1907 (Coleophoridae) Synonym(s): praecipua Walsingham,1907 Range (as codes): DZ Bsk Hes TN Gf LY SA IR Ke Hz B-A IQ
- 213. Coleophora protecta Walsingham,1907 (Coleophoridae) Synonym(s): protecta Walsingham,1907 Range (as codes): TM LB TN Gf DZ Bsk Hes Ktr MA IR Elb Th Ke Fa IQ TR
- 214. Coleophora symphistropha (Reznik,1976) (Coleophoridae) Synonym(s): symphistropha Reznik,1976 Range (as codes): TR Cc AM IQ SY AZ IR Elb Th Ke KG
- 215.Coleophora tauricella Staudinger,1880 (Coleophoridae) Synonym(s): tauricella Staudinger,1880; skopusella Amsel,1935; egenella Toll,1952; kurdistanella Amsel,1955 Range (as codes): HV GR BG TR SY Dms IL Pa 10 Shq
- 216.Coleophora trifolii (Curtis,1832) (Coleophoridae) Synonym(s): trifolii Curtis,1832; chalybaella Costa,[1836]; melilotella Scott,1861. Range (as codes): ES FR Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR Cr TR IR Elb Th AF DK NO SE FI EE LV LT RU MD UA BY IQ Agh Bgd CN Ui Kl CA BCo
- 217. Coleophora wiltshirei Toll,1959 (Coleophoridae) Synonym(s): wiltshirei Toll,1959 Range (as codes): TR IR Lo Kd Bne IQ Hjo
- 218.Coleophora zernyi Toll,1944 (Coleophoridae) Synonym(s): zernyi Toll,1944 Range (as codes): MA ES Co Sa 1Q Hjo Ry IR Fa LB Bei Bsa SY Dms CY

Cosmopterigidae

In this country, 6 species have been recorded so far.

- **219.Anatrachyntis** rileyi (Walsingham,1882) (Cosmopterigidae) Synonym(s): rileyi Walsingham,1882; stigmatophora Walsingham,1882 Range (as codes): Cn FR TH US Hw AU PH ID IN ZA IQ AF TR
- 220. Ascalenia vanelloides Gerasimov,1930 (Cosmopterigidae) Synonym(s): vanelloides Gerasimov,1930; #eremella Amsel,1933; eremella Amsel,1935. Range (as codes): Si TR Cc AZ SA IL Jer Pa IQ Bgd IR Elb Th AF UZ Br TJ TM Mgab Mrw Kp K-K Bdz SA SA63
- 221.Limnaecia combota Meyrick,1921 (Cosmopterigidae) Synonym(s): combota Meyrick,1921 Range (as codes): 10 Bgd Bsr
- **222.Pyroderces apicinotella (Chrétien,1915)** (Cosmopterigidae) Synonym(s): apicinotella Chrétien,1915; simplicella Amsel,1959 Range (as codes): TN Gf IQ
- **223.Tenuipenna simlicella Amsel,1959** (Cosmopterigidae) Synonym(s): simlicella Amsel,1959 <u>Range</u> (as codes): 10 Bgd
- **224.Tolliella fulguritella (Ragonot,1895)** (Cosmopterigidae) Synonym(s): fulguritella Ragonot,1895; copidobathra Meyrick,1936 Range (as codes): TR LB Bsa JO IQ Hjo Er

Cossidae

In this country, 23 species have been recorded so far.

- **225.Azygophleps larseni Yakovlev & Saldaitis,2011** (Cossidae) Synonym(s): larseni Yakovlev & Saldaitis,2011 Range (as codes): **OM IQ IR YE Sk**
- **226.Azygophleps regia (Staudinger,1892)** (Cossidae) Synonym(s): regia Staudinger,1892; #regina Wiltshire,1957 Range (as codes): Cc TR IQ IR PK Ch Gg Bl

- **227.Catopta hyrcanus (Christoph,1888)** (Cossidae) Synonym(s): hyrcanus Christoph,1888; brandti Bryk,1947 Range (as codes): IR Kh Ss Se IQ TM
- **228.Cossulus lignosus (Brandt,1938)** (Cossidae) Synonym(s): lignosus Brandt,1938 <u>Range (as codes):</u> TR Cc IR Fa See Com Elb Th IQ LB Bsa
- 229.Cossulus mollis (Christoph,1887) (Cossidae) Synonym(s): mollis Christoph,1887 Range (as codes): TM Kp IQ Kku
- 230.Cossus cossus (Linnaeus,1758) (Cossidae) Synonym(s): cossus Linnaeus,1758; unguiculatus Fabricius,1794; ligniperda Fabricius,1794 <u>Range (as codes):</u> DZ PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR TR IQ Hjo Shq DK NO SE FI EE LV LT RU Ur Sb Am Daur MD UA BY Cc GG Tbl Bjo Mng Lag Kir Len Aj Akh Btm Smg Sok Abk AZ LB Bsa IR Elb Th Mz Gls Kh KG Uk CN Yu Mc KP KR JP MN
- 231.Deserticossus curdus Yakovlev,2006 (Cossidae) Synonym(s): curdus Yakovlev,2006 Range (as codes): 10 Kku
- **232.Dieida ledereri Staudinger,1871** (Cossidae) Synonym(s): ledereri Staudinger,1871 o Range (as codes): SY TR IR Cc AZ Nv Ord IQ
- **233.Dyspessa tsvetaevi Yakovlev,2008** (Cossidae) Synonym(s): tsvetaevi Yakovlev,2008 Range (as codes): 10 Er Shq
- 234. Dyspessa ulula (Borkhausen,1790) (Cossidae) Synonym(s): ulula Borkhausen,1790; hepialica Borkhausen,1790; hepialina Hübner,1792; marmorata Rambur,1858; fuscula Staudinger,1892; affinis Rothschild,1917; maroccana Rothschild,1917; pallida Rothschild,1917 nec Roth.,1912. Range (as codes): PT ES FR IT DE CH AT PL CZ SK HU RO YU AL BG GR Rd Cr TR RU MD UA BY CY LB Bei IR Kd KG Ssn IQ Mkp GG Tbl Bjo Kir Kak Cc AZ
- 235.Dyspessa wiltshirei Daniel,1938 (Cossidae) Synonym(s): wiltshirei Daniel,1938 Range (as codes): LB 10 Dy Qg Shq Bgd
- **236.Dyspessacossus fereidun (Groum-Grshimailo,1895)** (Cossidae) Synonym(s): fereidun Groum-Grshimailo,1895; firdusi Wagner,1937. Range (as codes): IR Elb Dam Th Cc AM IQ Ry Shq TR CN Ui
- 237.Eremocossus asema (Püngeler,1900) (Cossidae) Synonym(s): asema Püngeler,1900 Range (as codes): TM Kp IR IQ Kbl
- 238.Eremocossus vaulogeri (Staudinger,1897) (Cossidae) Synonym(s): vaulogeri Staudinger,1897; saharae Lucas,1907; hartigi Rebel,1935. Range (as codes): SN MR MA DZ Bsk BSa Ela Ogl TN ES LY Cy EG IL Jt Pa JO Cc SY AM SA PK Krc IR Ss IQ Bsy Kbl BH OM AE
- 239.Holcocerus gloriosus (Erschoff,1874) (Cossidae) Synonym(s): gloriosus Erschoff,1874; puengeleri Rothschild,1912 Range (as codes): SA OM YE AE LY Cy IQ Kbl Amr Bsr Mnd kut BH IR Gls Kh Ss Ahz IL Jer Js Pa SA UZ TJ Pm KG TM Kp Rpt Mrw AF Srb
- 240.Isoceras bipunctatum (Staudinger,1887) (Cossidae) Synonym(s): bipunctatum Staudinger,1887 Range (as codes): TR IL Js Pa LB Cc GG Kak AZ Nv Ord IR Fa Ahz IQ Ry Dia
- **241.Phragmacossia libani Daniel,1933** (Cossidae) Synonym(s): libani Daniel,1933 Range (as codes): LB Bsa 10
- 242.Phragmacossia territa Staudinger,1878 (Cossidae) Synonym(s): territa Staudinger,1878; transcaspica Grum-Grshimailo,1895 Range (as codes): TR IQ Bsy LB Bsa SY Cc AM TM Rpt UZ Smk TJ IR Elb Dam AF Slg PK Nwf IL Pa EG
- **243.Phragmacossia tigrisia Schawerda,1924** (Cossidae) Synonym(s): tigrisia Schawerda,1924 Range (as codes): 10 Mos
- 244.Phragmataecia castaneae (Hübner,1790) (Cossidae) Synonym(s): castaneae Hübner,1790; arundinis Hübner,[1808]; minor Moore,1879; pygmaea Graeser,1888; minima Hampson,1891 Range (as codes): MA
 TN ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IR KZ MZ DK SE FI EE LV LT RU VV
 Sb Am MD UA BY IQ Ama Da Der TM GG Pti AZ Kir Cc LB SY EG BD IN CN Ui JP
- **245.Stygia mosulensis Daniel,1965** (Cossidae) Synonym(s): mosulensis Daniel,1965 Range (as codes): BG GR 10 Mos TR IR Ak Tbz
- **246.Vartiania zarathustra Yakovlev,2005** (Cossidae) Synonym(s): zarathustra Yakovlev,2005 Range (as codes): IR Hz IQ OM
- 247.Zeuzera pyrina (Linnaeus,1761) (Cossidae) Synonym(s): pyrina Linnaeus,1761; hypocastani Poda,1761; aesuli Linnaeus,1767; hilaris Fourcroy,1785; octopunctata Boisduval,1832; decipiens Kirby,1892 Range (as codes): MA DZ Khh Anna LY EG PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR GG Bjo Tbl Lag Smg Smt Akh Abk Sok Aj Cc IQ DK NO SE EE LV LT RU MD UA BY IL Pa Hf LB Bsa IR MZ Us Vv CN US Ny TW LK KP KR JP IN

Ctenuchidae

In this country, 6 species have been recorded so far.

248.Amata aequipuncta (Turati,1917) (Ctenuchidae) Synonym(s): aequipuncta Turati,1917; #aequipunctata De Freina,1994 Range (as codes): TR Cc SY LB IQ

- 249.Amata caspia (Staudinger, 1877) (Ctenuchidae) Synonym(s): caspia Staudinger, 1877; #caspica Romanoff,1884; minuta A.Bang-Haas,1910 nec Bsd.,1833; martinierici Bryk,1941; banghaasi Obraztsov,1966; minutissima Obraztsov,1966; schachti De Freina,1994 Range (as codes): cc AM Eri AZ Len TR Arr TM Kp Mrw KG Tk Ssn DsA Tk Dj Ii UZ Fe T-S Aa Tk KK Ik MN CN Ui Um Au Gn Ts Kno RU Ao Ur Pja Da Der Sb IQ AF
- 250.Amata higginsi (Wiltshire,1958) (Ctenuchidae) Synonym(s): higginsi Wiltshire,1958 Range (as
- 251.Amata sintenisi (Standfuss,1892) (Ctenuchidae) Synonym(s): sintenisi Standfuss,1892; aurivala Schawerda,1923 Range (as codes): IQ Mos TR
- 252.Amata wiltshirei Bytinski-Salz,1939 (Ctenuchidae) Synonym(s): wiltshirei Bytinski-Salz,1939 Range (as codes): IQ Ry TR IR Ab Oru Ak Zj TS
- 253. Dysauxes (s.str.) famula (Freyer,1836) (Ctenuchidae) Synonym(s): famula Freyer,1836; hyalina Freyer,1845; ragusaria Zickert,1904; herthina Stauder,1921; burgeffi Draudt,1931; taurica Draudt,1931; pseudoservula Naufock,1933; pontica Friese,1959; sofiata De Laever,1983; lucana De Laever,1983. Range (as codes): FR Co Si IT MT CH AT HU RO SS B-H HV MK YU AL BG GR Rd Cr TR Cc RU Us MN IQ Ry Rwz Kq IL Pa Hf IR Mz Gls Kh TM Kp

Deoclonidae

In this country, a single species has been recorded so far.

254.Syringopais temperatella (Lederer, 1855) (Deoclonidae) Synonym(s): temperatella Lederer, 1855; fuscofasciata Stainton,1867; ochrolitella Staudinger,1871; xenicopa Meyrick,1920 Range (as codes): GR CY TR LB Bei IL Pa Hf IQ Shq Dia Mos Dk Tfa Hmm IR Lo

Douglasiidae

In this country, a single species has been recorded so far.

255.Klimeschia cinereipunctella (Turati & Fiori,1930) (Douglasiidae) Synonym(s): cinereipunctella Turati & Fiori,1930; lutumella Amsel,1938. Range (as codes): GR Cr TR IL Js Pa IQ Hjo Shq

Drepanidae

In this country, 2 species have been recorded so far.

- 256.Cilix asiatica A.Bang-Haas,1907 (Drepanidae) Synonym(s): asiatica A.Bang-Haas,1907; depalpata Strand,1913 Range (as codes): GG Smt Akh Cc AM AZ Len UA Cm TR IL Hf Pa LB Bsa IR Elb 10 AF Srb Bsg
- 257. Watsonalla binaria (Hufnagel,1767) (Drepanidae) Synonym(s): binaria Hufnagel,1767; falcata Fabricius,1775; falculataria De Villers,1789; falcatalis Haworth,1802; uncula Hübner,[1802] Range (as codes): DZ Sbd Agi Ges Dhm TN ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr TR Čc GG Lag IQ Brs LB Bsa DK SE FI LV LT RU MD UA BY

Epermeniidae

In this country, a single species has been recorded so far.

258.Epermenia (s.str.) orientalis Gaedike,1966 (Epermeniidae) Synonym(s): orientalis Gaedike,1966 Range (as codes): TR IR Elb Kdj Th Fa Dam LB SA SA63 IQ Rba AF PK Bl Qu

Ethmiidae

In this country, 11 species have been recorded so far.

- **259.Ethmia amasina (Staudinger, 1879)** (Ethmiidae) Synonym(s): amasina Staudinger, 1879 Range (as codes): TR SY Hal IQ Hjo Ry IR Elb Th Fa
- 260. Ethmia bipunctella (Fabricius, 1775) (Ethmiidae) Synonym(s): bipunctella Fabricius, 1775; echiella [Denis & Schiffermüller],1775; hochenwartiella Rossi,1790; griseicostella Wiltshire,1947; euphoria Kun,2007 Range (as codes): Cn MA DZ TN PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU ME Ctn AL GR Cr CY TR DK NO SE FI EE LV LT RU Kb MD UA BY KG Uk IL Pa Hf Js IR Elb Th Km Kd Zj Kh IQ Shq LB Bsa Cc AM

- 261.Ethmia candidella (Alpheraky,1908) (Ethmiidae) Synonym(s): candidella Alpheraky,1908; orientella Caradja,1931. Range (as codes): MA DZ TN PT ES FR IT CH AT CZ SK HU RO YU GR TR IL Jt Pa GG AM Cc IQ Bgd IR Fa Shr Elb MZ RU MD UA BY KG TK KK UZ
- **262.Ethmia caradjae (Rebel,1907)** (Ethmiidae) Synonym(s): caradjae Rebel,1907; chosroes Wiltshire,1947 Range (as codes): TR 10 Hjo Ry IR Fa
- **263.Ethmia fumidella (Wocke,1850)** (Ethmiidae) Synonym(s): fumidella Wocke,1850; ardosiella Caradja,1931. Range (as codes): PT ES AT PL SK HU RO GR Cr TR RU UA IQ IR Kh
- **264.Ethmia infelix Meyrick,1914** (Ethmiidae) Synonym(s): confusella Rebel,1901 (praeocc.); infelix Meyrick,1914; kurdistanella Amsel,1959 Range (as codes): TR IQ Ry Hjo Shq
- **265.Ethmia lepidella (Chrétien,1907)** (Ethmiidae) Synonym(s): lepidella Chrétien,1907; niveella Caradja,1920; minusculella Turati,1929; lactistrigella Turati & Krüger,1936; euphraticella Amsel,1954. <u>Range (as codes):</u> DZ Bsk TN LY Cy ES IL Pa Js SY IQ Dy AE
- 266.Ethmia pusiella (Linnaeus,1758) (Ethmiidae) Synonym(s): pusiella Linnaeus,1758; scalella Scopoli,1763; sequella [Denis & Schiffermüller],1775; lithosperma Hübner,1796. Range (as codes): ES FR IT GB DE CH AT PL CZ SK HU RO YU B-H AL GR TR IL Pa IQ Bgd Ama NO SE FI EE LV LT RU Ur Sb Vv MD UA BY MN KG Tk Dj CN Ui Ju KK Ik RU Kj Mnu IR Fa Shr
- 267.Ethmia quadrinotella (Mann,1861) (Ethmiidae) Synonym(s): quadrinotella Mann,1861; atticella Caradja,1920; galaxaea Meyrick,1922. Range (as codes): CV MA DZ Bsk EG SA SD LY Cy TN BH IQ Kbl AF Ca Hr PK Gg Ch GR TR Cc AM Eri SY IL Hf Pa Js IR Elb Kdj Th AE
- **268.Ethmia tripunctella (Staudinger,1879)** (Ethmiidae) Synonym(s): tripunctella Staudinger,1879 Range (as codes): MK BG TR IO Ry Hjo IR Km
- 269. Ethmia vittalbella (Christoph,1877) (Ethmiidae) Synonym(s): vittalbella Christoph,1877; #vittalbata Mabille,1906; radiatella Chrétien,1907; tripolitanella Turati,1929. Range (as codes): MA DZ Bsk TN EG SA IL Jt Pa SY Hms AZ Nv Ord Cc AM IR Kh TM Krn PK Gg Ch IQ KG AF Hr Srb Pli Ca Dwe CN Ui Ku

Gelechiidae

In this country, 33 species have been recorded so far.

- 270.Anacampsis malella Amsel,1959 (Gelechiidae) Synonym(s): malella Amsel,1959 Range (as codes): 10 Bgd
- 271. Anarsia aleurodes Meyrick, 1922 (Gelechiidae) Synonym(s): aleurodes Meyrick, 1922 Range (as codes): TR 10 Bgd
- 272.Anarsia lineatella Zeller,1839 (Gelechiidae) Synonym(s): lineatella Zeller,1839; heratella Amsel,1967; tauricella Amsel,1967. Range (as codes): MA DZ BSK LY TN EG PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR LB SY Dms DK SE FI LV LT RU MD UA BY Cc AM KG TM TJ UZ IQ IR Gls PK AF Hr IN Ch US Ut Cf CA AU
- 273. Aristotelia euprepella Zerny,1934 (Gelechiidae) Synonym(s): euprepella Zerny,1934 Range (as codes): TR LB Bsa IQ Hjo Er
- 274.Aroga aristotelis (Millière,[1876]) (Gelechiidae) Synonym(s): aristotelis Millière,[1876]; astragali Staudinger,1879; fulminella Millière,1882; lacertella Walsingham,1904; #aplasticella Rebel,1913; hyrcanella Toll,1947

 Range (as codes): DZ Bsk Ktr TN Gf ES Grn FR Si IT RO AL BG GR TR GG Cc IR Elb Mz Plr Kdv Kh IQ Ry RU Ur

 MN
- **275.Bagdadia irakella Amsel,1949** (Gelechiidae) Synonym(s): irakella Amsel,1949 Range (as codes): IQ Kbl
- 276.Bryotropha arabica Amsel,1952 (Gelechiidae) Synonym(s): arabica Amsel,1952 <u>Range (as codes)</u>: MA DZ Ges Hes TN Gf LY Cy ES An Grn Mu FR BG CY Cr GR MK Cc AZ IQ Shq Mos TR SY Dms IR Fa Kd IL Pa Amm LB Bsa JO Pet TM
- 277. Dichomeris lamprostoma (Zeller,1847) (Gelechiidae) Synonym(s): lamprostoma Zeller,1847; zulu Walsingham,1881; scutata Meyrick,1894. Range (as codes): Cn MA DZ Anna Ajj PT ES FR Sa Si MT TR IQ Mos Bgd ZA NA Abc Nta Kzu Umk Gau Pre Tva Lpo Nbs IN ID Ja
- **278.Euscrobipalpa delattini (Povolny,1969)** (Gelechiidae) Synonym(s): delattini Povolny,1969 Range (as codes): 10 SA
- 279. Euscrobipalpa indignella (Staudinger, 1879) (Gelechiidae) Synonym(s): indignella Staudinger, 1879; hyocyamivora Gerasimov, 1930; pseudobsoletum Povolny & Gregor, 1955; grossa Povolny, 1966 Range (as codes): TR IR Ab Oru IL Pa RU Sr Cc St IQ CN Ui AF Bm Kab TM Kp SY Dms AZ Cc UA
- **280.Euscrobipalpa pseudobsoletella (Gregor & Povolny,1955)** (Gelechiidae) Synonym(s): pseudobsoletella Gregor & Povolny,1955; #pseudobsletella Hacker,1999 Range (as codes): IL JO SA IQ IR
- **281.Euscrobipalpa remanella Povolny,1966** (Gelechiidae) Synonym(s): remanella Povolny,1966 Range (as codes): 10 Agh

- **282.Euscrobipalpa sindibad Povolny,1981** (Gelechiidae) Synonym(s): sindibad Povolny,1981 Range
- 283. Gnorimoschema herbichii (Nowicki, 1864) (Gelechiidae) Synonym(s): herbichii Nowicki, 1864; pusillella Rebel,1893; tengstroemiella Joannis,1910; pazsiczkyi Rebel,1913; parenthesella Toll,1936; tengstroemi Hackman,1946 Range (as codes): PT ES FR NL DE PL SK HU RO YU DK NO SE FI EE LV LT RU Kmt Sb IQ TR MN CA On CN IMn Ui TM UZ AF
- 284.Gnorimoschema soffneri Riedl,1965 (Gelechiidae) Synonym(s): soffneri Riedl,1965; antiquum Povolny,1966 Range (as codes): Fr co Gr Cr ES Si IT HU BG IQ TR IR Elb AF
- 285.Harpagidia magnetella (Staudinger,[1871]) (Gelechiidae) Synonym(s): Staudinger, [1871]; pallidibasella Ragonot, 1895; melitophanes Meyrick, 1931 Range (as codes): TR Cc AM IL Pa LB Bsa IR Ēlb <mark>IQ</mark> Dia
- **286.Metanarsia modesta Staudinger,1871** (Gelechiidae) Synonym(s): modesta Staudinger,1871; kurdistanella Amsel,1959 Range (as codes): IT RO RU Ur Sb MD UA BY KG UK TR 10 Hjo Cc AM IR
- 287.Metzneria castiliella (Möschler,1866) (Gelechiidae) Synonym(s): castiliella Möschler,1866; eatoni Walsingham, 1899. Range (as codes): DZ Gha Bsk TN Gf PT ES Cn An MT Cr IL IR Fa 10 Njf
- **288.Metzneria diamondi Amsel,1949** (Gelechiidae) Synonym(s): diamondi Amsel,1949 Range (as codes): IQ Kbl SA IR Kz Sde IL Pa AF
- 289. Neofaculta confidella (Rebel, 1935) (Gelechiidae) Synonym(s): confidella Rebel, 1935 Range (as codes): TR IQ Ry
- 290.Nothris verbascella ([Denis & Schiffermüller],1775) (Gelechiidae) Synonym(s): #verbascella [Denis & Schiffermüller],1775; verbascella Brahm,1791; lutarea Haworth,1828; discretella Rebel,1889; clarella Amsel,1935 Range (as codes): MA DZ Anna Lbs PT ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU HV TR BG MK GR Sms LB Bsa DK NO SE FI EE LV RU Cc Sb MD UA BY KG Uk IR Elb Dam Shh IQ Dy Hjo IL Pa
- **291.Ornativalva heluanensis (Debski,1913)** (Gelechiidae) Synonym(s): frankeniivorella Chrétien,1917; oasicolella Turati,1924; siculella Mariani,1937. Range (as codes): DZ Bsk MA TN LY Cy SD EG EG34 ES Mu Si MT HV RU IL Pa SY SA IQ TR IR Gls AF PK UZ MN CN Ts NHu Ui
- 292.Ornativalva longiductella Sattler,1967 (Gelechiidae) Synonym(s): longiductella Sattler,1967 Range (as codes): DZ Hes TN IQ AF SD MN
- 293. Ornativalva mixolitha (Meyrick,1918) (Gelechiidae) Synonym(s): mixolitha Meyrick,1918 Range (as codes): DZ MA TN TR RU IQ SD IN IR PK AF MN CN Ui Pay
- 294.Ornativalva plutelliformis (Staudinger,1859) (Gelechiidae) Synonym(s): plutelliformis Staudinger,1859; olbiaella Millière,[1861]; siewersiellus Christoph,1867; sinuatella Walsingham,1904 Range (as codes): Cn Md MA DZ Bsk Hes TN Gf LY PT ES An Hv FR Sa Si IT MT HU RO MK GR Cr TR RU MD UA BY KG Uk SD Pa IL Pa Hf LB Bei SA IQ Bgd KW IR Bmp Ana Ke Kh Gls AF PK CY CN IMn Ui
- 295.Ornativalva serratisignella Sattler,1967 (Gelechiidae) Synonym(s): serratisignella Sattler,1967 Range (as codes): **SD IQ** IR
- 296.Ornativalva triangulella Sattler,1967 (Gelechiidae) Synonym(s): triangulella Sattler,1967 Range (as codes): DZ Bsk TN IO AF KW IR
- 297.Platyedra bathrosticta (Meyrick,1936) (Gelechiidae) Synonym(s): bathrosticta Meyrick,1936 Range (as codes): 10 Mos
- **298.Schneidereria pistacicola (Danilevsky,1955)** (Gelechiidae) Synonym(s): pistacicola Danilevsky,1955 Range (as codes): TM UZ TJ KK IQ IR?
- **299.Schneidereria pistaciella Weber,1957** (Gelechiidae) Synonym(s): pistaciella Weber,1957 Range (as codes): SY IQ? IR? UA Cm GR Chi CY
- 300.Scrobipalpa (Ergasiola) ergasima (Meyrick,1916) (Gelechiidae) Synonym(s): Meyrick,1916; intestina Meyrick,1921; mignatella Caradja,1920; mirabilis Gregor & Povolny,1955; perdava Clarke,1962 Range (as codes): DZ Cn ES FR Co Sa Si GR TR IQ IR SA PK IN Ben Pus MM ID JP ZA Tva Gau Pre Cc GG
- 301.Streyella anguinella (Herrich-Schäffer, 1861) (Gelechiidae) Synonym(s): anguinella Herrich-Schäffer,1861; ostentella Zerny,1934 Range (as codes): DZ ES HV SS GR TR LB Bsa IQ RU Sr Ur
- 302. Teleiodes squamodorella (Amsel, 1935) (Gelechiidae) Synonym(s): squamodorella Amsel, 1935 Range (as codes): IL Pa Jer IQ Bgd IR

Geometridae

In this country, 109 species have been recorded so far.

303. Aleucis mimetes (Wehrli, 1932) (Geometridae) Synonym(s): mimetes Wehrli, 1932 Range (as codes): TR IQ

- 304.Aplasta ononaria (Fuessly,1783) (Geometridae) Synonym(s): ononaria Fuessly,1783; rubellata De Villers,1789; rubicapraria Hübner,1793; sudataria Hübner,[1817]; faecataria Hübner,[1819]; ononata Bellier,1861 Range (as codes): PT ES Mu FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR CY IQ LB Bsa JO SY RU MD UA BY IL Pa He IR AM Cc
- **305.Aplocera obsitaria (Lederer,1853)** (Geometridae) Synonym(s): obsitaria Lederer,1853; pseudopallidata Bytinski-Salz & Brandt,1937 Range (as codes): TR Ce IQ IR Fa Shr Sse Th Elb Nss LB Bsa IL Pa He
- 306.Aplocera plagiata (Linnaeus,1758) (Geometridae) Synonym(s): plagiata Linnaeus,1758; duplicata Fabricius,1775; terlineata Goeze,1781; triplicata Geoffroy,1785; plagiaria Boisduval,1840; scotica Richardson,1952 Range (as codes): DZ Lbs PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc GG AZ AM Nv IQ Rwz IR Ab Oru Fa Sse Com Kz Gls Kh CY DK NO SE FI EE LV LT RU Krl MD UA BY CN Ui Ju Kön IL Pa Js He LB Bsa
- 307.Apochima flabellaria (Heeger,1838) (Geometridae) Synonym(s): flabellaria Heeger,1838; marmararia Buresch,1915 Range (as codes): AET ES An Sa Si IT MT MK BG GR Rd Cr TR Cc GG Tbl LB RU IQ Bgd Mj CY IL Pa Js Jf JO UA IR TM Kp UZ TJ KG
- 308.Aspitates (Napuca) ochrearia (Rossi,1794) (Geometridae) Synonym(s): ochrearia Rossi,1794; sulphuraria Fabricius,1794; trifoliaria Haworth,1809; citraria Hübner,[1826]; laetula Hulst,1896; parvularia Lempke,1953 Range (as codes): DZ Ges Anna PT ES Mu FR Co Sa Si IT MT GB BE NL RO YU AL BG GR Rd TR CY IQ Dia RU MD UA Cm BY IL Pa Car US
- 309. Camptogramma bilineatum (Linnaeus,1758) (Geometridae) Synonym(s): bilineata Linnaeus,1758; brocatella Fourcroy,1785; dumetata Schrank,1802; bilinearia Boisduval,1840; musauria Freyer,1846; testaceolata Staudinger,1871 Range (as codes): MA TN DZ Orn Clo PT ES Mu FR Co Si IT MT IE GB Sc Sht BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd TR AZ IQ IR Ab Oru Msw Ak Jal Fa Sse Mz Gls Kh DK NO SE FI EE LV LT RU Ur At MD UA Cm BY AZ Kir Cc AM GG KG TM Kp IL Pa LB Bsa
- 310.Casilda antophilaria (Hübner,[1813]) (Geometridae) Synonym(s): antophilaria Hübner,[1813]; gegenaria Alpheraky,1883; #albipunctaria Alpheraky,1883; elvira Thierry-Mieg,1911. Range (as codes): DZ Ges Mri ES FR IT YU AL GR Rd Cr CY TR RU Da Der UA Cm Cc AM GG AZ Len IR IQ CN Ui Ku KG
- 311. Catarhoe mosulensis (Schawerda,1924) (Geometridae) Synonym(s): mosulensis Schawerda,1924; cinneretharia Amsel,1935 Range (as codes): IQ Mos TR IL Pa Tbg
- **312.Charissa (Cnestrognophos) stachyphora (Wehrli,1936)** (Geometridae) Synonym(s): stachyphorus Wehrli,1936 Range (as codes): IR Ha Avd Elb Dam IQ Rwz
- 313.Charissa (Euchrognophos) variegata (Duponchel,1830) (Geometridae) Synonym(s): variegatus Duponchel,1830; rothschildi L.B.Prout,1929; #subtaurica Wehrli,1932. Range (as codes): MA Mzg PT ES FR Si IT MT CH AT HU RO YU AL BG? GR? Rd? AZ? Nv Cc GG? IQ? RU
- **314.Charissa (Kemtrognophos) mardinaria (Staudinger,1901)** (Geometridae) Synonym(s): mardinaria Staudinger,1901 Range (as codes): TR 10 Dk IR Kd Snj
- 315.Charissa (Kemtrognophos) onustaria (Herrich-Schäffer,[1852]) (Geometridae) Synonym(s): onustaria Herrich-Schäffer,[1852]; oneraria Guenée,[1858] Range (as codes): ES FR Co Sa Si IT RO YU AL BG GR TR GG Cc AZ AM IQ IL Pa JO IR Gls Kh
- **316.Charissa (Organognophos) wanensis (Wehrli,1936)** (Geometridae) Synonym(s): wanensis Wehrli,1936 Range (as codes): 10 TR
- 317.Chesistege korbi (Bohatsch,1910) (Geometridae) Synonym(s): korbi Bohatsch,1910 Range (as codes): TR JO IQ TM Kp Cc AM
- 318.Chiasmia (Godonela) aestimaria (Hübner,[1809]) (Geometridae) Synonym(s): aestimaria Hübner,[1809]; contemptata Guenée,[1858]; aestimata Herrich-Schäffer,1861; tunesella Lucas,1949. Range (as codes): DZ Clo TN PT ES Mu FR Sa Si IT MT RO YU AL BG GR TR Cc AZ AM GG Ord Der Da Nv CY IQ Agh IR Mz Gls Fa Sse RU MD UA BY CN Ui Ku KK Ik IL Pa Jf Hf PK Nwf YE Hd YE68
- 319.Chiasmia (Godonela) syriacaria (Staudinger,1871) (Geometridae) Synonym(s): syriacaria Staudinger,1871; venerata Christoph,1887; #syriacata Wehrli,1934. Range (as codes): Cr TR Cc CY TM Kp IR Ahz Srd IQ Bgd Agh Mq Sbn Dk Amr IL Pa Hf Jf LB Bei BH
- 320.Coenotephria ablutaria (Boisduval,1840) (Geometridae) Synonym(s): ablutaria Boisduval,1840; probaria Herrich-Schäffer,1852; ruficinctaria Guenée,[1858]; ochrearia Staudinger,1901 Range (as codes): FR IT Co Sa Si SS HV B-H YU GR BG RO UA CY Rd Cr EG Sn IL Pa Car Js TR IR Kd Fa IQ Brs Dia Cc GG Bjo AM
- 321.Costaconvexa polygrammata (Borkhausen,1794) (Geometridae) Synonym(s): polygrammata Borkhausen,1794; polygrammaria Haworth,1809; conjunctaria Lederer,1853; #rosea Wiltshire,1946 Range (as codes): PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc AZ GG Tbl Lag Kir Len AM LB IL Pa IQ IR Fa Shr Mz Kh AF DK SE FI LV LT RU Ur KK KG TJ UZ TM MD UA Cm BY CN Ui Ku
- 322.Cyclophora ruficiliaria (Herrich-Schäffer,[1855]) (Geometridae) Synonym(s): ruficiliaria Herrich-Schäffer,[1855]; schaefferaria La Harpe,1855; circumdataria Bastelberger,1898; mattiacata Bastelberger,1898; privataria Bastelberger,1898; ruberrima Bastelberger,1898 Range (as codes): PT ES FR Sa IT BE NL LU DE CH AT CZ SK HU RO YU AL BG GR TR IQ IR Gls RU MD UA BY
- **323.Dasycorsa modesta (Staudinger,1879)** (Geometridae) Synonym(s): modesta Staudinger,1879 Range (as codes): RO YU BG GR CY TR LB Bsa IL Pa Tbs IQ IR

324.Docirava musculata (Staudinger,1892) (Geometridae) Synonym(s): musculata Staudinger,1892 Range (as codes): GR Ae Sms TR IQ IR TM

08 09 2018

- 325. Dyscia (Calodyscia) innocentaria (Christoph,1885) (Geometridae) Synonym(s): innocentaria Christoph,1885; #innocentana Pugaev & Zolotuhin,2006 Range (as codes): Co Sa Si IT YU HV AL MK BG RO Do GR RU Ao MD UA Cm TR IQ Er Ama Shq IR Gor Gls Kh TM Kp Noc JO Amm IL Pa Hf Js SY Dms CY Cc Da GG Bjo Lag AZ Kir AM Eri AF KG UZ Smk CN Ui Au
- 326.Dyscia (Warneckeella) malatyana (Wehrli,1934) (Geometridae) Synonym(s): malatyana Wehrli,1934 Range (as codes): TN LY TR Cc AZ AM Eri GG RU Ao Da IR Es Ss Elb Th Ke Se Kh IQ Rba TM Kp KG Kmk Tk Dj UZ Smk KK AF Kab PK Bl Qu CN T-S Kno
- 327. Eilicrinia cordiaria (Hübner,1790) (Geometridae) Synonym(s): cordiaria Hübner,1790 Range (as codes): AT SK HU RO YU BG GR RU MD UA BY TR Cc AZ NV AM GG Lag Kir Ord Der Da IQ Dk IR FA Sse IN Kul Hp
- **328.Ennomos (Deuteronomos) fraxineti Wiltshire,1947** (Geometridae) Synonym(s): effractarius sensu Wehrli,1934; fuscantaria sensu Wiltshire,1946; fraxineti Wiltshire,1947 Range (as codes): TR IR Elb Th Gls IQ Slf
- 329.Ennomos (Deuteronomos) quercarius (Hübner,[1813]) (Geometridae) Synonym(s): quercaria Hübner,[1813] Range (as codes): PT ES An FR Si IT CH AT PL SK HU RO YU MK AL BG GR Cr TR Cc GG Mng Smt AZ AM IR Gls Fa IQ RU MD UA Cm BY CY Cr LB Bsa IL Pa JO
- 330.Epitherina bahmana (Wiltshire,1943) (Geometridae) Synonym(s): bahmana Wiltshire,1943
 Range (as codes): IR Fa IQ
- **331.Epitherina ghirshimani (Wiltshire,1944)** (Geometridae) Synonym(s): ghirshimani Wiltshire,1944 Range (as codes): IR Fa IQ
- **332.Eumera hoeferi Wehrli,1934** (Geometridae) Synonym(s): #höferi Wehrli,1934; hoeferi Wehrli,1934; hoeferi Wiltshire,1937. Range (as codes): TR IQ Brs Ry Rwz Dia Cc AZ Nv Dz IR Fa Sse
- 333. Euphyia frustata (Treitschke,1828) (Geometridae) Synonym(s): frustata Treitschke,1828; muscosata Donzel,1837 Range (as codes): MA DZ PT ES FR Co Sa Si IT BE LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Bjo Kir AZ AM IQ LB Bsa
- **334. Eupithecia bastelbergeri Dietze,1913** (Geometridae) Synonym(s): bastelbergeri Dietze,1913 Range (as codes): TR 10 IR Fa KK KG Na
- **335. Eupithecia brunneata Staudinger,1900** (Geometridae) Synonym(s): brunneata Staudinger,1900 Range (as codes): TR IL IQ IR
- 336. Eupithecia extremata (Fabricius,1787) (Geometridae) Synonym(s): extremata Fabricius,1787; glaucomictata Mann,1855; hangayi Vojnits,1977. Range (as codes): LY PT ES FR Co Si DE AT SK HU RO YU AL BG GR TR 10 RU MD UA BY Cc AZ Kir IL Pa Tbs Car LB Bsa IR
- 337. Eupithecia gratiosata Herrich-Schäffer,1861 (Geometridae) Synonym(s): gratiosata Herrich-Schäffer,1861; subseparata Christoph,1885 Range (as codes): MA DZ TN PT ES FR Sa Si IT PL RO YU AL BG GR TR IQ LB Bsa Cc GG AZ IR
- 338. Eupithecia icterata (De Villers,1789) (Geometridae) Synonym(s): icterata De Villers,1789; oxydata Treitschke,1828; cognata Stephens,1831; ligustigata Donzel,1838; ferrugata Duponchel,1842; #ligusticata Dietze,1910 Range (as codes): MA ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc Arr GG Bjo Mng Lag Da DK NO SE FI EE LV LT RU MD UA Cm IQ IR Elb Mz KG
- 339.Eupithecia limbata Staudinger,1879 (Geometridae) Synonym(s): limbata Staudinger,1879; irritaria Staudinger,1892; kueppersi Vojnits,1973 Range (as codes): PT ES An IT SS MK BG GR Cr TR Ksp IQ AM Nv Cc AZ LR IR
- 340. Eupithecia minusculata Alpheraky,1883 (Geometridae) Synonym(s): minusculata Alpheraky,1883; inversaria Turati,1930; penultimaria Wiltshire,1985; herrenschmidti Mentzer & Moberg,1992 Range (as codes): ES An Grn DZ TN UA Cm RU CN Ui Ku LY Cy IQ Bgd TR AM Cc AZ Da SY IL Pa JO KG TM UZ TJ AF Nu MN
- **341.Eupithecia opistographata Dietze,1906** (Geometridae) Synonym(s): opistographata Dietze,1906; arenicola Rothschild,1913; #opisthographata Schütze,1961 Range (as codes): DZ Ogl Gle Omy JO IL Pa IQ Amr Mos Ahz IR CN Ui Au YE
- **342. Eupithecia quercetica L.B. Prout, 1938** (Geometridae) Synonym(s): quercetica L.B. Prout, 1938 Range (as codes): MK BG GR Cr TR UA Cm LB IQ CY IL Pa JO SA
- 343. Eupithecia ultimaria Boisduval, 1840 (Geometridae) Synonym(s): ultimaria Boisduval, 1840; tornifascia Rothschild, 1913 Range (as codes): MA DZ Ges Ah Ogl Gle TN LY ES FR IT GB Cc AZ Nv Ord Lag LB Bei EG EG11 SA As TR IQ Kq Mos Bgd Amr PK Krc IR Ss Kz IL Pa Jf LB SY
- 344.Glossotrophia (Libanonia) sacraria (A.Bang-Haas,1910) (Geometridae) Synonym(s): sacraria A.Bang-Haas,1910 Range (as codes): GR Rd LB Bei TR CY JO IL Pa IQ AF Srb Kab Bm PK TJ Pm IR Shr Fa Sse Com Kz KG Uk
- 345.Gnopharmia colchidaria (Lederer,1870) (Geometridae) Synonym(s): colchidaria Lederer,1870; melanotaenia Wehrli,1938 Range (as codes): TR Cc GG Akh IL Pa TM Kp IQ AZ Kir Nv Ord Dz AM IR Ab Mak Khy Fa Sse Mz Gls Shr Hz Ke Kd Ha Km Ss Th Elb Kdj Lo Es Snj Sqq Bne PK Bl Zi Qu

346.Gnopharmia erema Wehrli,1939 (Geometridae) Synonym(s): erema Wehrli,1939 <u>Range (as codes)</u>: 10 Kbl Mnf

08 09 2018

- 347.Gnopharmia irakensis Wehrli,1938 (Geometridae) Synonym(s): irakensis Wehrli,1938 Range (as codes): TR IQ Rwz Er Ry IR Ab Oru Th Elb Fa Dam Shr Bk Es Kd Ha Ke Km Kh Kdj Qz Kz Lo PK Nwf Bl Zi AF Kab Bm Srb
- **348.Gnophos (Dicrognophos) choristus Wehrli,1939** (Geometridae) Synonym(s): chorista Wehrli,1939 Range (as codes): IR IQ Rwz TR
- **349.Gnophos (Dicrognophos) snelleni Christoph,1887** (Geometridae) Synonym(s): snelleni Christoph,1887 Range (as codes): TM Kp IR Elb Srd IQ TR Ger
- **350.Gnophos (Dicrognophos) wiltshirei Wehrli,1938** (Geometridae) Synonym(s): wiltshirei Wehrli,1938 Range (as codes): IQ Ry Er Rwz
- **351.Gnophosema palumba Brandt,1938** (Geometridae) Synonym(s): palumba Brandt,1938 <u>Range</u> (as codes): 10 Er Shq IR Ss Sse Fa
- 352.Gymnoscelis rufifasciata (Haworth,[1809]) (Geometridae) Synonym(s): rufifasciata Haworth,[1809]; pumilata Hübner,[1813]. Range (as codes): Cn MA DZ Clo PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd TR Cc GG Tbl Kir Hkd Arr AZ IQ DK NO SE FI EE LV LT RU MD UA BY IR MZ Gls UZ Fe KK Ik LB Bsa IL Pa Car
- 353.Idaea allongata (Staudinger,1898) (Geometridae) Synonym(s): allongata Staudinger,1898; allongaria Staudinger,1900; paulusi L.B.Prout,1935 Range (as codes): Cr TR LB IL Pa Js Car JO IQ IR Fa Com Kz Sse
- 354.Idaea camparia (Herrich-Schäffer,[1852]) (Geometridae) Synonym(s): #camparia Herrich-Schäffer,[1851]; camparia Herrich-Schäffer,[1852]; europaea Wehrli,1934. Range (as codes): DZ Orn PT ES FR Si IT RO YU HV AL BG GR Cr CY TR LB Bsa Cc AZ Nv AM GG Tbl Kir Lag Ord IQ RU MD UA BY IR Fa Com Kz Gls IL Pa Hf JO TM
- 355.Idaea degeneraria (Hübner,[1799]) (Geometridae) Synonym(s): degeneraria Hübner,[1799]; degenerata Treitschke,1828; floridaria Turati,1913 Range (as codes): MA DZ TN PT ES FR Co Sa Si IT MT GB DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR IL Pa LB Bsa Cc AZ GG Tbl Bjo Kir IQ RU MD UA BY TM IR Elb Fa Gls AF KG UZ
- 356.Idaea elongaria (Rambur,1833) (Geometridae) Synonym(s): elongaria Rambur,1833; aridata Zeller,1847; aridaria Heydenreich,1851; monadaria Guenée,[1858]; confusaria Lederer,1863; infermata Staudinger,1871; zephyrata Millière,1872; marialudovicata Lucas,1942. Range (as codes): MA DZ Clo TN PT ES Mu FR Co Sa Si IT MT SK HU RO HV YU AL BG GR Sms Cr CY TR Cc AZ GG LB Bsa AZ NV IQ Akr RU UZ CN Ui Ii Ku Khr KG Tk
- 357.Idaea filicata (Hübner,[1799]) (Geometridae) Synonym(s): filicata Hübner,[1799]; filicaria Duponchel,1830; levequei Leraut,2005 Range (as codes): ES Mu FR Co Sa Si IT CH AT CZ SK HU RO YU AL BG GR Cr Rd TR IQ Rwz Agh IL Pa CY LB IR
- **358.Idaea illustris (Brandt,1941)** (Geometridae) Synonym(s): illustris Brandt,1941 Range (as codes): AE IR Fa Ss IQ Bsr
- 359.Idaea obsoletaria (Rambur,1833) (Geometridae) Synonym(s): obsoletaria Rambur,1833; violacearia Staudinger,1901; algeriensis Baker,1888; distans Hausmann,1991; violacearia Hausmann,1991 nec Wlk.,1861 Range (as codes): MA DZ Ges Clo Sbd ES Mu FR Co Sa Si IT CH AT CZ SK HU RO YU AL BG GR Cr TR Cc GG Tbl Bjo Ord Da Der AZ Nv RU MD UA BY IQ IR Fa LB Bsa
- **360.Idaea palaestinensis (Sterneck,1933)** (Geometridae) Synonym(s): antitaurica Wehrli,1932 nec Whrl.,1931; palaestinensis Sterneck,1933; seitunensis L.B.Prout,1934 <u>Range (as codes):</u> LB Shw Bei IL Pa GR Cr Rd CY TR IQ Agh Bgd IR Fa
- 361.Idaea politaria (Hübner,[1799]) (Geometridae) Synonym(s): politata Hübner,1793 nec Fabr.,1781; politaria Hübner,[1799]; #abmarginata Bohatsch,1885; mundipennis W.Warren,1898; abmarginata Staudinger,1901 Range (as codes): DZ Sbd PT ES FR Co Sa Si IT CH CZ SK HU RO SS YU AL BG GR Cr TR IQ LB Bsa RU MD UA Cm CY Cc GG Lag Der Da AZ AM IR Mz Gls
- 362.Idaea rufaria (Hübner,[1799]) (Geometridae) Synonym(s): rufaria Hübner,[1799]; ochridana Silbernagel,1944 Range (as codes): MA PT ES Mu FR Co Si IT BE DE CH AT PL CZ SK HU RO YU B-H MK HV AL BG Vrn GR Rd TR Cc GG Tbl Bjo Mng Kir Bku Smt Da Der Nv Ord AZ AM Ksp IQ RU MD UA BY IR Fa Com Kz Kh AF Pag Kab MN
- 363.Idaea textaria (Lederer,1861) (Geometridae) Synonym(s): textaria Lederer,1861 Range (as codes): GR Ae Sms TR CY IQ Sbn Agh
- **364.Isturgia disputaria (Guenée,[1858])** (Geometridae) Synonym(s): disputaria Guenée,[1858]; indodata Walker,1863; strenuata Walker,1863; curvifera Walker,1870; gazella Blackmore,1872; martiniaria Oberthür,1876; granitalis Butler,1883; lithina Butler,1883; zebrina Butler,1883; infrictaria Swinhoe,1886; subocellata Warren,1896; trilineata Krüger,1939 Range (as codes): MA DZ Rhr Ah Ajj Bsk TN EG EG11 ET NG CM KE IN PJ Mp Poo Mhw PK Sd Krc YE Ad LY ML MT Cc GG AZ AM TR JO SY LB IR Hz IQ MR OM AE JO GM
- **365.Isturgia perviaria (Lederer,1855)** (Geometridae) Synonym(s): perviaria Lederer,1855; albofascia Swinhoe,1885 Range (as codes): IL Pa Hf SA SA63 BH LB Bei PK Sd Krc IQ Agh ID Sba
- **366.Isturgia perviaria (Lederer,1855)** (Geometridae) Synonym(s): perviaria Lederer,1855; albofascia Swinhoe,1885 Range (as codes): IL Pa Hf SA SA63 BH LB Bei PK Sd Krc IO Agh

- **367.Jordanisca tenuisaria (Staudinger,1900)** (Geometridae) Synonym(s): tenuisaria Staudinger,1900 Range (as codes): **JO 10 SA BH**
- 368.Larentia clavaria Haworth,[1809] (Geometridae) Synonym(s): clavaria Haworth,[1809]; pallidata Staudinger,1901 Range (as codes): MA DZ TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr Rd CY TR IQ LB DK NO SE FI EE LV LT RU Ur At MD UA Cm BY Cc GG AZ AM IL Pa Js IR Ab KG Mn Ssn UZ TJ
- 369.Lithostege buxtoni L.B.Prout,1920 (Geometridae) Synonym(s): buxtoni L.B.Prout,1920 Range (as codes): TR 10 Bji Su IR Ha Fa Shr Km Kd Km SA
- 370.Lithostege dissocyma L.B.Prout,1938 (Geometridae) Synonym(s): dissocyma L.B.Prout,1938 Range (as codes): 10 Dy IR Ss Hz Fa Kaz
- 371.Lithostege fissurata Mabille,1888 (Geometridae) Synonym(s): fissurata Mabille,1888; inanis L.B.Prout,1941; fitzgeraldi Wiltshire,1947 Range (as codes): DZ Eal Ear Bsk Kdr Ceg Gha Gf Gab TN MT DZ LY EG IL Pa SA IR Ss IQ YE
- 372.Lithostege notata A.Bang-Haas,1906 (Geometridae) Synonym(s): notata A.Bang-Haas,1906; bifissana Rebel,1911 Range (as codes): DZ Bsk BSa Ceg TN Gf IQ Agh Dy IR SA IL Pa JO Jt
- 373.Lithostege palaestinensis Amsel,1935 (Geometridae) Synonym(s): palaestinensis Amsel,1935; ali Wiltshire,1941. Range (as codes): GR CY TR SY Hal IL Pa JO IQ Kbl Fat Njf Agh SA SA63 IR Fa Zj Ss Bu Kz Mz Th Elb Dam
- 374.Lycia suleimania (Wehrli,1938) (Geometridae) Synonym(s): suleimania Wehrli,1938 Range (as codes): SY 10 Su
- 375.Lythria purpuraria (Linnaeus,1758) (Geometridae) Synonym(s): purpuraria Linnaeus,1758; cruentata Hufnagel,1767 nec Sc.,1763; sanguinolenta Fourcroy,1785 nec Linn.,1767 Range (as codes): ES FR IT BE LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG AZ AM IQ IR Gls Kh EE LV RU Ur Sb MD UA BY KG KK TJ TM UZ CN Ui Ii Ku
- 376.Megalycinia engys Wehrli,1939 (Geometridae) Synonym(s): engys Wehrli,1939 Range (as codes): TR 1Q Brs
- 377.Microloxia herbaria (Hübner,[1813]) (Geometridae) Synonym(s): herbaria Hübner,[1813]; advolata Eversmann,1837; graminaria Zeller,1849; bruandaria Millière,1860. Range (as codes): DZ Ges PT ES FR Co Sa Si IT HU RO YU AL BG GR Cr TR GG Lag Kir Ord Len Da Der Cc AZ Nv CY IQ Kbl RU MD UA BY CN Ui Ku IR Fa Com Kz OM IL Pa Hf
- 378.Myinodes shohami Hausmann,1994 (Geometridae) Synonym(s): shohami Hausmann,1994 Range (as codes): Rd TR LB CY IL Pa JO IQ IR Fa Shr
- 379.Nebula senectaria (Herrich-Schäffer,[1852]) (Geometridae) Synonym(s): senectaria Herrich-Schäffer,[1852]; ludificata Staudinger,1870; decipiata Staudinger,1901; sultana Schwingenschuss,1939 Range (as codes): IT YU B-H HV SS AL MK BG GR Cr UA Cm TR Cc AZ Kir GG AM IL Pa IQ LB Bsa
- **380.Neognopharmia hoerhammeri (Brandt,1938)** (Geometridae) Synonym(s): hoerhammeri Brandt,1938; #horhammeri Scoble,1999 Range (as codes): IR Fa Sse IQ Dk
- 381.Neognopharmia stevenaria (Boisduval,1840) (Geometridae) Synonym(s): stevenaria Boisduval,1840; lapidisaria Freyer,1841 Range (as codes): PT ES Mu FR IT RO MD UA Cm YU HV SS MK AL BG GR Ip Sms Cr TR AZ Cc AM GG IQ IR Fa Sse Com Kz RU Sr Or Ur VI Kis IL Pa Car Hf LB Bsa CY
- **382.Neromia simplexa Brandt,1938** (Geometridae) Synonym(s): simplexa Brandt,1938 Range (as codes): IR Fa IQ Agh Bgd OM AF
- **383.Nychiodes** (Eunychiodes) divergaria (Staudinger,1892) (Geometridae) Synonym(s): divergaria Staudinger,1892 Range (as codes): TR LB Bei Bsa IL Pa Js RU Da Cc IR Elb IQ Brs Ry Rwz Dia
- **384.Nychiodes (Eunychiodes) variabila Brandt,1938** (Geometridae) Synonym(s): variabila Brandt,1938; #variabilis auct. Range (as codes): TR IR Km Ksh Fa Sse Com Mia Kz Ss Kuh IQ Bgd Agh Dk
- **385.Nychiodes (Fritzwagneria) rayatica Wiltshire,1957** (Geometridae) Synonym(s): rayatica Wiltshire,1957 Range (as codes): AM Cc IQ Ry Hjo Er IR TR
- 386.Orthonama obstipata (Fabricius,1794) (Geometridae) Synonym(s): obstipata Fabricius,1794; fluviata Hübner,[1799]; gemmata Hübner,1799; albicinctata Haworth,1809; angustata Haworth,1809; quaerendaria Costa,1850; baccata Guenée,[1858]; lapillata Guenée,[1858]; contrariata Walker,1862; exagitata Walker,1862; intrusata Walker,1862; peracutata Walker,1862; signataria Walker,1863; obruptata Walker,1863; pigrata Walker,1866; plemyrata R.Felder & Rogenhofer,1875; inconspicua Warren,1896; brunneipennis Hulst,1896; discata Warren,1905 Range (as codes): PT ES Mu FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd TR IQ Agh GG AM Cc AZ IR Sse Fa AF DK NO SE FI EE LV RU Ur Sb Am Sh MD UA Cm BY KG KK UZ TJ TM CN MN KP KR JP ZA ZA10 ZA12 KZU Nta IL Pa Jf Mtl LB Bsa MY Bor Sbh KBa Kh CY PK Swa Dara Sgl Yek YE Tbl Mng Kir Lag Hkd ZR EG ET KE TZ MA DZ Ges Bsk Nbr Gf TN
- **387.Oulobophora externaria (Herrich-Schäffer,[1848])** (Geometridae) Synonym(s): #externata Herrich-Schäffer,1843; externaria Herrich-Schäffer,[1848] Range (as codes): **GR BG CY TR IQ IR Fa Sse IL Pa**
- **388.Peribatodes rhomboidarius ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): #rhomboidaria [Denis & Schiffermüller],1775; inaequalis Goeze,1781; gemmaria Brahm,1791; ichnusaria Ghiliani,1852;

- corsicaria Schawerda,1931; saerdabensis Wehrli,1943 <u>Range (as codes):</u> MA PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc AZ GG IQ IR Mz Gls Fa Sse DK SE FI RU MD UA BY IL Pa LB Bsa Bmm Zah CY
- 389.Peribatodes umbrarius (Hübner,[1809]) (Geometridae) Synonym(s): umbraria Hübner,[1809]; vaucheri Thierry-Mieg,1916 Range (as codes): MA DZ PT ES Mu FR Co Sa Si IT CH SK HU RO YU AL BG GR Cr TR IQ Brs IR Mz Gls Kh Fa Sse RU MD UA BY IL Pa Js LB Bsa CY
- 390. Phaiogramma etruscaria (Zeller,1849) (Geometridae) Synonym(s): etruscaria Zeller,1849; pulmentaria Guenée,[1858]; palaestinensis Fuchs,1903 Range (as codes): DZ Clo Anna Bsk TN Gf PT ES Mu FR Co Sa Si IT MT BE CH AT PL CZ SK RO YU AL BG GR Cr Rd TR 1Q RU CY SY IR Kd Elb Th Fa Sse Com Kz AZ AM GG Smt Bjo Lag Kir Nv Ord Da Der Cc LB Bsa IL Pa Jf Mtl CN Ui Ii
- **391.Phaiogramma polemia (L.B.Prout,1920)** (Geometridae) Synonym(s): polemia L.B.Prout,1920 Range (as codes): 10
- **392.Pingasa multispurcata L.B.Prout,1913** (Geometridae) Synonym(s): multispurcata L.B.Prout,1913 Range (as codes): PK Pj Rw Cp Swa Kkar IQ Agh
- 393. Protorhoe unicata (Guenée,[1858]) (Geometridae) Synonym(s): unicata Guenée,[1858]; avetianae Vardikyan,1974 Range (as codes): Si YU MK AL BG GR Sms TR Gk RU IQ Ab Oru IR Fa Shr Sse Com Kz KG KK UZ TJ Fe UA Cm AZ Nv AM Cc GG Lag Kir Ord
- **394.Pseudopanthera syriacata (Guenée,1858)** (Geometridae) Synonym(s): syriacata Guenée,1858; #syriacata Wiltshire,1958 Range (as codes): TR LB Bsa Bei IL Pa Car Js IQ Dia Ry Rwz Brs
- 395.Rhodometra sacraria (Linnaeus,1767) (Geometridae) Synonym(s): sacraria Linnaeus,1767; labda Cramer,1777; sacralis Thunberg,1784; fulvaria Fabricius,1794; sanguinaria Esper,1801; minervae Gistl,1856; labdaria Guenée,[1858]; Range (as codes): MA DZ TN PT ES Mu FR Co Sa Si IT MT IE GB BE NL LU DE CH AT CZ SK HU RO YU AL BG GR Cr Rd TR IL Pa Car Jf Js Hf LB Bsa CY IQ Agh TH IR Shr Fa Sse Ahz DK NO SE EE LV RU MD UA BY AF Ca PK Bl Cp Qu ZA ZA04 ZA05 ZA06 ZA27 Kzu Nta Lpo Tva Spb Mdk SH MG MN CN Mre Cp Haz Cls Cn Md Az IN AZ Nv AM Cm SY Hal YE Bea Clo Orn Ges MM ZW TM NA AE CL
- 396.Rhodostrophia (Asiotrophia) auctata (Staudinger,1879) (Geometridae) Synonym(s): auctata Staudinger,1879 Range (as codes): TR Cc Arr Ksp IQ IR Fa Com Kz
- **397.Rhodostrophia (Pydna) badiaria (Freyer,[1841])** (Geometridae) Synonym(s): badiaria Freyer,[1841]; telaria Herrich-Schäffer,[1847]; cervinaria Herrich-Schäffer,[1847]; praecanaria Eversmann,1847; pollenaria Freyer,1854. Range (as codes): MK RU Sr UA TR Cc AM Da IR Elb IQ
- **398.Rhodostrophia (Pydna) bahara Brandt,1938** (Geometridae) Synonym(s): bahara Brandt,1938 Range (as codes): IR Shr Fa Sse Kd TR AZ Cc IQ SY Dms
- 399.Rhodostrophia (s.str.) discopunctata Amsel,1935 (Geometridae) Synonym(s): tabidaria auct. nec Zell.,1847; discopunctata Amsel,1935 Range (as codes): RO YU AL MK BG GR IL Pa Car Js Mer LB Bei Bsa JO TR Cc GG AM IO
- **400.Rhodostrophia (s.str.) sieversi (Christoph,1882)** (Geometridae) Synonym(s): sieversi Christoph,1882 Range (as codes): TR Cc AZ Nv Ord IQ IR Ab Jal Elb Mz
- **401.Scopula flaccidaria (Zeller,1852)** (Geometridae) Synonym(s): flaccidaria Zeller,1852 <u>Range (as codes):</u> AT CZ SK HU RO YU AL BG GR Cr TR GG Bjo Kir Lag Cc AZ AM IQ RU MD UA BY CN Ui Ku IR IL Pa CY TM
- 402.Scopula immistaria (Herrich-Schäffer,[1852]) (Geometridae) Synonym(s): #elisabetharia Heydenreich,1851; immistaria Herrich-Schäffer,[1852] Range (as codes): BG Vrn TR Cc AZ Kir GG Tbl Bjo Ksp IQ IR Fa Sse Com Ke Kz TM RU UA
- 403. Scopula marginepunctata (Goeze,1781) (Geometridae) Synonym(s): marginepunctata Goeze,1781; conjugata Borkhausen,1794; aniculosata Rambur,1829; puellaria Boisduval,1840; mutaria Heydenreich,1851; promutata Guenée,[1858]; promutaria Morris,1861; apertaria Walker,[1863]; madoniata Fuchs,1901; pastoraria Joannis,1891; #marginipunctata Rothschild,1914; britonaria Oberthür,1917; subatrata Wagner,1919; #insubrica Vorbrodt,1930 Range (as codes): MA Rf DZ Ges TN PT ES Mu FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR Cc AM GG Tbl Bjo Kir Ber Ord Nv AZ Nv Arr IQ IR Ab Oru Elb Th Fa DK SE LV LT RU Da MD UA Cm BY CN Ui Ku Ju LB Bsa IL Pa Jf MN
- 404. Scopula minorata (Boisduval,1833) (Geometridae) Synonym(s): minorata Boisduval,1833; #ochroleucata Herrich-Schäffer,1844; ochroleucaria Herrich-Schäffer,[1847]; luculata Guenée,[1858]; mauritiata Guenée,[1858]; consentanea Walker,1861; holobapharia Mabille,1900; mombasae W.Warren,1904; dresnayi D.Lucas,1937. Range (as codes): ET KE Mb MG RE MU MA DZ Bsk Gf TN PT Cn ES Mu FR Sa Si IT MT AL BG GR Cr TR IQ Mos Bgd Ktz ZA Ksi Kzu ZA16 Mpu ZA21 Tva Lpo IL Pa Js CY SA MG CV AF PK ID Sum YE YE47 Sna
- 405. Scopula ornata (Scopoli,1763) (Geometridae) Synonym(s): ornata Scopoli,1763; instilata Hufnagel,1767; paludata Linnaeus,1767; institata Rottemburg,1777; interrupta Goeze,1781; intersecta Fourcroy,1785.

 Range (as codes): MA DZ Ges Lbs Clo TN PT ES Mu FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR Cc GG AZ AM NV IQ DK SE FI EE LV LT RU MD UA BY CN Ui Kun AF Ca PK Bl Qu Haz Mre
- **406.Scopula submutata (Treitschke,1828)** (Geometridae) Synonym(s): submutata Treitschke,1828; submutaria Boisduval,1840; submutulata Rebel,1902; pseudhonestata Wehrli,1926 Range (as codes): MA DZ PT ES FR Co Si IT CH RO YU HV MK B-H AL BG GR Cr TR LB Bei Bsa Cc GG AZ Nv IQ Kad IR Gls Kh TM Kp IL Pa
- **407.Scotopteryx elbursica (Bytinski-Salz & Brandt,1937)** (Geometridae) Synonym(s): elbursica Bytinski-Salz & Brandt,1937 Range (as codes): IR Elb Nss Th 10 Cc AM AZ TR

- **408.Somatina wiltshirei L.B.Prout,1938** (Geometridae) Synonym(s): wiltshirei L.B.Prout,1938 <u>Range</u> (as codes): 1Q Rwz Brs IR Fa Sse Com Kz
- 409. Thetidia prasinaria (Eversmann, 1837) (Geometridae) Synonym(s): prasinaria Eversmann, 1837; volgaria Guenée, [1858]; mongolica Staudinger, 1897 Range (as codes): RU Or Cc GG Bjo Smt Lag Bku AZ Kir Nv Ord AM Da Der Kus TR IQ IR Fa Com Se MN CN Ui Ku Tlk
- 410.Triphosa taochata Lederer,1870 (Geometridae) Synonym(s): taochata Lederer,1870 Range (as codes): RU Cc GG Smt Akh Mng Tbl TR AZ Nv Ord IQ IR Fa Kh
- 411.Xanthorhoe fluctuata (Linnaeus,1758) (Geometridae) Synonym(s): fluctuata Linnaeus,1758; fibulata Hufnagel,1767; cinerata Fourcroy,1785 nec Fabr.,1781; costovata Haworth,1809; fluctuaria Boisduval,1840; multistriga Oberthür,1910 Range (as codes): MA DZ Clo Cst TN ES Mu FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR Cc GG AM AZ IQ IR Fa DK NO SE FI EE LV LT RU Kol K-R Sb Am Kmt Sh MD UA Cm BY IL Pa Jf LB Bsa KK KG CN Ui Kön KP KR JP

Glyphipterygidae

In this country, a single species has been recorded so far.

412.Glyphipterix bifasciella Amsel,1959 (Glyphipterygidae) Synonym(s): bifasciella Amsel,1959 Range (as codes): 10 Hjo

Gracillariidae

In this country, 4 species have been recorded so far.

- 413.Phyllocnistis citrella Stainton,1856 (Gracillariidae) Synonym(s): citrella Stainton,1856; minutella Van Deventer,1904; citricola Shiraki,1913 Range (as codes): Az Cn DZ MA TN EG PT FR ES Co Sa Si IT NL MT B-H HV GR Cr CY AF CN ER ET TR IR IQ IL Pa JO LB LY TN SY AE YE SA TM Md US Tx BR CO CU CR EC GY PA GT MX VE CI MZ NG RE TZ SD ZA IN Adm BD KH LA TH MM Bor BN Sbh Swk NP PK SG CN LK PH VN TW AU GU WS PG SB Ri JP ID Sum Ja Clb Ij Clc Fl
- 414. Phyllonorycter turanica (Gerasimov,1931) (Gracillariidae) Synonym(s): turanica Gerasimov,1931 Range (as codes): MK AM GG Cc AZ IQ Bgd IR RU KG KK UZ TM TJ
- 415.Polymitia eximipalpella (Gerasimov,1930) (Gracillariidae) Synonym(s): eximipalpella Gerasimov,1930; telaviviella Amsel,1935 Range (as codes): TM UZ AF Blh Ca Hr Pli Srb Bm SA SA63 CY TR SY Dms JO Amm IR Elb Th Gls Km Fa Snj IQ Bgd TJ IL Pa
- 416.Stomphastis conflua (Meyrick,1914) (Gracillariidae) Synonym(s): conflua Meyrick,1914 Range (as codes): ZA Tva Gau Pre Nta Kzu Umk Srn Dbn Slpp Mpu Tst Brb Lpo Spb Msw Ltr Kru ZW NG SD MZ EG IL Pa GG Cc 1Q Bgd SA RU JO CY TR

Lasiocampidae

In this country, 15 species have been recorded so far.

- 417.Chondrostega fascianum Staudinger,1892 (Lasiocampidae) Synonym(s): fascianum Staudinger,1892 Range (as codes): IL Pa SY IQ Bsr Dy Bji Had Qg IR Ahz Kz
- 418.Chondrostega pauli Gaede,1932 (Lasiocampidae) Synonym(s): pauli Gaede,1932 Range (as codes): 10 Ama
- **419.Eriogaster (s.str.) pfeifferi Daniel,1932** (Lasiocampidae) Synonym(s): pfeifferi Daniel,1932; amygdali Wiltshire,1941 Range (as codes): TR IR Fa LB Beq IQ Ama AF Kab
- **420.Eriogaster (s.str.) philippsi Bartel,1911** (Lasiocampidae) Synonym(s): philippsi Bartel,1911; #philipsi Zolotuhin,2007 Range (as codes): LB IQ Shq Slh IL Pa
- 421.Eriogaster (s.str.) rimicola (Schrank,1802) (Lasiocampidae) Synonym(s): #rimicola [Denis & Schiffermüller],1775; rimicola Schrank,1802 Range (as codes): PT ES FR Si IT DE CH AT PL CZ SK HU RO YU BG GR TR 10 Dk
- **422.Gastropacha (s.str.) populifolia (Esper,[1782])** (Lasiocampidae) Synonym(s): #populifolia [Denis & Schiffermüller],1775; populifolia Esper,[1782] Range (as codes): ES FR IT BE NL LU DE CH AT PL CZ SK HU RO BG TR DK FI EE LV LT RU MD UA BY IR 1Q AF VN Ton Fan TW
- **423.Gastropacha (s.str.) quercifolia (Linnaeus,1758)** (Lasiocampidae) Synonym(s): quercifolia Linnaeus,1758; alnifolia Ochsenheimer,1810; salicifolia Staudinger,1892; meridionalis Hormuzaki,1897; sibirica

- Krulikowsky,1909 Range (as codes): ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY GG Lag Mng Bjo Smt AM AZ Kir Cc IR IQ AF TM TJ CN Yu VN Ton Fan Ann TW
- 424. Lasiocampa eversmanni (Kindermann, 1843) (Lasiocampidae) Synonym(s): eversmanni Kindermann, 1843; eversmanni Freyer, 1844; attrita Stshetkin, 1960. Range (as codes): BG TR AF Srb Sfk IR Mz Kh TM Kp UZ TJ KK Ik KG TrA Aa DsA Tar IQ Brs Dia Ry Rwz JO Amm GG AZ Kir Tbl Bak AM Cc RU Ao
- 425.Lasiocampa grandis (Rogenhofer,1891) (Lasiocampidae) Synonym(s): grandis Rogenhofer,1891; salomonis Staudinger,[1892] Range (as codes): MK AL BG GR TR IQ Ama Agh Amr LB Bsa IL Pa Hf Cc AM Arr AZ Nv GG IR Fa Shr
- 426.Lasiocampa terreni (Herrich-Schäffer,1847) (Lasiocampidae) Synonym(s): terreni Herrich-Schäffer,1847 Range (as codes): MA DZ TN LY Orn Lbs Abe Tgr Ges Rbt Dhm Agi Btna FR Co Rd Sms TR CY LB Bei IL Pa JO Amm SY 10 SA EG
- 427.Lasiocampa trifolii ([Denis & Schiffermüller],1775) (Lasiocampidae) Synonym(s): #trifolii [Denis & Schiffermüller],1775; medicaginis Borkhausen,1793; ratamae Herrich-Schäffer,1851; bathseba Staudinger,1891; maculosa Rogenhofer,1891 Range (as codes): DZ Sbd PT ES FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR 10 Brs Dia Ry Rwz Mos DK NO SE FI EE LV LT RU MD UA BY GG Tbl Lag AZ Kir AZ Nv Ord Da Der AM Cc LB Bsa IL Pa Hf
- **428.Pachypasa otus (Drury,[1773])** (Lasiocampidae) Synonym(s): #otus Drury,[1770]; otus Drury,[1773] Range (as codes): Si IT RO YU AL BG GR Rd Cr Ae Nx Sms CY TR LB Bsa IR Fa IQ AZ AM GG Cc
- 429.Sena proxima (Staudinger,1894) (Lasiocampidae) Synonym(s): proxima Staudinger,1894 Range (as codes): TR IQ Shq Bsr Agh Nw Mos Bgd IR Ahz
- 430.Streblote siva (Lefèbvre,1827) (Lasiocampidae) Synonym(s): siva Lefèbvre,1827 Range (as codes): IR Fa Kz Ss IQ Agh AF Bsg Asm
- **431.Trichiura (s.str.) stroehlei Zolotuhin,2007** (Lasiocampidae) Synonym(s): stroehlei Zolotuhin,2007 Range (as codes): TR CY IL Pa LB LkI JO SY IQ IR Fa

Lecithoceridae

In this country, a single species has been recorded so far.

432.Ceuthomadarus chthoniopa (Meyrick,1936) (Lecithoceridae) Synonym(s): chthoniopa Meyrick,1936 Range (as codes): 10 Er Ry Hjo IR Fa Kz Com

Lemoniidae

In this country, 2 species have been recorded so far.

- **433.Lemonia peilei Rothschild,1921** (Lemoniidae) Synonym(s): peilei Rothschild,1921 Range (as codes): TR 10 Mj Dy SY IR Fa AF
- 434.Lemonia syriensis Daniel,1953 (Lemoniidae) Synonym(s): syriensis Daniel,1953 Range (as codes): TR 1Q Dk

Lymantriidae

In this country, 9 species have been recorded so far.

- **435.Euproctis melania (Staudinger,1892)** (Lymantriidae) Synonym(s): melania Staudinger,1892; melaniodes Strand,1910; #melaina De Freina,1999. Range (as codes): TR IQ IR Fa
- 436.Leucoma wiltshirei Collenette,1938 (Lymantriidae) Synonym(s): wiltshirei Collenette,1938 Range (as codes): IQ Rwz Dia IR Km Kd Fa TR
- 437.Lymantria dispar (Linnaeus,1758) (Lymantriidae) Synonym(s): dispar Linnaeus,1758; disparina Müller,1802; japonica Motschulsky,1860; disparoides Mabille,1876; bordigalensis Mabille,1876; asiatica Wnukowsky,1926 Range (as codes): MA DZ Sbd Btna TN Dhm PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr TR DK SE FI EE LV LT RU Sb At Us To Vv MD UA BY AM AZ Len GG Bjo Smt Mng Lag Cc KK KG IQ Hjo Dk LB IR MZ Elb Sari Ha Ab Oru JP MN CN Lng Pkn Sz Mc KP KR SY CY AF TM Hkk TJ UZ IN TW CA On BCo US Col Ut Cf Fl Io Mai Ny Oh Org Krl Gls Lvv
- **438.Ocnerogyia amanda Staudinger,[1892]** (Lymantriidae) Synonym(s): amanda Staudinger,[1892] Range (as codes): TR 10 Agh OM AE IR
- 439. Parocneria raddei (Christoph,1885) (Lymantriidae) Synonym(s): raddei Christoph,1885 Range (as codes): TR IQ Shq IR Elb Mz LB Cc AZ Kir

- **440.Parocneria signatoria (Christoph,1893)** (Lymantriidae) Synonym(s): signatoria Christoph,1893; pilosa W.Warren,1897 Range (as codes): DZ Khh IL Pa IR Ss Ahz IQ Bgd Agh TM UZ Cc AZ TR AF
- **441.Parocneria terebynthina (Staudinger,[1895])** (Lymantriidae) Synonym(s): terebynthina Staudinger,[1895]; insolita Brandt,1938 Range (as codes): TR IQ IR Fa Mia
- **442.Polymona destituta (Staudinger,1892)** (Lymantriidae) Synonym(s): destituta Staudinger,1892; maraschi Daniel,1932. Range (as codes): TR IR Fa IQ Rwz Ry Dia Brs
- **443.Polymona lapidicola (Herrich-Schäffer,[1852])** (Lymantriidae) Synonym(s): lapidicola Herrich-Schäffer,[1852] Range (as codes): **Sa TR Cc AM AZ Kir SY CY 10 Rwz LB Bsa IL Pa Hf JO**

Noctuidae

In this country, 384 species have been recorded so far.

- 444. Abrostola clarissa (Staudinger,1900) (Noctuidae) Synonym(s): clarissa Staudinger,1900 Range (as codes): TR IL Js Pa LB Bsa IQ Dk Ama IR Elb Ab Oru Khy Ak Aha Kdj Th Se Kh Es By Mz Dam Kdj Fa SY RU Cc Ich Ing Da AF TM
- 445. Acantholipes regularis (Hübner,[1813]) (Noctuidae) Synonym(s): regularis Hübner,[1813] Range (as codes): Cr RU Ro St Ich Da MD UA BY TR GG Smt Akh Cc AZ Kir Der IQ Agh Dk Bgd Dia Ry Rwz Brs TM CN Ui Ku Ga IR Fa Bk Elb Mz Gls Km Kd Snj Sse Ss Kuh Kh AF Srb SY IL Pa SA KG Tks Tk Dj Aa UZ N-A
- 446.Acontia (Emmelia) trabealis (Scopoli,1763) (Noctuidae) Synonym(s): trabealis Scopoli,1763; arabica Hufnagel,1766; sulphuralis Linnaeus,1767; sulphurea [Denis & Schiffermüller],1775; lugubris Fabricius,1777; histrionella Goeze,1783; arlequinetta Fourcroy,1785; trabeata Borkhausen,1790; pardalina Walker,1865; deleta Staudinger,1877; flavonitens Austaut,1880; algira Oberthür,1881 Range (as codes): MA DZ TN PT ES Mu FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR CY LB Bei IL Hf Pa SY JO DK NO SE FI EE LV LT RU Tv Am Sb MD UA BY IR Ab Mak Mz Th Elb Kd Snj Km Lo Kz Yas Ss Bk Qz IQ Agh Amr AM GG AZ Len Cc AF PK Bl Qu CN Ui Ku SA SA63 Us MN MU KK Ik Skm Osh Ro Kr St Kb Kc Nt Ich Ing Kyi Da Oru Bne Mrv Bjr Zj Gls Bsk Abe Sbd Rbt Anna
- 447.Acontia (s.str.) biskrensis Oberthür,1887 (Noctuidae) Synonym(s): biskrensis Oberthür,1887; #biscraensis Rothschild,1913; orientalis Brandt,1939; agacinoi Rungs,1945; grisescens Rebel,1948 Range (as codes): Cn MR MA DZ Ajj Eal Tou Gea Onç BSa Out Dhm Gha Ear Gle Ogl Omy Bsk LY TN IQ Agh Bgd Kbl IR Ahz Hz Ss Lo Hz B-A Chh SA IL Pa JO Sn EG AE
- 448.Acontia (s.str.) lucida (Hufnagel,1766) (Noctuidae) Synonym(s): lucida Hufnagel,1766; solaris [Denis & Schiffermüller],1775; albicollis Fabricius,1781; rupicola Borkhausen,1792; insolatrix Hübner,[1822]; triradiata Walker,[1858]; lugens Alpheraky,1889; heliodora Schawerda,1923 Range (as codes): Cn MA DZ TN LY EG PT ES Mu FR Co Sa Si IT MT GB NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR LB Bsa IQ Mos Agh kut Bgd Kro Bji SA FI LV RU MD UA BY IR Hz Ss Fa Elb Men Ahz GG AZ Len Cc AM TJ Pm AF Asm Nu Kab Hr Pli Gbh Bd Fz Dwe PK IN CN Ui Ku Ii Txl Tek IL Pa Hf Md At KG SY JO Sn Th Mia Kaz Mz B-A UZ N-A KK Skm Osh Ro Kr St Kb Ich Kyi Da IN Pj C-P Kba Cp Smt Tbl Bjo Mng Der Btna Bsk Ktr Hmk Khh Ahr Ktr Perr Hrh Berr Saia Ges Lgt Ndr Abe Sbd Agi Orn Rbt Phv Tgr Hrh Hes Onç
- 449.Acontia (Uracontia) titania (Esper,[1798]) (Noctuidae) Synonym(s): titania Esper,[1798]; urania Frivaldsky,1835; eversmanni Kolenati,1846. Range (as codes): Si? RO RU Ro Da YU BG GR TR AZ Kir Nv Ord Cc GG Lag AM IR Fa Ab Mak Elb Th Kaz Mia Kh Msh IQ TM UZ N-A LB Bei IL Pa SA
- 450.Acontiola moldavicola (Herrich-Schäffer,[1851]) (Noctuidae) Synonym(s): moldavicola Herrich-Schäffer,[1851]; euboica Mill.,1874; mesopotamica Schawerda,1923 Range (as codes): IT RO YU AL BG GR RU MD UA BY TR 10 Mos
- **451.Acrobyla kneuckeri (Rebel,1903)** (Noctuidae) Synonym(s): kneuckeri Rebel,1903; ariefera Hampson,1926; turcorum C.G.Krüger,1939 nec Zny.; gloriosa Rungs,1945 <u>Range (as codes):</u> MR DZ Cn EG SA YE IQ Agh TD MR MA LY TD OM BH IR Ahz Hz Ss Chh Bu Dlk B-A AE PK Sd Krc IL Pa
- 452.Acronicta (Triaena) aceris (Linnaeus,1758) (Noctuidae) Synonym(s): aceris Linnaeus,1758; infuscata Haworth,1809; paradoxa Boisduval,1829 Range (as codes): PT ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IQ Agh LB CY SY IL Pa Hf JO DK NO SE FI EE LV LT RU Cc GG Smt Bjo Mng Lag AZ Len Ro Kr St Kc MD UA BY IR Fa Mz Elb Gh Gls Kh Sbz AF Kab TM CN Ui Ku
- 453. Acronicta (Triaena) pasiphae Draudt,1936 (Noctuidae) Synonym(s): pasiphae Draudt,1936 Range (as codes): TR IQ Dk IR Kd Bne Mrv Fa Hz Es Ke By Ksh Km Lo Mia Sse Kz Yas IL Pa
- 454.Acronicta (Viminia) rumicis (Linnaeus,1758) (Noctuidae) Synonym(s): rumicis Linnaeus,1758; litterata Panzer,1804; salicis Curtis,1826; diffusa Walker,1857 Range (as codes): MA DZ PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR GG AM AZ Cc IL Pa Hf IQ IR Fa Ke Gh Elb Clu Dam Th Kdj Mz Kd Snj Lo DK NO SE FI EE LV LT RU Cc Ro Kr St Kb Nt Ich Kyi Da MD UA BY CY LB Bsa JO SY AF Pli Srb Fz Kab KG Lvv Tk Dj KK Skm Ik Ui CN KP KR Sh Sb UZ Fe JP Tbl Da Der Len Nv Ord Abe Hrh Sét Btna Tgr Clo Dhm Sbd Anna TN
- 455.Aedia funesta (Esper,[1786]) (Noctuidae) Synonym(s): funesta Esper,[1786]; quadrimaculata Scopoli,1786 Range (as codes): FR IT DE CH AT PL CZ SK HU RO YU AL BG GR TR RU Sb Cc GG Tbl Smt Bjo Lag AZ Kir Kr Ro St Kb Nt Ich Kyi Da MD UA BY IR Hz Ss LB Bsa SY IL Hf Pa IQ

- 456.Aedophron phlebophora Lederer,1858 (Noctuidae) Synonym(s): phlebophora Lederer,1858; monotonia Amsel,1935 Range (as codes): TR Cc AZ Nv Ord SY Dms IR Fa Shr Kz Yas Es Zj Elb Th Kdj Ab Oru Kd Snj Bne Lo Gls Kh IQ TlH IL Pa RU St Da
- 457.Aegle ottoi (Schawerda,1923) (Noctuidae) Synonym(s): ottoi Schawerda,1923 Range (as codes): IQ Mos Kbl IR Ahz
- **458.Aegle pallida (Staudinger,1892)** (Noctuidae) Synonym(s): pallida Staudinger,1892 Range (as codes): BG TR 1Q Mos TIH Kq
- 459.Aegle rebeli Schawerda,1923 (Noctuidae) Synonym(s): rebeli Schawerda,1923 Range (as codes): TR 10 Mos TIH Njf RU Ao
- **460.Aegle subflava (Erschoff,1874)** (Noctuidae) Synonym(s): subflava Erschoff,1874 Range (as codes): 10 Kq TM AF Hr IR Kh
- **461.Agrochola (Alpichola) egorovi (O.Bang-Haas,1934)** (Noctuidae) Synonym(s): egorovi O.Bang-Haas,1934 Range (as codes): RU Da Cc AM TR IQ Er Hjo
- 462.Agrochola (Anchoscelis) imitata Ronkay,1984 (Noctuidae) Synonym(s): imitata Ronkay,1984 Range (as codes): TR 10 Dk
- **463.Agrochola (Anchoscelis) rupicapra (Staudinger,1879)** (Noctuidae) Synonym(s): rupicapra Staudinger,1879 Range (as codes): BG GR TR CY IL Pa IQ AM Cc
- **464.Agrochola (Anchoscelis) scabra (Staudinger,1892)** (Noctuidae) Synonym(s): scabra Staudinger,1892 Range (as codes): IL Js Pa JO IQ TR
- 465.Agrochola (Rufachola) helvola (Linnaeus,1758) (Noctuidae) Synonym(s): helvola Linnaeus,1758; rufina Linnaeus,1758; #fulvago Clerck,1759; sibirica Staudinger,1882; #pallescens W.Warren,1911; pallescens Osthelder,1933; vulpina De Lattin,1951 Range (as codes): DZ Btna PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Smt Bjo Lag AZ AM Cc DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Da At Sb TM MD UA BY CN Ui Kun KG Ssn LB IL Pa IQ
- 466.Agrochola (s.str.) pistacina (Goeze,1781) (Noctuidae) Synonym(s): #lychnidis [Denis & Schiffermüller],1775; #pistacina [Denis & Schiffermüller],1775; pistacina Goeze,1781; rubetra Esper,[1791]; canaria Esper,[1791]; serina Esper,[1791]; lineola Donovan,1801 nec Panzer,1785; sphaerulatina Haworth,1809; venosa Haworth,1809 nec Hw.1809; occulta Hacker,[1997]; aequalis Hacker,[1997] Range (as codes): DZ Hrh Btna Abe Agi Blid MA TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR GG AZ AM Cc CY LB IL Pa Hf JO IQ IR Fa Elb Th DK SE FI RU Kr Da MD UA BY UZ
- 467.Agrotis (Crassagrotis) bigramma (Esper,[1790]) (Noctuidae) Synonym(s): bigramma Esper,[1790]; crassa Hübner,[1803]; lata Treitschke,1835; golickei Erschoff,1872; huguenini Rühl,1891. Range (as codes): PT MA DZ TN ES FR Co Sa Si IT IE GB BE DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc AM GG Smt Bjo Lag AZ Kir CY IQ Brs Dia Ry Rwz Bgd Mos Agh Amr Dy Mj DK RU Ro Kr Da At MD UA BY IR Kh Gh Elb Th TM Kp CN EG AF LB IL Pa Hf SY Hal JO Abe Sbd Orn Tun Agi Rbt Dhm Perr
- 468.Agrotis (Crassagrotis) obesa (Boisduval,1829) (Noctuidae) Synonym(s): obesa Boisduval,1840 Range (as codes): MA DZ Ges Btna Lbs Sbd Tlm Abe Afl LY MT PT ES FR IT MK BG GR RO MD UA Cm TR RU Ro Kr St Da IQ Brs AZ Kir GG Tbl Cc AM SY IR Gh Elb Th UZ Fe KK Osh KG TM CN LB IL Pa JO
- 469.Agrotis (Putagrotis) herzogi (Rebel,1911) (Noctuidae) Synonym(s): herzogi Rebel,1911; hoggari Rothschild,1920; minima Turati,1924; securifera Turati,1924; saracenica Tams,1925; leroyi Lucas,1940 Range (as codes): Cn MR MA DZ Ah Ajj Bsk Ceg TN LY Cy EG Sn Sa MT GR Rd CY TR LB IL Pa SY JO IR Ss IQ Agh IN SA
- 470.Agrotis (Putagrotis) puta (Hübner,[1803]) (Noctuidae) Synonym(s): puta Hübner,[1803]; radius Haworth,1803; renitens Hübner,[1824]; lignosa Godart,1825; erythroxylea Treitschke,1826; radiola Stephens,1829; meridionalis Spuler,1905; minima Turati,1924; silvestrii Turati,1924; insula Richardson,1958; Range (as codes): MA DZ Onç Hrh Kdr Bsk Agi Sét Ceg Btna Ges Abe BSa Afl Perr Sbd Orn TN PT ES FR Co Sa Si IT MT GB BE NL DE CH AT PL HU RO YU AL BG GR Cr CY TR IQ Agh Kku Kq DK RU Cc Kr MD UA BY AF Hr IR Hz Fa Bu Dlk TM Kp LB IL Hf Pa SY JO Sn
- 471.Agrotis (s.str.) biconicus Kollar,[1844] (Noctuidae) Synonym(s): spinifera Hübner,[1808] nec Vill.,1789; biconica Kollar,[1844]; aristifera Guenée,1852; spiculifera Guenée,1852; ferina Felder & Rogenhofer,1874; hodnae Oberthür,1878 Range (as codes): Cn MA DZ TN LY PT ES FR Co Sa Si IT MT GB? DE YU AL BG GR Rd Cr TR CY EG IR Fa Lo Hz SA IQ Mq Agh Bgd Amr kut AF Dwe PK Ch IN Up Bhi Nnt Kil LK MM MC ZA Tva Lpo Spb Mdk Gau Pre Jh Nta Kzu Est Ec ZW Har ER ET ET24 KE TJ TM NP TH CN Sn JO SY IL Hf LB Bei Cp Rw Krc Elb Gh Mz Gls Ss Th Pa DJ DJ44 Ges Dhm Abe Sbd Ktr Sét BSa Omy Lgt Bsk Btna Rbt Blid Agi Hrh Hes Ceg Ah Idl Txl
- 472.Agrotis (s.str.) exclamationis (Linnaeus,1758) (Noctuidae) Synonym(s): exclamationis Linnaeus,1758; clavus Hufnagel,1766; murina Goeze,1781 nec Hufnagel,1766; bimaculata Geoffroy,1785; picea Haworth,1809; plaga Stephens,1835; haruspex Le Cerf,1924; nigriorbis Zerny,1934. Range (as codes): MA DZ TN LY PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT RU RO Kr St Kc Kb Nt Ich Ing Da Kyi MD UA BY CY TR AZ AM GG Cc IR Th Elb Kd Ab Es Ke Kh Fa Bk MN UZ KK KG CN Ui Ku Tlk AF Hr Pli Adr IQ Mos LB Bsa IL Lvv Pa Oru
- 473. Agrotis (s.str.) haifae Staudinger,1897 (Noctuidae) Synonym(s): haifae Staudinger,1897 Range (as codes): Cn MR MA DZ TN LY IL Pa Hf JO GR TR 1Q Bgd Dy Jd
- **474.Agrotis (s.str.) ipsilon (Hufnagel,1766)** (Noctuidae) Synonym(s): ipsilon Hufnagel,1766; suffusa [Denis & Schiffermüller],1775; idonea Cramer,[1780]; spinula Esper,[1786]; spinifera De Villers,1789. Range (as codes): PT MR MA DZ TN LY ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr

- CY TR DK NO SE FI EE LV LT RU MD UA BY IR Fa Lo Kh IQ Agh Amr kut MN PK Bl Qu AF Kab Gbh Srb Arh LB Bsa SY IL Pa JO Sn EG IN Up Bhi Nnt Kil ZA Tva Lpo Spb Mdk Lvv Hu Rd Hf Nwf AU NC FJ NZ HW EA Th Elb Mz Dam Hz GG Smt Bjo Lag Len AZ AM Cc UZ KK KG TJ TM Ro Kr St Kc Kb Nt Ich Ing Da Kyi ET ET24 Rw Thu LK Pdy Dck Pdn Ab Oru Gls Kh Ges Ah Sbd Btna Bsk Orn BSa Abe Dhm Afl Onç Ah Ajj Idl Ath
- 475.Agrotis (s.str.) sardzeana Brandt,1941 (Noctuidae) Synonym(s): sardzeana Brandt,1941 Range (as codes): Cn ES SvI An CV MR MA DZ EG TR IR Ss Hz Lo IQ Agh KW BH OM SA IN PK TD Tbt SD IL Pa JO
- 476.Agrotis (s.str.) segetum ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): segetum [Denis & Schiffermüller],1775; sordida [Denis & Schiffermüller],1775; undulatus Goeze,1781 (praeocc.); nigricornis De Villers,1789; segetis Fabricius,1794; catenatus Haworth,1803; monileus Haworth,1803; pectinatus Haworth,1803; connexus Haworth,1803; subatratus Haworth,1803; nigricornutus Haworth,1803; praecox Hübner,[1808]; fervida Hübner,[1824]; affinis Stephens,1829; sicula Boisduval,1840; dimidia Zeller,1847; sicania Guenée,1852; marginalis Walker,1857; aversa Walker,1857; correctus Walker,1857; obliviosus Walker,1857; denticulosus Wallengren,1860; certificata Walker,1865; conspurcatus Walker,1865; repulsus Walker,1865; ingratus Butler,1878; pallidus Staudinger,1881; lassa Swinhoe,1886. Range (as codes): Cn MA DZ TN LY EG PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU MD UA BY CY IR Fa Lo Ss Kh Ha Mz IQ MN CN Ui Ku PK Bl Qu AF Hr Srb Gbh Blh Arh Fz ZW Har ZA Mpu Brb Gau Pre Jh Tva Lpo Spb Mdk Nta Kzu LB Bsa IL Hf Pa SY JO Sn Tkr Agh Bgd Mj Up Bhi Nnt Kil Kml Gh Th Ab Oru Kz Hz Gls UZ KK KG TJ TM Cc Ro Kr St Kc Kb Nt Ing Ich Da Kyi ET ET24 Mre Cp Thu Rw LK Pdy Smt Tbl Bjo Kir Kus IN Hp Sml Haz Cte Mh Nsk Ges Afl BSa Khh Ktr Btna Dhm Abe Lbs Agi Bsk Bdj Lgt Ah Sbd Ess Mzg Hrh Dzc Clo Ah Ajj Idl Lvv
- 477.Agrotis (s.str.) trux (Hübner,[1824]) (Noctuidae) Synonym(s): trux Hübner,[1824]; lenticulosa Duponchel,1826; lunigera Stephens,1829; terranea Freyer,1831; obesula Smith,1888; nili Bethune-Baker,1894; amasina Staudinger,1901; euxoides Rothschild,1920; subalba Corti & Draudt,1933; adolfi Corti & Draudt,1933; #rubrofusca Schawerda,1931; rubrofusca Boursin,1964; maderensis Pinker,1971 Range (as codes): ZA Tva Gau Pre MR MA DZ TN Cn PT ES FR Co Sa Si IT MT IE GB CH AT PL RO YU AL BG GR Cr CY TR Cc RU Kr MD UA BY EG IR Gh Ss Hz IQ Agh Bgd LB SY IL Hf Pa JO Ges Afl Sfr Perr Abe Lbs Btna Sbd Hrh Ges Afl Sfr Perr Abe Lbs Btna Sbd
- 478.Amphipyra (s.str.) pyramidea (Linnaeus,1758) (Noctuidae) Synonym(s): pyramidea Linnaeus,1758; navicularis Geoffroy,1785; obscura Oberthür,1880; obliquilimbata Graeser,1888; satinea Rougemont,1901; variegata W.Warren,1911; yama Swinhoe,1918; apyra Bryk,1942; cuprior Fletcher,1968 Range (as codes): PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ Len Kir GG Smt Bjo Lag Tbl Mng Cc LB SY IL Pa IQ Shq IR Mz DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Ich Ing Kyi MD UA BY TM Sb Prj Us Hkk CN T-S Sz Ch Mre Haz PK SI IN Ass Drm Hp Lvv JP DZ Blid Btna Dhm TN Hrh Abe
- 479. Anumeta asiatica Wiltshire,1961 (Noctuidae) Synonym(s): spatzi auct.; asiatica Wiltshire,1961 Range (as codes): IR Kz Ss KW OM AE IQ Mq SA KW IL Pa SA KW
- **480.Anumeta atrosignata Walker,1858** (Noctuidae) Synonym(s): atrosignata Walker,1858; spilota Erschoff,1874; renosa Brandt,1939; mugshinensis Wiltshire,1990 Range (as codes): RU IN TM KG IR Ss Hz B-A IQ IL Pa OM YE AE AF PK Dwe Kbl TR UZ
- **481.Anumeta sabulosa Rothschild,1913** (Noctuidae) Synonym(s): sabulosa Rothschild,1913 Range (as codes): MR MA DZ Thh Ah Ajj Omy IQ Bgd SA
- **482.Apamea (s.str.) syriaca (Osthelder,1933)** (Noctuidae) Synonym(s): syriaca Osthelder,1933; #albida Osthelder,1933; tallosi Kovacs & Varga,1969. Range (as codes): DZ ES FR HU RO CZ MK BG TR Cc GR IR Ab Oru Mak Sdt Elb Th Kd Snj CY IQ Brs Ry Rwz Dia LB Bsa Bei SY IL Pa
- 483.Apopestes spectrum (Esper,[1787]) (Noctuidae) Synonym(s): spectrum Esper,[1787]; genistae De Villers,1789; socrus Giorna,1791; innotata W.Warren,1913; maura W.Warren,1913 Range (as codes): DZ Btna Ktr MA Mzg Sbd Abe Ges Perr Afl Sfr Bdj Dzc Anna PT ES FR Co Sa Si IT CH RO YU AL BG GR Cr TR IR Fa Ha Km Elb Th Gls Kh Qz DK RU GG Tbl Smt Bjo AZ Kir Nv Ord AM Eri Cc St Nt PK Bl Qu LB IQ Kku Su
- **484.Aporophyla australis (Boisduval,1829)** (Noctuidae) Synonym(s): australis Boisduval,1829; scriptura Freyer,1838; pascuea Westwood,1843; ingenua Freyer,1848; orientalis Herrich-Schäffer,[1850]; morosa Bellier,1862; brittanica Staudinger,1869; zeelandica Lempke,1964 <u>Range (as codes):</u> ES FR Co Sa Si IT IE GB BE NL RO YU AL BG GR Cr TR CY 10 LB IL Pa Hf JO
- **485.Aporophyla dipsalea Wiltshire,1941** (Noctuidae) Synonym(s): dipsalea Wiltshire,1941; distincta L.Ronkay,1985. Range (as codes): 10 Dy
- 486.Aporophyla nigra (Haworth,[1809]) (Noctuidae) Synonym(s): lunula Ström,1783 nec Hfn.,1766; nigra Haworth,[1809]; nigricans Hbn.,[1813]; aethiops Ochsenheimer,1816; seileri Fuchs,1901 Range (as codes): DZ Ges Afi Abe PT ES FR Co Sa Si IT IE GB BE NL DE CH AT PL SK RO YU AL BG GR Cr DK NO RU Cc Kr MD UA BY MA DZ TN LY Cy MT EG Sn LB IL Pa CY TR IQ
- **487.Archanara (Lenisa) wiltshirei Bytinski-Salz,1936** (Noctuidae) Synonym(s): wiltshirei Bytinski-Salz,1936 Range (as codes): SY 10 LB CY
- **488.Archanara insoluta W.Warren,1911** (Noctuidae) Synonym(s): insoluta W.Warren,1911 Range (as codes): TM 10 Amr
- 489. Arenostola phragmitidis (Hübner,[1803]) (Noctuidae) Synonym(s): phragmitidis Hübner,[1803]; verecunda Eversmann,1848; maculata Warnecke,1922 Range (as codes): FR IT GB BE NL DE CH AT PL CZ SK HU BG GR Cr TR DK NO SE FI EE RU Cc Ro St Ich Kyi Da MD UA BY IQ AF IR Ss
- **490.Armada panaceorum (Ménétriés,1849)** (Noctuidae) Synonym(s): panaceorum Ménétriés,1849; distincta Rothschild,1915. Range (as codes): Cn MR MA DZ Ah BSa Sfr Ear One TN LY EG Sn IL Pa Hf JO SY TR 10

- Agh Qg KW SA IR Ss Elb Th Kdj Ab Khy Mrd Ak Ma Chh Hz B-A TM UZ Br N-A AF Dwe KG Tk Tks MN CN Ui Ti RU Cc Da
- 491.Autographa gamma (Linnaeus,1758) (Noctuidae) Synonym(s): gamma Linnaeus,1758; messmeri Schadewald,1992; voelkeri Schadewald,1992. Range (as codes): PT ES Mu FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd TR CY LB Bsa DK NO SE FI EE LV LT RU MD UA BY IQ Agh Mj IR Fa Elb Mz Dam Th Kdj Kz Yas Skh Bu Dlk AF Jla Kab Bsg Nu Adr CN Ui Ku IL Pa Hf JO EG Sn GG AZ AM Cc KK Ik Lvv TrA Ax UZ KG Ro Kr St Kb Kc Nt Ing Da Kyi ET ET24 SY Hal Ak Shf Ab Ar Gh Gls Kh Se Qz Zj Kd Km Lo By Bk Es Bu Ss MA DZ Blid Bsk Tlm Btna Orn Lbs Agi Hrh Abe Khh Ahr Hmk Ges Perr Bdj Ndr Dhm TN BSa Sbd Tgr Hes Clo Ajj
- **492.Autophila (Cheirophanes) cymaenotaenia Boursin,1940** (Noctuidae) Synonym(s): cymaenotaenia Boursin,1940 Range (as codes): KW 10 Kbl TN Gf MA
- 493.Autophila (Cheirophanes) ligaminosa (Eversmann,1851) (Noctuidae) Synonym(s): ligaminosa Eversmann,1851; caucasica Herz,1904. Range (as codes): DZ Sbd Btna Abe Hrh HV TR GR Rd Cc GG Smt Akh Cc AM AZ Kir LB UZ Fe IQ Brs RU Da IR Fa Elb Hz Ss KK Ik Feg KG Tk PK Gg Hu Bl Qu AF Ca AE OM
- 494. Autophila (s.str.) asiatica (Staudinger,1888) (Noctuidae) Synonym(s): asiatica Staudinger,1888; amseli Draudt,1936 Range (as codes): GR AM TR RU Cc Ro St Nt Da IR Lo Hz Ss Fa Kz Yas Skh Gls Kh Fe IQ EG UZ KK Skm KG CN Ui Ku Au Shs
- 495. Autophila (s.str.) cerealis (Staudinger,1871) (Noctuidae) Synonym(s): cerealis Staudinger,1871

 Range (as codes): IR Fa Lo Hz Ss Kh Kz Yas Skh SY Cc AM TR LB AF Hr Pli Blh Ca Fz IQ Bsy Agh EG
- 496.Autophila (s.str.) depressa (Püngeler,1914) (Noctuidae) Synonym(s): depressa Püngeler,1914 Range (as codes): TM Kp Fe UZ TJ Pm IR Gls Kh Elb Fa Es Ss SY TR 10 Bl PK Qu AF Hr
- 497.Autophila (s.str.) limbata (Staudinger,1871) (Noctuidae) Synonym(s): limbata Staudinger,1871

 Range (as codes): FR Si IT YU BG GR TR AM RU GG Smt Bjo Tbl AZ Nv Ord Kir Cc Kr Da MD UA BY IR Fa Kz Yas
 Skh 10 Mos Tih
- **498.Boursinia deceptrix (Staudinger,1900)** (Noctuidae) Synonym(s): deceptrix Staudinger,1900 Range (as codes): IL Pa Jer SA TR IQ Bsr IR
- 499.Brachygalea albolineata (Blachier,1905) (Noctuidae) Synonym(s): albolineata Blachier,1905; leucorhabda Hampson,1906; albolineata Hampson,1906 Range (as codes): MR MA DZ Hes Sfr BSa Ceg Kdr Ktr Onç Ogl Bsk Tun TN Gf LY ES Mu IQ Bgd SA IR Fa IL Pa JO EG Sn
- 500.Bryomima carducha Staudinger,1900 (Noctuidae) Synonym(s): carducha Staudinger,1900 Range (as codes): TR IQ IR Fa Mia Com Kz Yas Elb Th Kdj Ab Oru Ss Kuh Ke By Yas Lo
- 501.Bryophilopsis roederi (Standfuss,1892) (Noctuidae) Synonym(s): roederi Standfuss,1892 Range (as codes): IL Pa TR IQ Ssa IR Ke Fa Ss Mia Kaz Km Kd Mrv Bne Sqq Lo Kz Yas Skh Hz B-A AF Nu Bsg TM KK Feg PK
- 502. Calamia staudingeri Warnecke,1941 (Noctuidae) Synonym(s): staudingeri Warnecke,1941 Range (as codes): TR IQ Cc AM RU Ich IR Fa Elb Bk Lo By Es Ha Th Mz Plr Dam Kd
- 503. Calocucullia celsiae (Herrich-Schäffer,1850) (Noctuidae) Synonym(s): celsiae Herrich-Schäffer,[1850] Range (as codes): HU RO MK AL BG GR CY TR IL Js Hf Pa Cc AM IQ IR LB Ale JO
- 504. Calophasia angularis Chrétien,1911 (Noctuidae) Synonym(s): angularis Chrétien,1911; stigmatica Rothschild,1913; liberatii Turati,1924; danieli Le Cerf,1924; pintori Turati,1924; volmeri Hering,1930 Range (as codes): MR MA DZ Bsk Ogl Gle Ges Omy TN Gf LY TM Kp EG SA IQ IL Pa JO IR Ss B-A
- 505.3Calophasia opalina (Esper,[1796]) (Noctuidae) Synonym(s): casta Borkhausen,1793 nec Pall.,1767; opalina Esper,[1796]; biroi Aigner,1901; naruenensis Spuler,1910; castior Stdauder,1923. Range (as codes): MA DZ Clo PT ES FR IT CH AT SK RO YU AL BG GR TR GG Lag Cc AM RU Ro Kr Ich Da MD UA BY IQ LB Bsa SA IR Fa Kh Elb Th CN Ui UZ Fe AF Hk KK Ik Skm KG TJ Pm MN
- **506.Caradrina (Boursinidrina) parvaspersa (Boursin,1936)** (Noctuidae) Synonym(s): parvaspersa Boursin,1936 Range (as codes): IQ Ry IR Fa Com Sse By TR
- 507. Caradrina (Boursinidrina) surchica (Boursin,1937) (Noctuidae) Synonym(s): surchica Boursin,1937 Range (as codes): IQ Rwz IR Fa Lo Elb Th Nss Km Ksh Es By TR
- **508.Caradrina (Boursinidrina) wiltshirei (Boursin,1936)** (Noctuidae) Synonym(s): wiltshirei Boursin,1936 Range (as codes): TR IQ Rwz Mos IR Fa Com Es Lo
- 509. Caradrina (Eremodrina) belucha Swinhoe, 1885 (Noctuidae) Synonym(s): belucha Swinhoe, 1885; conditorana Pinker, 1980 Range (as codes): AF PK Bl Qu SY Dms Pmy IQ Brs Mos IR Ab Fa Shr Km Ksh TR Ce TJ TM Kp UZ CN Ui Kl
- 510. Caradrina (Eremodrina) flava Oberthür, 1876 (Noctuidae) Synonym(s): flava Oberthür, 1876; approximans Rothschild, 1914 Range (as codes): NE CV AE MR Cn ES Mu MA DZ Gtt Tlm Ges Onç Clo Gha Bsk BSa Khh Omy Sét Berr Btna Ktr Sfr Mii Sbd TN Gf LY TD EG SA IL Hf Pa JO 10 Kbl IR Hz Ss Chh
- 511.Caradrina (Eremodrina) pertinax (Staudinger,1879) (Noctuidae) Synonym(s): pertinax Staudinger,1879; argentea Caradja,1930. Range (as codes): RO BG GR IL Pa TR Cc AM RU Ich Ing IR Kh KuB Fa Zj Elb Th Dam Com Mz Lo Zj IQ Amr AZ Bak TM Kp I-K Fyz PK Hk

³ Present valid name of the species is after Koçak (1981b).

- Volume 17 (2) Priamus 08 09 2018
- 512. Caradrina (Eremodrina) salzi (Boursin, 1936) (Noctuidae) Synonym(s): salzi Boursin, 1936 Range (as codes): TR Cc IQ Brs IR Fa Elb Th Kdj
- 513. Caradrina (Eremodrina) turatii (Boursin, 1936) (Noctuidae) Synonym(s): turatii Boursin, 1936 Range (as codes): CN Ui KI KK Skm Ik KG MN TM Kp 10
- 514. Caradrina (Eremodrina) zernyi (Boursin,1936) (Noctuidae) Synonym(s): zernyi Boursin,1936; signata Boursin, 1936 Range (as codes): RU Sr GR TR 10 Rwz Brs Cc AZ Nv Dz IR Ak Ab Km Ksh Fa Es IL Pa He SY
- 515.Caradrina (Kalchbergiana) ingrata (Staudinger, 1897) (Noctuidae) Synonym(s): infusca Constant, 1865 nec Rmbr., 1858; ingrata Staudinger, 1897 Range (as codes): MR MA DZ Btna Bsk LY Cy PT ES FR Co Si? CH GR Cr TR LB Bei IL Hf Pa SY JO IQ Amr CY EG SA BH
- (Levantrina) bodenheimeri (Draudt,1934) (Noctuidae) Synonym(s): bodenheimeri Draudt,1934; bodenheimeri Amsel,1935; chlorotica Boursin,1936; plesiarchia Boursin,1937 Range (as codes): TR IQ Agh Rwz Jd Kq Qg Mos Sae Ahz IR Km Ksh Fa Es Lo Elb Clu Hz B-A Ss Bk Kdj Dam Mia Kz Yas AF Srb Hr TM TJ UZ IL Pa LB JO SA
- 517. Caradrina (Paradrina) clavipalpis (Scopoli, 1763) (Noctuidae) Synonym(s): Scopoli,1763; grisea Hufnagel,1766; quadripunctata Fabricius,1775; cubicularis [Denis & Schiffermüller],1775; leucoptera Thunberg, 1791; milleri Schultz, 1862; avicula Krulikovsky, 1909; teidovolans Pinker, 1974; pinkeri Kobes, 1975 Range (as codes): MA MR DZ TN EG PT ES MU FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR CY DK NO SE FI EE LV LT RU MD UA BY KG Uk SD SA <mark>IQ</mark> Agh Ry Rwz Dia Brs Kum IR Fa Es Plr Dam Kdj AF Hk Hr Nu Bsg MN CN Ui Chk ZA Gau Pre Tva LB Bsa IL Pa Lvv SY JO TJ UZ N-A Th Kd Bne Kz Yas Mia Mz Gls Kh GG Tbl Lag Da Der AZ Kir Nv Ord PK Gg Bt Hu Haz Mnr Mre Ds Psu Bl Zi IN Hp Ch Bsk Dja Blid Tlm Clo Agi Ges Abe Perr Sfr Btna Dhm BSa Khh Sbd Ktr Hrh Mzg Hmk Onç Omy
- 518.Caradrina (Paradrina) flavirena (Guenée, 1852) (Noctuidae) Synonym(s): Guenée,1852; minor Staudinger,1897; subdita W.Warren,1911; muricolor Boursin,1933; subdita Leraut,1980 Range (as codes): MA DZ Blid Btna Ges Agi Berr TN PT ES Mu FR Co Sa Si IT MT CH YU AL BG GR Cr TR Cc IL Pa CY RU IQ Agh Mos Bgd IR Elb Kdj Th
- 519. Caradrina (Paradrina) levantina Hacker, 2004 (Noctuidae) Synonym(s): Hacker, 2004 Range (as codes): IT GR CY IL Pa Hf IQ Rba TR
- 520.Cardepia arenaria (Hampson, 1905) (Noctuidae) Synonym(s): arenaria Hampson, 1905 Range (as codes): DZ Ceg PK Sd Krc IR IQ Amr
- **521.Cardepia irrisor (Erschoff,1874)** (Noctuidae) Synonym(s): irrisor Erschoff,1874; irrisoria Erschoff,1874; albipicta Christoph,1884 Range (as codes): IQ Agh Bgd TM Kp Krn KG Tks Aa Tk RU Tv UA CN Ui Ku Au Bc UZ Fe Br TJ KK Ik Skm PK Nwf IR Ss Mz Gls MN
- 522.Catamecia minima (Swinhoe,1889) (Noctuidae) Synonym(s): minima Swinhoe,1889; jordana Staudinger,1897; bacheri Staudinger,1901; balestrei Lucas,1907; arabica Wiltshire,1949 Range (as codes): MR MA DZ IQ Amr Agh IN Sd SA As TN YE Ad IR Ss Ahz Hz B-A IL Pa Jt JO EG Sn
- 523.Catephia alchymista ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): alchymista [Denis & Schiffermüller],1775 Range (as codes): MA DZ Btna Hrh Dhm Sét Anna Sbd TN PT ES Mu FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU BG GR Cr TR GG Smt Bjo Der AZ Kir Hkd Cc IR Mz Gls IQ Mos CY IL Pa LV LT RU Ro St Kr Ich Da MD UA BY
- **524.Catocala (Ephesia) diversa (Geyer,[1828])** (Noctuidae) Synonym(s): diversa Geyer,[1828]; callinympha Boisduval,[1828]; #divera Hacker,1988 Range (as codes): ES FR Co Si IT AT SK HU RO YU AL BG GR TR IR By Fa RU MD UA BY LB IL Pa Mer He IQ
- 525.Catocala (s.str.) abacta Staudinger,1900 (Noctuidae) Synonym(s): abacta Staudinger,1900; irana Brandt,1938; #iranica Hacker,1986. Range (as codes): TR IR Ab Kd Sqq Sdt Mrv Bne Fa Kz Mia Es 🙌 Shq Akr
- 526.Catocala (s.str.) elocata (Esper,[1787]) (Noctuidae) Synonym(s): elocata Esper,[1787]; marita Hübner,[1813]; nurus Hübner,[1822]; gitana Mabille,1885 Range (as codes): MA DZ TN PT ES Mu FR Co Sa Si IT MT NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR GG Tbl Smt Bjo AZ Kir Len Cc IR Ab Oru Sro Elb Th Km Qz Kz Yas Skh SE LT RU Ro Kr St Nt Ing Kyi Da MD UA BY LB IL HV SY IQ Bgd JHa JO CN Ui Ku Chk UZ Fe PK Swa Mdy Btna Bdj Dhm Sfr Abe Clo Anna Orn
- 527.Catocala (s.str.) lesbia Christoph,1887 (Noctuidae) Synonym(s): lesbia Christoph,1887 Range (as codes): TR EG Sn IL Pa Ngv IQ Kq JO IR Fa Kaz Mia Lo Elb Th Ss Es Kz AF PK Nf TM Kp
- 528.Catocala (s.str.) lupina Herrich-Schäffer,[1851] (Noctuidae) Synonym(s): lupina Herrich-Schäffer,[1851]; detrita W.Warren,1913 Range (as codes): IT YU BG GR TR AZ Hkd Kir Cc RU Ro MD UA BY IR Fa Lo IQ KG Uk At
- 529.Catocala (s.str.) mesopotamica Kuznesov,1903 (Noctuidae) Synonym(s): Staudinger, 1895 nec Stgr., 1892; aspasia Staudinger, 1897 nec Streck., 1874; mesopotamica Kuznesov, 1903 Range (as codes): TR IR Km Krd Fa Lo By Kd Bne Mrv Kaz Mia IQ
- 530.Catocala (s.str.) neonympha (Esper,[1805]) (Noctuidae) Synonym(s): neonympha Esper,[1805] Range (as codes): TR AZ Kir AM GG Cc RU Ro St Ich Da Der At MD UA BY TJ KG T-S Ket Aa TrA Uk KK Ik Smk UZ TM Fe CN Ui Ku Kön Tek Kty AM AF Bd Sen Kab Bark Gbh IR Ab Oru Ha Km Kd Bne Mrv Snj Kaz Mia Fa Bk Qz IQ JHa Mos Sbn Mq Bsr kut Dy TlH SY

Cc AZ Len MD UA BY LB Bsa IL Pa JO IQ

- 531.Catocala (s.str.) nymphagoga (Esper,[1787]) (Noctuidae) Synonym(s): nymphagoga Esper,[1787]; v-nigrum De Villers,1789; tmolia Lederer,1865; vallantini Oberthür,1894 Range (as codes): DZ TN Blid Sbd Abe PT ES Mu FR Co Sa Si IT MT GB CH AT CZ SK HU RO YU AL BG GR Cr Rd CY IR Fa Kz Yas Skh Mz Gls TR RU
- 532.Catocala (s.str.) optima Staudinger,1888 (Noctuidae) Synonym(s): optima Staudinger,1888 Range (as codes): KG Bai Tk CN Ui Ku IQ Bgd IR TR
- 533.Catocala (s.str.) puerpera (Giorna,1791) (Noctuidae) Synonym(s): puerpera Giorna,1791; amasia Esper,[1804] nec Sm.,1797; pellex Hübner,[1809]; orientalis Staudinger,1877; pudica Moore,1879; rosea Austaut,1884; pallida Alpheraky,1887; romana Schultz,1909; syriaca Schultz,1909; tarbagata Schultz,1909; centralasiae Sheljuzhko,1943 nec Kuzn.,1903 Range (as codes): MA DZ TN PT ES FR IT CH AT PL CZ SK HU RO YU AL BG GR Rd TR GG Smt Bjo Lag AZ Hkd Cc LB Bei RU MD BY Ld IN Tar Br TM Kp IL Pa SY JO EG Sn IQ IR Ab Qba Fa Km Elb Th Kd Snj Lo Kh Msh CN Ui Chk Au Ln Kl AF Slg Kab Srb KK Skm Sfr Sbd KG Uk RU Or Ro Kr St Sr Dds Ur Cc UA UZ TJ Abe
- 534. Cerocala sana Staudinger,1901 (Noctuidae) Synonym(s): insana Staudinger,1871 nec H-S.,1858; sana Staudinger,1901; albifusa de Joannis,1910; perorsorum Turati,1924; rothschildi Turati,1924; autumnalis Turati,1926; fulgens Berio,2002; turatii Berio,2002 Range (as codes): DZ Onç Amu Sfr Bsk Orn BSa Lgt Ceg Ogl Gle Gha Ges Dje Hrh LY EG Sn SA TR IR Hz Ss Ahz Chh B-A JO BH IQ IL Pa LB
- 535.Chazaria incarnata (Freyer,1838) (Noctuidae) Synonym(s): incarnata Freyer,1838; boisduvali Boisduval,1840. Range (as codes): DZ Orn Ahr BSa Ges Agi PT ES Mu IT RO YU BG GR TR GG Smt Tbl AZ Kir AM Cc RU Ro St Da MD UA BY IR Fa Com Elb Th Kdj Mz Ab Mak Ss Hz B-A Bu Dlk IQ AF Hr Pli IL Pa SY
- 536.Chersotis (s.str.) fimbriola (Esper,[1798]) (Noctuidae) Synonym(s): fimbriola Esper,[1798]

 Range (as codes): MA Rf ES FR Si IT CH AT SK HU RO YU AL BG GR Cr TR Cc AM Eri Geg GG AZ Nv Ord RU Ro Kb

 Nt Ich MD UA Cm BY IR Kh KuB Elb Kdv Dam Fa Bk By Es Ha Zj Mz Th Ab Bne Sqq Mrv Oru Sdt Lo Kd TM IQ
- 537. Chersotis (s.str.) semna (Püngeler,1906) (Noctuidae) Synonym(s): semna Püngeler,1906 Range (as codes): TR Cc RU Ing Da IR Fa Kh Gh Ha Kd Sqq Bne Lo Ss TM Kp IQ
- 538.Chionoxantha staudingeri (Standfuss,1892) (Noctuidae) Synonym(s): staudingeri Standfuss,1892 Range (as codes): TR 10
- 539.Chloantha hypericii (Fabricius,1787) (Noctuidae) Synonym(s): #hyperici [Denis & Schiffermüller],1775; hypericii Fabricius,1787 Range (as codes): PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR AZ AM GG Cc CY IQ TIH IL Pa Hf SY JO DK NO SE FI LT RU Ro Kr St Ich Da MD UA BY IR Kh KuB Fa Ha Zj Gls Gor Elb Clu Mz Dam Th Mia Kd Mrv AF TM Kp LB Bsa
- 540. Chrysodeixis chalcites (Esper,[1789]) (Noctuidae) Synonym(s): chalcites Esper,[1789]; chalsytis Hübner,1790; bengalensis Rossi,1794; quaestionis Fabricius,1794; verticillata Guenée,1852; integra Walker,1858; adjuncta Walker,1865 Range (as codes): PT ES Mu FR Co Sa Si IT MT GB BE NL DE CH AT HU RO YU AL BG GR Cr Rd TR CY IQ Mj Amr LB Bsa Bei SY IL Pa Hf JO DK RU Cc St MD UA BY ZA SK KE MW ZW Har BW Nga Nta Kzu Kkf Dbn YE Ad IN LK MM CN JP HW WS FJ TO NH SB PG AU MY IR Mz Elb Th Fa Kaz Mia Hz B-A Kd Mrv Dam Qz Se Lo Ss By Hal DZ Anna Clo Abe Hrh Btna Agi Lbs MA
- 541.Cleonymia (s.str.) chabordis (Oberthür,1876) (Noctuidae) Synonym(s): chabordis Oberthür,1876; #charbordis Brandt,1939. Range (as codes): MR MA Ess TN DZ Idl Ah Eal Ear Heh Hdd Gle Gea Tou Onç BSa Ktr Ges Ceg Bsk Gha Lgt Sfr Dhm Gf Omy Ogl Hes LY MT IL Pa Jt JO EG Sn IQ IR Fa Ss Bu Hz B-A SA PK Bl
- 542.Cleonymia (Serryvania) opposita (Lederer,1870) (Noctuidae) Synonym(s): opposita Lederer,1870; #obscurior Osthelder,1933. Range (as codes): YU BG GR TR AM Cc AZ Kir Pa IL IQ SY JO IR Ab Oru Mak Km
- 543.Cleonymia (Serryvania) pectinicornis (Staudinger,1859) (Noctuidae) Synonym(s): pectinicornis Staudinger,1859; youngi Rothschild,1925 Range (as codes): MA DZ BSa Ktr Gf Ges Sbd Tun TN ES IQ IL Pa JO TR SY IR
- 544. Cleonymia jubata (Oberthür,1890) (Noctuidae) Synonym(s): jubata Oberthür,1890 Range (as codes): MR MA DZ TN Gab Sfr BSa Ges Sbd Tun LY SA IQ Qg Kbl IL Pa JO IR Hz B-A
- 545.Clytie (Hypoglaucitis) infrequens (Swinhoe,1884) (Noctuidae) Synonym(s): infrequens Swinhoe,1884; benenotata W.Warren,1888 Range (as codes): IR Ke Ss Bu Dlk Hz B-A PK Sd Krc Rw Pj MR MA DZ Ah Thh Omy Ndr Lgt TN LY SD EG EG11 Sn YE OM SA IL Jf Pa JO IQ Agh Bgd Zbr
- **546.Clytie (s.str.) arenosa Rothschild,1913** (Noctuidae) Synonym(s): arenosa Rothschild,1913; seifersi Gaede,1933. Range (as codes): MR MA DZ Thh Ah Omy LY IL Pa Dds JO IQ Amr kut
- 547.Clytie (s.str.) syriaca (Bugnion,1837) (Noctuidae) Synonym(s): syriaca Bugnion,1837; gentilitia Freyer,1848. Range (as codes): AT RO YU AL BG GR Cr CY LB Bei Beq IL Pa SY TR RU Cc St Ich Da Der MD UA BY IR Fa Ahz IQ Agh Amr Bgd KG Tk Tks Dj Aa KK Skm UZ
- **548.Clytie (s.str.) terrulenta (Christoph,1893)** (Noctuidae) Synonym(s): terrulenta Christoph,1893 Range (as codes): DZ Omy TR AZ Kir Cc RU Da IQ Bgd IL Pa JO SY UZ TJ TM Kp IR Ahz Fa Ss Chh
- 549.Colobochyla (Caspicastra) platyzona (Lederer,1870) (Noctuidae) Synonym(s): platyzona Lederer,1870; #platizona Hacker,1990. Range (as codes): TR AZ Kir Cc IR Fa Lo Kdj Elb Ke Th Kd Bjr Zj Mia Kaz Km TM Kp IQ Rwz

- 550.Condica palaestinensis (Staudinger, 1895) (Noctuidae) Synonym(s): palaestinensis Staudinger, 1895; persicola Draudt, 1934; persicola Wiltshire, 1952 Range (as codes): EG SA IL Pa Jt IR Fa Ss IQ PK
- 551.Condica viscosa (Freyer, 1831) (Noctuidae) Synonym(s): viscosa Freyer,[1831]; inamoena W.Warren,1914 [ssp.]; indelicata Turati,1934; europaea Parenzan,1980 Range (as codes): Cn MA DZ Bsk Perr TN EN PT ES SI IT YU AL BG GR Cr TR CY IQ Bsr LB IL Pa Hf SY JO IR Fa Mia Ss Irs
- (Dasvcampa) **erythrocephala** (Fabricius, 1787) (Noctuidae) Synonym(s): #erythrocephala [Denis & Schiffermüller],1775; erythrocephala Fabricius,1787. Range (as codes): MA DZ PT ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI LT RU Cc Ro Kc Kr Da MD UA BY IO JO
- 553.Conistra (s.str.) veronicae (Hübner,[1813]) (Noctuidae) Synonym(s): veronicae Hübner,[1813]; dolosa Hübner,[1817]; nigrovenosa Preissecker,1913; metria Boursin,1940; camastra Delaever,1979; pseudopolitina Hacker,1990 Range (as codes): MA DZ ES FR Si IT DE CH AT SK HU RO YU BG GR Cr TR 10 Cc GG AZ IR BU RU Ro Kr Da IL Pa He TM Kp
- 554.Cornutiplusia circumflexa (Linnaeus, 1767) (Noctuidae) Synonym(s): circumflexa Linnaeus, 1767; lunata Fabricius, 1787; flexuosa Donovan, 1807; daubii Freyer, 1838; graphica Herrich-Schäffer, 1851; patefacta Walker,[1858]; reticulata Moore,1882; clarescens Pinker & Bacallado,1975; #unata Kononenko & Pinratana,2005 Range (as codes): Md Cn PT ES Si IT GB CH RO AL BG GR TR Cc CY 10 kut Kro Amr Mj Agh FI RU MD UA BY IR Fa By Kz Yas Hz Ss Ke Kh Ab Oru Mak Elb Th Mz CN Ui Ku KK Ik UZ KG DsA AF Ca Hr Gbh ZA Gau Pre Tya Ec Grh Cto Wca Nta Kzu Est IN NP LK LB Bsa IL Pa Hf SY JO TH CMa Php MM GG AM AZ Cc Skh Sdt Ak Ar Gh Gls Kh Se Ha Kd Km By Bk Es Bu Ke Hz Ss Snj Lo Kaz Mia Dlk B-A TM Kp N-Â TJ Chr Pm Ro Kr Kb Kc Nt Ich Da ET ET24 ET36 ET86 ET196 DJ DJ44 Smt Bjo Lag Dar Nv Ord Hal
- 555.Craniophora pontica (Staudinger,1879) (Noctuidae) Synonym(s): pontica Staudinger,1879 Range (as codes): MA DZ Dzc Hmk Sét Hrh Sbd Btna Dhm Gue TN PT ES AD FR IT RO HU MK BG TR IQ IL Pa IR Fa Lo Qz Kz Yas Elb Th Dam AF LB RU Cc Ro Kr Da AZ Nv Ord
- 556.Cryphia (Bryoleuca) eucta (Hampson,1908) (Noctuidae) Synonym(s): eucta Hampson,1908 Range (as codes): TM Kp IR Ab TR IQ Mos
- 557.Cryphia (Bryoleuca) petrea (Guenée,1852) (Noctuidae) Synonym(s): petrea Guenée,1852; contristans Lederer,1857; hoerhammeri Schawerda,1927 Range (as codes): MR MA DZ Lbs Btna Ges Ktr PT ES An Mu FR Co GR Cr CY TR LB Bei IQ IR SY IL Pa Hf
- 558.Cryphia (Bryoleuca) raptricula ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): raptricula [Denis & Schiffermüller],1775; divisa Esper,[1791]; divisa Esper,1791; palliola Borkhausen,1792; pomula Borkhausen,1792; deceptricula Hübner,[1803]; carbonis Freyer,1849; felina Eversmann,1852; oxybiensis Millière,1875; #striata Staudinger,1879; eretina Calberla,1888; raptriculoides Turati,1912; bryophiloides Rothschild,1914; #persica Strand,1915; cretica Reisser,1962 Range (as codes): MA DZ TN EG PT ES Mu FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR GG AM AZ Cc CY DK NO SE FI EE LT RU LB Bsa IL Pa SY Hal JO EG IR Fa Lo By Yas Ss Es Ke Ha Mz Kz Kdj Elb Dam Mia Km Kd Snj <mark>IQ</mark> Tkr AF Gbh Pli Srb CN Ui PK KG Tk Dj KK Skm Ik TrA Feg UZ N-A Ro Kr St Kb Nt Ich Da Kir Bak Nv Ord Bne Mrv Kh Ges Agi Sfr Abe Sbd Blid Hrh
- 559.Cryphia (Bryoleuca) rectilinea (W.Warren,1909) (Noctuidae) Synonym(s): W.Warren,1909; mediochracea Bytinski-Salz,1936; insulicola Reisser,1962. Range (as codes): IT RO YU AL BG GR Cr CY IL Pa TR Cc IR LB Bei IQ
- 560.Cryphia (Bryoleuca) remanei Heydemann & Schulte,1963 (Noctuidae) Synonym(s): remanei Heydemann & Schulte, 1963 Range (as codes): TR 10 Tkr
- 561.Crvphia (Bryophila) eucharista Boursin,1960 (Noctuidae) Synonym(s): iranica Brandt,1941 nec Schwing.,1937; eucharista Boursin,1960. Range (as codes): TR IR Elb Fa Ke Es Yz Th Mia Shr Km Kd Mrv Bne Lo
- **562.Cryphia (Bryophila) maeonis (Lederer,1865)** (Noctuidae) Synonym(s): maeonis Lederer,1865; praecana Christoph,1893; rubellina Staudinger,1900; sordida Staudinger,1900; sabulosa W.Warren,1909. Range (as codes); DZ Btna GR Cc AM GG Tbl Smt Bjo TR IR Fa Com Shr Elb Shh Mz Dam Kdj Nss Ab Sdt Km Kd Bne Mry Snj Lo Kz Yas Mia IQ SY LB IL Pa CY JO AF Srb Gbh Kab Hr Pli Hk TM KG UZ Fe KK Ik Skm CN Ts Kno
- 563. Cryphia (Euthales) algae (Fabricius, 1775) (Noctuidae) Synonym(s): algae Fabricius, 1775; degener [Denis & Schiffermüller],1775; alni Fabricius,1787; calligrapha Borkhausen,1792; mendacula Hübner,[1813]. Range (as codes): DZ Abe Btna Dhm TN Rbt MA PT ES Mu FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR CY TR IQ DK SE FI LT RU Ro Kr St Kb Ich MD UA BY IL Pa GG Smt Bjo Lag Kir AM AZ Cc IR Gls
- 564. Cucullia (s.str.) boryphora Fischer v. Waldheim, 1840 (Noctuidae) Synonym(s): boryphora Fischer & Waldheim, 1840; lignata Guenée, 1841; rimula Freyer, 1842 Range (as codes): DE SE FI RU Sr MD UA BY TR Cc IQ Kbl IR Ss Kh CN Ui AF Hr Srb TM KK Ik PK Cls IN Ld Ch LB
- calendulae Treitschke,1835 (s.str.) (Noctuidae) Synonym(s): Treitschke, 1835; wredowi Costa, [1836]; leucanthemi Rambur, 1858; dellabrunai Berio, 1980. Range (as codes): Cn MA DZ Ges BSa Ahr Khh Ktr Ceg Hrh Berr Bsk TN PT ES Mu FR Co Sa Si IT MK MT AL GR Cr Rd TR LB JO IQ Bgd Sel IL Pa Hf SA CY IR Ahz TM Kp AF
- 566.Dichagyris (Albocosta) flammatra ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): flammatra [Denis & Schiffermüller],1775; bimaculata Milliere,1885. Range (as codes): MA PT ES FR Co Si IT GB DE CH AT PL CZ SK HU RO YU BG GR Cr TR GG Akh Smt Cc AZ Hkd IR Fa Yas By Lo Kh Mz Elb Kdj Dam Kz LB Bsa CY IL Pa SY JO Sn EG IO Mos TlH DK RU At Sb MD UA BY CN Ui Ii KG Tk Dj AF Hr Pli Gbh Ch PK Rw Ti SI UZ N-A KK TrA Ro St Nt Kb Ich Ing Kyi Da Tbl Bjo Kir Lag Nv Ord Bak Len Gls Kh DZ Sfr Sbd Ges Psu Gg Sai

- **567.Dichagyris (s.str.) anastasia (Draudt,1936)** (Noctuidae) Synonym(s): anastasia Draudt,1936 Range (as codes): 10 Rwz TR IR Kh Fa Ma Ara IL Pa He
- 568.Dichagyris (s.str.) erubescens (Staudinger,1892) (Noctuidae) Synonym(s): erubescens Staudinger,1892 Range (as codes): TR GR IR Kh AF Srb LB Bsa IL Pa SY Bld JO Sn EG IQ
- 569. Dichagyris (s.str.) forficula (Eversmann, 1851) (Noctuidae) Synonym(s): forficula Eversmann, 1851 Range (as codes): GR RU TR Cc AM GG RU Kr St Ich Ing Da LB IQ IR Ab Mak Oru Sdt Ss Fa Ke Es By Yas Km Kz Kd Mrv Snj Sqq Shr Yas Hz B-A Kh Elb Th Mz Kdv Dam Plr Ab Ak AF Hr Pli Gbh
- 570. Dichagyris (s.str.) grisescens Staudinger,1879 (Noctuidae) Synonym(s): grisescens Staudinger,1879; fasciata Vorbrodt,1930; euryloma Corti,1933 Range (as codes): TR IR Elb Th Kd Mrv Fa By Lo SY Dms IQ AF PK IN Ld UZ KK Skm
- 571. Dichagyris (s.str.) singularis (Staudinger,1877) (Noctuidae) Synonym(s): singularis Staudinger,1877 Range (as codes): AE IL Pa JO TR IQ Rwz Brs IR Hz Elb Th Lo Kh Nys Ke Zj TM Krn Kp AF
- 572. Dichagyris (s.str.) squalidior (Staudinger,1901) (Noctuidae) Synonym(s): squalidior Staudinger,1901; albicollaris Kozhantshikov,1930 Range (as codes): LB SY Dms TR Cc AM GG Bjo IQ Slf IR Fa Ke Elb Th Ab Sdt Sqq Mrv Oru Snj Kd Lo Ab Ak Kz Kh KuB Zj AF Hk TM RU Ao Ro Da
- 573. Dichagyris (s.str.) squalorum (Eversmann, 1856) (Noctuidae) Synonym(s): squalorum Eversmann, 1856; nigrolineata Kozhantshikov, 1930 Range (as codes): RU Ro St Da Ur Sb SY IQ Cc AM AZ Nv Ord TR IR Fa Lo Es Ke Kh Ha Zj Mz Yz Zj Ab Sdt Th Lo Kd Sqq Mrv Km TM
- 574. Dichagyris (s.str.) terminicincta (Corti & Draudt,1933) (Noctuidae) Synonym(s): terminicincta Corti & Draudt,1933; maraschi Corti & Draudt,1933. Range (as codes): TR IR Elb Fa Ha Kh Bk Zj Mz Ab Sdt Sqq Snj Mrv Kd Th Ss Se KuB AM Eri Cc RU Kyi IQ AF Pag LB Bsa IL Pa
- 575. Dichagyris (Yigoga) flavina (Herrich-Schäffer,[1852]) (Noctuidae) Synonym(s): flavina Herrich-Schäffer,[1852]; ochrina Staudinger,1898; pretiosa Caradja,1931. Range (as codes): RO YU BG GR RU Da TR IL Pa Cc AZ Kir LB UA Cm AM SY Dms LB Bsa IQ Mos IR Lo By Yas Es Fa Ha Elb Th Ab Oru Sdt Km Kd Snj Yas Sqq
- 576. Dichagyris (Yigoga) forcipula ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): forcipula [Denis & Schiffermüller],1775; denticulosa Esper,[1794]; bornicensis Fuchs,1884; helladica Rebel,1905; samnitica Dannehl,1933; romanoi Berio,1980. Range (as codes): MA ES FR Sa? Si IT DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR RU Ro Kr Sr Kb Nt Ich Ing Da MD UA BY LB IR Mz Elb Th Lo Fa Kz Kd Bne By Yas Es IQ AZ Kir AM GG Smt Bjo Cc
- 577. Dichagyris (Yigoga) gracilis (F. Wagner, 1929) (Noctuidae) Synonym(s): gracilis F. Wagner, 1929 Range (as codes): GR TR Cc IR Ab Ory Sdt Fa Ke Es Elb Th Kd Km Snj Hz Zj Ha Mz IQ
- 578. Dichagyris (Yigoga) nachadira (Brandt,1941) (Noctuidae) Synonym(s): nachadira Brandt,1941
 Range (as codes): IR Ss Th Elb TR UA AM Cc IQ KG TM TJ
- 579. Dichagyris (Yigoga) nigrescens (Hofner,1888) (Noctuidae) Synonym(s): nigrescens Höfner,1888 Range (as codes): ES FR Si IT DE CH AT CZ SK HU RO YU AL BG GR TR RU Cc Ro Nt Kr Ich LB JO IL Pa IQ Shq IR Fa Th Elb Kd Gls
- 580.Dichagyris (Yigoga) orientis (Alpheraky,1882) (Noctuidae) Synonym(s): orientis Alpheraky,1882; improcera Staudinger,1888; imitata Corti & Draudt,1933. Range (as codes): RO YU RU Ro Kyi TR Cc GG Tbl Da Der Nv Ord AZ AM Eri IQ Agh CN Ui Ku Ii UZ TM IR Elb Th Kdj Es Ha Kh KG Tk KK Skm
- **581.Dichagyris** (Yigoga) romanovi (Christoph,1885) (Noctuidae) Synonym(s): romanovi Christoph,1885; #jura Strand,1915; karsholti Fibiger,1990. Range (as codes): TR Cc IL Pa Js JO IR Fa Ab Oru Lo Km Kd IQ?
- 582.Dichagyris (Yigoga) signifera ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s):
 #signifera [Denis & Schiffermüller],1775 Range (as codes): TN Gf ES FR IT DE CH AT PL CZ SK HU RO YU BG GR
 TR IR Fa Es Elb Ab Oru Kz Km Kd Mrv Bne Yas Lo IQ Shq LB LV LT RU Ro Kyi Da MD UA BY AZ Kir AM GG Tbl Akh
 Smt Cc
- **583.Dichagyris (Yigoga) stigmatula (Kozhantshikov,1937)** (Noctuidae) Synonym(s): stigmatula Kozhantshikov,1937 Range (as codes): 10
- **584.Dichagyris (Yigoga) wiltshirei (Boursin,1936)** (Noctuidae) Synonym(s): wiltshirei Boursin,1936; #wiltschirei Ebert & Hacker,2002 Range (as codes): TR IQ Ry IR Fa Es Ha Zj Lo Kd Sqq Mrv
- **585.Dichonia** (s.str.) aeruginea (Hübner,[1803]) (Noctuidae) Synonym(s): aeruginea Hübner,[1803]; mioleuca Geyer,[1828]; chioleuca Treitschke,1835; mesembrina Schawerda,1913. Range (as codes): ES FR Co Si IT AT PL SK HU RO YU BG GR TR Cc IQ
- **586.Dichromia indicatalis Walker,[1859]** (Noctuidae) Synonym(s): indicatalis Walker,[1859]; tortuosa Moore,1882; cidarioides Moore,1882; persimilis Hampson,1891; caliginosa Wileman,1911 Range (as codes): TH Nan Knc Dpk IQ IR PK IN Khs Ass Meg MY Bor Swk ID Sum Ja TW CN KP KR JP
- 587.Dicycla oo (Linnaeus,1758) (Noctuidae) Synonym(s): oo Linnaeus,1758; ferruginago Hübner,[1803]; renago Haworth,1809; #sulphurea Staudinger,1901 Range (as codes): PT ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc AZ Len IQ IR Fa Es By Yas Kz Ab Sdt Bne Mrv Kd Mia Gls DK SE LV LT RU Ro Da MD UA BY IL Pa
- **588.Drasteria cailino (Lefèbvre,1827)** (Noctuidae) Synonym(s): cailino Lefèbvre,1827; caylino Lederer,1857 Range (as codes): MA PT ES Mu FR Si IT RO YU AL BG GR TR IL Pa LB Bsa SY IQ Dia Ry Rwz Brs RU

- Sr Ro Da AF Kab Nu Bsg Hr Bd Adr IR Bk Ke Ha Es Lo Fa Ss Kh Elb Th Dam Kz Skh Yas Sqq Kd Snj Km Hz AZ Kir Nv Ord Cc GG AM KG Ssn Lps At CN Ui Ga Au Pm Tk Dj KK Ik Skm PK SA YE Ab Sdt Kd Snj Bjr Zj Bne Mrv DZ BSa Ktr Orn Bsk One TN Gf
- 589. Drasteria flexuosa (Ménétriés,1848) (Noctuidae) Synonym(s): flexuosa Ménétriés,1848; singularis Kollar,[1849]; inepta Butler,1881. Range (as codes): RU Cc Kyi Da TR EG IL Pa SY JO IQ Agh Tkr IR Kh Lo Fa Ss Bu Dlk Ke Fa Ab Elb Th Mak Ak Oru Sdt Mrd Kd Snj Ariz Bjr Shr Ma AF Gbh Arh Pag Nu Bsg Srb Kab Pli Blh Bd Fz Hr PK Bl Chm TM KG Tk Dj Aa KK Ik CN Ui Ku Kl Ga Kml MN Uli AZ Bak Nv Ord UZ Fe Smk Br
- 590. Drasteria kabylaria (A.Bang-Haas,1906) (Noctuidae) Synonym(s): kabylaria A.Bang-Haas,1906
 Range (as codes): MR MA DZ Idl Ah Gha Ceg Ogl Gle Tun BSa TN Gf EG Sn JO IL Pa OM AE IR Ahz Ss Chh Hz B-A
 IQ SA YE LY
- 591. Drasteriodes limata (Christoph,1884) (Noctuidae) Synonym(s): limata Christoph,1884 Range (as codes): MN TM Kp KG Tk AF Hr IQ Agh SA IR Es
- 592. Dryobotodes (s.str.) eremita (Fabricius,1775) (Noctuidae) Synonym(s): eremita Fabricius,1775; protea [Denis & Schiffermüller],1775; seladonia Fabricius,1794; corsica Spuler,1905; #dejecta W.Warren,1911; #grisea W.Warren,1911 Range (as codes): MA DZ Btna Lbs Afl Ges PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR IQ IR Fa Gls LB IL Pa SY DK NO SE FI EE LV LT RU GG Lag Cc Ro Ich MD UA BY
- 593. Dysgonia algira (Linnaeus,1767) (Noctuidae) Synonym(s): algira Linnaeus,1767; achatina Sulzer,1776; alterna De Villers,1789; triangularis Hübner,[1803] nec Thunb.,1784; albivitta Guenée,1852; festina Walker,1858; olympia Swinhoe,1885; europea Schawerda,1912 Range (as codes): Cn MA DZ PT ES Mu FR Co Sa Si IT MT GB DE CH AT PL SK HU RO YU AL GR Cr Rd TR Cc CY IQ Akr Bsr Amr DK RU Am MD UA BY KK TM AF IR Fa LB Bsa IL Pa SY JO UZ Fe CN KP KR JP ZA Tva Lpo Spb Mdk Mpu Brb Gau Pre Nta Kzu Dbn Ec Grh SL NG ZR KE YE Ad MU IN CN PK LK Kndy Pdy MM Ab Elb Mz Th AZ Nv Ord Der Len AM GG Cc Ro Kr St Ich Da CV Cp Sdt Gls Agi Hmk Hrh Dhm TN Dzc Ges Afr Perr Afl Orn Ktr Bsk Sbd Abe Clo
- 594. Dysgonia torrida (Guenée,1852) (Noctuidae) Synonym(s): torrida Guenée,1852; albivitta Guenée,1852; festina Walker,1858; #zorrida Hacker,[1987] Range (as codes): MA DZ PT ES Mu Si IT MT YU HV AL BG GR CY TR IR IQ Agh Bgd UZ N-A NP LB IL Pa SY JO AE AF Srb Nu Gbh PK Cp IN ZR ZA ET ET24
- 595. Dysmilichia bicolor (Chrétien,1913) (Noctuidae) Synonym(s): bicolor Chrétien,1913 Range (as codes): DZ Bsk IR Ss Hz B-A IQ Agh
- **596.Dysmilichia bicyclica (Staudinger,1888)** (Noctuidae) Synonym(s): bicyclica Staudinger,1888 Range (as codes): IR Fa Ss Ke Elb Th Kdj IQ Dy CN Ui Ku KG Tk Dj Aa TrA KK Skm Na
- 597. Earias chlorophyllana Staudinger,1892 (Noctuidae) Synonym(s): chlorophyllana Staudinger,1892; syrticola Turati,1926; watersoni Wiltshire,1947. Range (as codes): DZ Ajj Abe LY MA SA SD TM Kp TR IL Pa JO IR Hz Enz Fa Kaz Mia Hz B-A IQ
- 598. Earias clorana (Linnaeus,1761) (Noctuidae) Synonym(s): clorana Linnaeus,1761; viride Retzius,1783 Range (as codes): PT ES FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR IR Fa Ha Kd Snj Ab Oru Cc GG Tbl Lag IQ DK NO SE FI EE LV LT RU Cc Ro Kr Kc Nt Kb Ich MD UA Lvv BY
- 599.Earias insulana (Boisduval,1833) (Noctuidae) Synonym(s): insulana Boisduval,1833; smaragdinana Zeller,1852; frondosana Walker,1863; xanthophila Walker,1863; siliquana Stainton,1865; simillima Walker,1866; chlorion Rambur,1866; gossypii Frauenfeld,1867; anthophilana Snellen,1879; trigostrigosa Butler,1881 Range (as codes): MA DZ Bsk TN LY Cn PT ES An Mu FR Si IT MT GB BG GR Cr TR CY RU IQ Agh Bgd IR Fa Ke Hz Ss Elb Th Kdj Mz Lo B-A SY IL Pa Hf JO LB EG SA OM SD Sk ET ET29 AF Ca Arh PK Sd Krc Cp JP IN PH Luz TH TW ID Clb Bor Swk AU ZA Nta Kzu Est Fs Tva Gau Jh Pre Ec Cto MZ Ad YE47 SO Zai MG MR Abe TD Tbt
- 600. Earias irakana Wiltshire,1936 (Noctuidae) Synonym(s): irakana Wiltshire,1936; #intermedia Wiltshire,1944; #vernalis Wiltshire,1944 Range (as codes): 10 Agh Bgd Mos IR Kd Snj Mrv Bne
- **601.Earias syriacana Bartel,1903** (Noctuidae) Synonym(s): syriacana Bartel,1903 <u>Range (as codes):</u> TR LB Bei Bsa AL SY IL Pa IQ CY
- 602.Egira tibori Hreblay,1994 (Noctuidae) Synonym(s): tibori Hreblay,1994 Range (as codes): BG GR Sms TR Cc IL Pa LB Bsa JO IQ IR Elb Th Fa
- 603.Eicomorpha kurdestanica De Freina & Hacker,1985 (Noctuidae) Synonym(s): kurdestanica De Freina & Hacker,1985 Range (as codes): TR IR Lo IQ
- 604. Episema lederi Christoph, 1885 (Noctuidae) Synonym(s): lederi Christoph, 1885; sareptana Alpheraky, 1897; #ledereri Wiltshire, 1937. Range (as codes): RO MK BG GR RU Da TR Cc AZ Kir CY TM Kp SY IQ Dy Dia Kq Pa IL IR Gh Elb Th Km Ksh Shr Gls AF
- 605.Eremohadena (s.str.) chenopodiphaga (Rambur,1832) (Noctuidae) Synonym(s): chenopodiphaga Rambur,1832; erubescens Staudinger,1901; roseotincta Turati,1929 Range (as codes): MA DZ Hes Ges Tou Sfr BSa Khh Gle Bsk TN LY PT ES FR Co Si IT TR CY Cc GG Tbl Mng AM LB Bsa SY IR Th Fa IQ TM UZ CN Ui
- **606.Eublemma (albida-gr.) gratissimum (Staudinger,1892)** (Noctuidae) Synonym(s): albida auct.; gratissima Staudinger,1892; infuscata Staudinger,1892; transmittens Christoph,1893; peralba Schawerda,1923. Range (as codes): 10 Mos Kbl LB Bsa CY TR Cc LB Bei JO IL Pa Hf IR Fa Km Kd Snj Lo TM AF
- 607. Eublemma (albida-gr.) hansa (Herrich-Schäffer,[1851]) (Noctuidae) Synonym(s): hansa Herrich-Schäffer,[1851]; maraschensis Osthelder,1933 Range (as codes): RU TR AZ Kir Hkd Cc Da Der IR Elb Th Kd Bne Mrv Snj Lo Sqq IQ? SA? AF? LB? JO CY
- 608. Eublemma (albida-gr.) stramineum (Staudinger, 1892) (Noctuidae) Synonym(s): straminea Staudinger, 1892 Range (as codes): GR TR Cc IR Ha AF Hr Gbh Srb Bsg CY BH 10

- **609. Eublemma (candidana-gr.) pulchralis (De Villers,1789)** (Noctuidae) Synonym(s): pulchralis De Villers,1789; candidana Fabricius,1794; minuta Hübner,[1809]; perlana Geyer,[1830]; skafiota Freyer,1845; impura Staudinger, 1871 Range (as codes): DZ PT ES Mu Sa Si FR IT YU GR Cr TR IR Fa 10 CY AM GG Smt Akh Cc TM
- 610.Eublemma (chlorotica-gr.) chloroticum (Lederer, 1858) (Noctuidae) Synonym(s): chlorotica Lederer, 1858 Range (as codes): LB TR Cc AZ Nv Ord IR Fa Es Kh Mz Elb Th Kdj Kd Ab Khy Snj Bjr Sqq Kz Yas Kaz Mia Nss IQ Shq TM AF SY Dms JO
- 611. Eublemma (cochylioides-gr.) cochylioides (Guenée, 1852) (Noctuidae) Synonym(s): cochylioides Guenée,1852; rosita Guenée,1852; phoenissa Lederer,1855; derogata Walker,1858; calida Rebel,1894; calida Staudinger,1895; confuscata W.Warren,1913. Range (as codes): DZ Abe FR Cn ES Mu MT GR Rd TR CY SY IQ Agh IR Fa Shr LB Bei IL Pa Hf JO ZA RE LK PK AU IN NC FJ TO YE OM
- 612. Eublemma (Glossodice) polygrammum (Duponchel,[1842]) (Noctuidae) Synonym(s): polygramma Duponchel,[1842]; argillacea Eversmann,1844; nuda Christoph,1862; violetta Staudinger,1889. Range (as codes): DZ Lbs PT ES Mu FR IT CH AT PL RO YU AL BG GR Cr TR CY AZ Kir Hkd Nv Ord Cc IR Fa Bk By Mz Es Elb Th Kd Sqq Bne Bjr Ab Mak Kz Yas Mia Shr Ss Hz B-A IQ RU Ro St Nt Ing Da MD UA BY LB Bsa Bei IL Pa Hf JO
- 613. Eublemma (ostrina-gr.) ostrinum (Hübner, [1808]) (Noctuidae) Synonym(s): Hübner,[1808]; carthami Herrich-Schäffer,[1851]; aestivalis Guenée,1852; numida Lucas,1849; thasia Koutsaftikis,1973. Range (as codes): cn PT ES Mu FR Co Sa Si IT MT IE GB NL DE CH AT HU RO YU AL BG GR Cr Rd CY TR AZ Kir Cc RU Ro St Nt Ich Ing Da MD UA SY JO IL Hf Pa LB Bsa IQ Brs Ry Rwz Dia Agh Bgd IR Fa Hz Ss Ke Mz Elb Kd Km Snj Lo Mia Kz Yas Kaz Shr Hz B-A AF Bsg Nu IN PK MN KG Tk Dj Gg Sdt Gls Hrh Ges Dzc Dhm Ktr Afr Bdj BSa Btna Abe Sbd Khh Hmk Ahr Gha Bsk Gf Orn Tlm Rbt Phv Hes Lbs Clo DZ MA Tgr
- 614. Eublemma (pallidula-gr.) virginalis (Oberthür, 1881) (Noctuidae) Synonym(s): virginalis Oberthür,1881; caid Oberthür,1881; subterminalis Rothschild,1914 Range (as codes): DZ Sbd Ges Dje Sfr BSa Abe
- 615.Eublemma (parva-gr.) parvum (Hübner,[1808]) (Noctuidae) Synonym(s): Hübner,[1808]; rubefacta Mabille,1869; chalybea Swinhoe,1884; nymphodora Meyrick,1902. Range (as codes): MA DZ TN LY EG SD PT ES Mu FR Co Sa Si IT MT IE GB BE NL DE CH AT CZ SK HU PL YU AL BG GR Cr CY TR DK RU MD UA IL Hf SY IQ Brs Ry Rwz Dia Agh Amr LB Bsa JO SA IR Ab Mrd Elb Th Kdj Kd Sqq Mak Fa Ss Kh Bk Ha AF Hr Srb Gbh Kab Ca Dwe Arh PK IN TH ID ZA YE Ad AU Snj Mia Km Kz Yas Hz B-A Cc St Da Len AZ Nv Ord Bne Mrv Hrh Ges Perr Sfr Sbd Abe Btna Clo Tgr Hes
- 616.Eublemma (rosina-gr.) parallelum (Freyer,1842) (Noctuidae) Synonym(s): Freyer,1842; concinnula Herrich-Schäffer,1851; #densata W.Warren,1912. Range (as codes): RU Ro MD UA BY TR GG AZ AM Cc IQ IR Elb Mz Dam Th Plr Nss KK
- 617. Eublemma peralba (Schawerda, 1923) (Noctuidae) Synonym(s): peralba Schawerda, 1923 Range (as codes): 10 Mos
- (Staudinger, 1892) (Noctuidae) 618. Eublemma suppunctum Synonym(s): Staudinger,1892; #suppouncta Hacker,1988 Range (as codes): TR LB IL Pa JO IQ IR Th Elb Kdj Kd Snj Ariz Bjr Zj Lo Km Mia
- 619.Euchalcia taurica (Osthelder,1933) (Noctuidae) Synonym(s): taurica Osthelder,1933 Range (as codes): TR Cc AZ IR Ab Bzg Ak Ar Mz Qz Zj Bjr Fa Es Lo Th Elb Dam Kd Fa Kz Yas Skh AM [Q
- **620. Euchalcia viridis (Staudinger,1901)** (Noctuidae) Synonym(s): viridis Staudinger,1901 Range (as codes): TR IQ IR Elb Th Zj Kd Bjr AF Cc AZ Nv KK KG
- 621. Eugnorisma (Metagnorisma) pontica (Staudinger, 1892) (Noctuidae) Synonym(s): pontica Staudinger, 1892 Range (as codes): RO MK BG GR TR TM Kp IR Ak Fa Km Kz By Kd Ksh Elb Th Kh KuB Gls Cc AM LB IL Pa He IQ Rwz Ry
- 622.Eugnorisma (Metagnorisma) rafidain (Boursin, 1936) (Noctuidae) Synonym(s): rafidain Boursin,1936 Range (as codes): TR 10 Bgd
- **623.Eugnorisma** (s.str.) chaldaica (Boisduval,1840) (Noctuidae) Synonym(s): Boisduval,1840; caerulea Wagner,1932 nec Gn.,1852; buraki Koçak,1983 Range (as codes): RU Da Kap TR Cc IQ Brs IR Elb Th Kdj Ma AM AF TM UZ KK Ik KG Ssn Sr Ur At Tar Sp
- **624.Eugnorisma (s.str.) insignata (Lederer,1853)** (Noctuidae) Synonym(s): insignata Lederer,1853; intermedia Eversmann,1855. <u>Range (as codes):</u> RU Da At KG KK TJ Pm Chr UZ N-A TR Cc TM Kp IQ Brs Shq Rwz Ry IR Elb Th Dam Lo Kh KuB Fa Spd Sse Kz PK Gg Bbu Psu Nar
- **625.Eugnorisma (s.str.) semiramis (Boursin,1940)** (Noctuidae) Synonym(s): semiramis Boursin,1940 Range (as codes): IR Fa Km By Kz TR IQ Brs Arb
- **626.Eulocastra diaphora (Staudinger,1879)** (Noctuidae) Synonym(s): diaphora Staudinger,1879; triangularis W.Warren, 1888; atribasalis Hampson, 1896; laticincta Staudinger, 1898. Range (as codes): cn MR MA DZ Ajj Ah Hes Omy Bsk TN RU TR YE Ad PK Cc GG AZ Nv Ord AM IR Fa Hz Ss Kd Bjr Zj Bne Mrv Lo Snj Ab Oru Mak Hz B-A Chh AF IQ IL Pa SA LB SY JO Sn EG ER PK Cp IN
- 627.Eutelia adoratrix (Staudinger, 1892) (Noctuidae) Synonym(s): adoratrix Staudinger, 1892 Range (as codes): YU GR TR Cc LB Bei IL Pa Js JO RU UA Cm [O] IR Th Elb Kdj Fa Mia Ss Hz B-A Kz Yas
- 628.Eutelia adulatrix (Hübner, [1813]) (Noctuidae) Synonym(s): adulatrix Hübner, [1813] Range (as codes): Cn MA DZ TN LY EG PT ES Mu FR Co Sa Si IT MT CH PL SK HU RO YU AL BG GR Rd Cr TR IR Fa Lo OM RU

- AZ Kir GG Smt Bjo Lag Cc Ro Kr Ich Da UA Cm CY IL Pa Hf LB SY JO IQ ZA Tva Lpo L Nta Kzu ZW BW KE TZ UZ Fe AF Pli Srb Nu Bsg Kab PK KK KG TM IN Hrh Agi Hmk Abe Dhm Sét Ktr Bsk BSa Ges Sbd Hes AM
- 629. Euxoa (Orosagrotis) foeda (Lederer,1855) (Noctuidae) Synonym(s): foeda Lederer,1855; enitens Corti,1926; marmorosa Corti,1927; vanensis Draudt,1937. Range (as codes): RU Da At IL Pa TR TM Kp KG KK Ik UA Cm IQ Rwz Cc AM GG IR Kh KuB Sse Fa Elb Th Lo Kd Mrv Zj
- 630.Euxoa (Pleonectopoda) hilaris (Freyer,1838) (Noctuidae) Synonym(s): hilaris Freyer,1838 Range (as codes): GR BG TR RU Da AZ IR IQ LB Bsa TM Cc GG AM KK
- **631.Euxoa (Pleonectopoda) inclusa Corti,1931** (Noctuidae) Synonym(s): inclusa Corti,1931 Range (as codes): TR IR Fa Elb Th IQ
- 632.Euxoa (s.str.) canariensis Rebel,1902 (Noctuidae) Synonym(s): canariensis Rebel,1902 Range (as codes): CV Cn DZ Ah Gha BSa Orn MA LY 10 Bgd Kbl IR Fa Ss Kd Lo Hz SA YE EG Sn IL Pa JO
- 633. Euxoa (s.str.) conspicua (Hübner,[1824]) (Noctuidae) Synonym(s): conspicua Hübner,[1824]; agricola Boisduval,1829; lycarum Herrich-Schäffer,1846; abdita De Joannis,1891; #indistincta Strand,1915; osthelderi Corti,1931; complicata Corti,1931. Range (as codes): PT ES FR Co IT RO YU BG GR TR Arr GG Akh Smt Bjo Tbl Lag Cc AZ Kir Hkd RU Ro Kr St Kc Kb Nt Ich Ing Da Kyi MD UA BY MN KG Tks Ssn Na Tk Dj KK TrA UZ IR Ab Ak MZ Th Kd Ha Fa Ss Kh Ke Ha MZ Enz CN Ui Ku Ii Kml AF Blh Arh Srb IQ Tkr LB Bsa PK IN Hp Sb SY CY Nv Ord Da Der Kus Oru Khy Mar Gls Bbu Sai Nar
- 634. Euxoa (s.str.) cos (Hübner,[1824]) (Noctuidae) Synonym(s): cos Hübner,[1824]; tephra Boisduval,1840; nagyagensis Freyer,1845; vacillans Herrich-Schäffer,[1850]; millierei Staudinger,1870; cycladum Staudinger,1871; aphe Mabille,1885; crimaea A.Bang-Haas,1906; mesopotamica O.Bang-Haas,1922; rubra Corti,1933. Range (as codes): DZ Lbs Ges TN PT ES FR Si IT CH AT RO YU BG GR Cr TR RU Ich MD UA Cm BY IR Kh SY IQ Ce AM TM UZ Fe KK Ik KG LB Bsa CY IL Pa He
- 635.Euxoa (s.str.) decora ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): decora [Denis & Schiffermüller],1775; nebulosa Hübner,[1808]; nivens Hübner,[1821]; simulatrix Hübner,[1824] Range (as codes): MA DZ ES FR Co IT DE CH AT PL CZ SK HU YU MK AL BG GR TR Cc AM IQ IR RU Nt Ich Ing Da Kus MD UA BY KK Ik
- 636.Euxoa (s.str.) nigricans (Linnaeus,1761) (Noctuidae) Synonym(s): nigricans Linnaeus,1761; fumosa [Denis & Schiffermüller],1775; rubricans Esper,[1788]; dubia Haworth,1809; vilis, fuliginea Hübner,[1813]; carbonea Hübner,[1823]; ursina Godart,1825; rustica Eversmann,1842; oppidicola Krulikowsky,1907. Range (as codes): MA PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Tbl IQ IR DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Ich Ing Da MD UA BY LB Bsa Sb At Am Us MN CN Ti
- 637.Euxoa (s.str.) robiginosa (Staudinger,[1895]) (Noctuidae) Synonym(s): robiginosa Staudinger,[1895]; terminalis Rothschild,1921; pseudoobelisca Corti,1932; intensior Draudt,1936; vinirufa Draudt,1936. Range (as codes): DZ Btna TR IL Pa Js LB JO IQ QZ IR Lo
- 638.Euxoa (s.str.) scurrilis Draudt,1937 (Noctuidae) Synonym(s): scurrilis Draudt,1937 Range (as codes): TR Cc IR Elb Th Dam Lo Fa Com IQ
- 639.Euxoa (s.str.) temera (Hübner,[1808]) (Noctuidae) Synonym(s): temera Hübner,[1808]; ruris Hübner,[1808]; villiersii Guenée,1837; declarans Walker,[1857]; alphonsina Fernald,1918; boursini Schawerda,1931; perambulans Corti,1931; leucotera Bytinski-Salz & Brandt,1937. Range (as codes): MA DZ TN PT ES FR Co Sa Si IT CH AT PL CZ SK HU RO YU AL BG GR RU Kr Da MD UA BY TR SY LB IL Pa JO Cc AZ AM GG IR Elb Gh Th Kdj IQ Bgd SA
- **640.Evisa schawerdae Reisser,1930** (Noctuidae) Synonym(s): schawerdae Reisser,1930 Range (as codes): MA ES FR Co Sa MK GR LB Bei TR IO Brs IR Fa
- 641.Fissipunctia corticea (Esper,[1800]) (Noctuidae) Synonym(s): #ypsillon [Denis & Schiffermüller],1775; ipsilon Goeze,1781 nec Hufn.,1766; corticea Esper,[1800]; fissipuncta Haworth,1809; upsilon Curtis,1828; plebeja Staudinger,1888; orenburgensis Bartel,1902; obertueri Rothschild,1920; glaisi Lucas,1931 Range (as codes): MA DZ Btna Sbd Abe PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Tbl Smt Bjo Lag AZ Kir Cc CY IQ IR Ha Mz Elb Kd Snj Lo Gls Kh DK NO SE FI EE LV LT RU Ro Kr St Kb Ich Ing Kyi Or Sb At Us MD UA Lvv BY AF Balk UZ N-A
- 642. Grammodes bifasciata (Petagna,1787) (Noctuidae) Synonym(s): geometrica auct.; bifasciata Petagna,1787; linearis Hübner,1790; parallela Cyrillo,1790; chalciptera Borkhausen,1792; parallelaris Hübner,[1803]. Range (as codes): DZ Hrh TN Dhm PT ES Mu FR Co Sa Si IT MT AT HU YU AL BG GR Cr TR LB IL Pa SY Cc GG Lag IR Mz RU Kr St Ich Da IQ Bsr Agh Bgd Amr MG ZA ET
- 643. Grammodes stolida (Fabricius,1775) (Noctuidae) Synonym(s): stolida Fabricius,1775; cingularis Hübner,[1808]; stupida Herrich-Schäffer,1851; curvilinea Walker,1869. Range (as codes): DZ TN Gf PT ES Mu FR Co Sa Si IT MT IE GB DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR DK SE FI EE LT RU MD UA Cm BY GG AZ AM Cc IQ IR Fa Ss LB IL Pa EG SA IN AF Nu Bsg PK Bl Bol ZA Tva Lpo Spb Mdk Gau Pre Jh AU SL ZR ET ET24 SD KE NA Nta Kzu Ec YE Ad Dds He Mz Gls Ak Mrd Lo Mia Kaz UZ N-A Ro Kr Kb Nt Da Kyi BW Dmr Nga Cp C-P Mh Nsk Gha Ges BSa Out Btna Dzc Agi Ktr Abe Sbd Bsk Onç Ah TD Tbt
- **644.Hadena (Anepia) avempacei (Tams,1925)** (Noctuidae) Synonym(s): avempacei Tams,1925; pampaninii C.G.Krüger,1933. Range (as codes): LY Cy SA IQ KЫ JO AE
- **645.Hadena (Anepia) perplexa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): perplexa [Denis & Schiffermüller],1775; lepida Esper,[1790] nec Cr.,[1779]; carpophaga Brahm,1791; ochracea Haworth,1809; capsophila Boisduval,1840; nisus Germar,[1842]; repanda Herrich-Schäffer,[1850]; atlas A.E.Prout,1929;

Centre for Entomological Studies Ankara

- sicula Draudt,1933 Range (as codes): MA DZ Cn PT ES An FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU Sb At MD UA Cm BY KG At Sb KK CN Ui Ku TJ Pm Tk AF Pag Adr IR Kh Fa Sse Elb Th Kdj Plr Dam Ab Mak TM Kp JO LB Bsa IL Pa IQ JO PK AZ AM GG Cc TrA UZ Fe IN Ld Ro St Kb Nt Ing Da CY Kir Lag Nv Ord Khy BSa Sbd Ahr Hrh Btna Khh Ges Abe
- **646.Hadena (Anepia) syriaca (Osthelder,1933)** (Noctuidae) Synonym(s): syriaca Osthelder,1933; osthelderi Draudt,1933. Range (as codes): Si IT RO YU BG GR CY RU Ro St TR PK Bl Qu EG PL BG MK Cc AZ Nv AM SY Dms IR Fa Sse IQ IL Pa JO
- **647.Hadena (Enterpia) laudeti (Boisduval,1840)** (Noctuidae) Synonym(s): laudeti Boisduval,1840; cretacea Eversmann,1847; loudeti Spuler,1907 Range (as codes): ES FR IT CH YU BG GR TR AM AZ Kir Cc RU Ro Da Ahy Sr IL Pa SY LB Sn EG JO IQ IR Ab Mak Ak Mar Ha Elb Th Kdj Dam Mz TM Kp UZ KG
- **648.Hadena (Maschukia) pumila (Staudinger,1879)** (Noctuidae) Synonym(s): pumila Staudinger,1879 Range (as codes): GR RU TR SY Dms IR Ab Ak Fa Ss Zj Kd AM Cc AZ IQ IL Pa JO LB
- 649. Hadena (Pronotestra) silenides (Staudinger, 1895) (Noctuidae) Synonym(s): Staudinger,1895; cinochrea Chrétien,1911; pampaninii C.G.Krüger,1933. Range (as codes): Cn MR MA DZ Kdr Ges Bsk BSa Gha Ktr Tun Orn TN Gf LY Cy PT ES DZ CY IL Js Pa JO SY LB Sn EG SA IQ Agh Kbl IR Fa
- 650.Hadena (s.str.) compta ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): compta [Denis & Schiffermüller],1775; viscariae Guenée,1852; galactina Turati,1908. Range (as codes): DZ Ges PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR SY LB Bsa IL Pa AM GG Smt Akh Cc AZ IR Ab Khy Elb Fa Th Lo Zj Gh Kd Bne Sse Kh IQ DK NO SE FI EE LV LT RU Ro St Kb Kc Nt Ich Ing Da Sb At Am MD UA Lvv BY TM KK KG T-S MN CN JP
- 651.Hadena (s.str.) gueneei (Staudinger,1901) (Noctuidae) Synonym(s): gueneei Staudinger,1901; guenei Hampson,1905 Range (as codes): IT B-H HV MK GR CY TR IL Pa AZ AM Cc IR Lo Kh Elb Th Plr Kz Yas Fa
- 652.Hadena (s.str.) impressa (Esper,[1790]) (Noctuidae) Synonym(s): #capsincola [Denis & Schiffermüller],1775; impressa Esper,[1790]. Range (as codes): HU AT DE EE DK NO SE FI HV B-H MK GR TR Cc GG Smt Bjo Mng Lag Nv Ord AM AZ IR Th Elb Mz TM UZ TJ KK TeA RU Ro Kr Kb Nt Ich Ing Da At Sb Sj LB Bsa IO UA
- 653.Hadena (s.str.) melanochroa (Staudinger,1892) (Noctuidae) Synonym(s): melanochroa Staudinger, 1892 Range (as codes): BG TR RU Kb Nt Ich Ing Da IR Fa Elb Kdj Th Diz Ab Oru IO Cc AZ AM
- 654. Hadena (s.str.) pfeifferi (Draudt,1934) (Noctuidae) Synonym(s): pfeifferi Draudt,1934 Range (as codes): TR LB Bsa IQ IR Kd Snj SY Dms
- 655.Hadena (s.str.) tristis (Draudt,1934) (Noctuidae) Synonym(s): tristis Draudt,1934 Range (as codes): Cc AZ Kir TR IQ IR Kh Elb Th
- 656.Hadjina lutosa Staudinger,1892 (Noctuidae) Synonym(s): lutosa Staudinger,1892; subflava Hacker & Ebert,2002 Range (as codes): RU Ao TR IQ IR Fa Ss Km Ksh Hz B-A TM KG
- 657. Hadula (Calocestra) trifolii (Hufnagel, 1766) (Noctuidae) Synonym(s): trifolii Hufnagel, 1766; chenopodii [Denis & Schiffermüller],1775; verna Esper,[1787]; saucia Esper,[1790]; infraina Haworth,1809; contribulis Duponchel, 1827; farkasii Treitschke, 1835; inquieta Walker, 1857; albifusa Walker, 1857; cinnamomina Rothschild, 1913; taylori Rothschild,1921 Range (as codes): CL TN MA DZ LY NE PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG MK GR Cr TR CY IL LB SY IQ Agh Amr MN AF Gbh Pli Arh Ca PK Gg IN US CA DK NO SE FI EE LV LT RU MD UA BY IR Hz Ss Kh CN Ui Ku Yk Ti GG AM AZ Bak Cc JO MK Gh Elb Th Mz Kdj Dam Km Kd Ab Lo Es Ss Hz Bu Dlk KG Tk Tu Dj Aa TrA TM Kp TJ Pm Chr UZ Br N-A KK Skm Ax Na Ro Kr St Kc Kb Nt Ich Ing Kyi Da CV Az Cp Khy Snj Bne Mrv Gls Kh BSa Lgt Ktr Sét Gha Ela Ceg Bsk Saia Btna Khh Hmk Dhm Hrh Perr Afl Ges Abe Sfr Tlm Onç Mri Lvv Ear Nbr Psu Cls
- 658.Hadula (Cardiestra) vassilinini (O.Bang-Haas,1927) (Noctuidae) Synonym(s): vassilinini O.Bang-Haas,1927 Range (as codes): BG GR TR Cc AZ Kir RU Da IQ Agh IR Gls
- 659.Hadula (Cardiestra) vassilinini deserta Gyulai,2002 (Noctuidae) Synonym(s): deserta Gyulai,2002 Range (as codes): 10
- 660.Hadula (s.str.) sabulorum (Alpheraky,1882) (Noctuidae) Synonym(s): Alpheraky, 1882 Range (as codes): MA DZ Sfr Ceg BSa Bsk Kdr TN Gf LY EG Sn SA YE OM AE KW MT IL Pa IQ Bgd Cc AZ Nv Ord TR IR Ab Mak Fa Ke AF TJ Pm TM Kp UZ KG Aa T-S Tk Tu Aem Ii MN CN Ui Au Khr Ln KK Ik Nrk TeA
- 661.Hecatera rhodocharis (Brandt,1938) (Noctuidae) Synonym(s): rhodocharis Brandt,1938 Range (as codes): IR Ha By Yas Fa Com Lo IO Kd Snj Bne Sqq Mry Kz Hjo TR Cc TJ Pm Chr
- spinaciae (Vieweg,1790) (Noctuidae) Synonym(s): #dysodea [Denis & Schiffermüller],1775; ornata De Villers,1789 nec Sc.,1763; spinaciae Vieweg,1790; chrysozona Borkhausen,1792; ranunculina Haworth, 1809; caduca Herrich-Schaffer, [1851]; innocens Staudinger, 1871; subflava W. Warren, 1910; faroulti Rothschild,1914; antitypina Rothschild,1914; africana Oberthür,1918; khala Rungs,1972 Range (as codes): PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc SE LT RU MD UA BY IR Fa By Yas Lo Ss Kh Ke Ha Ab Elb Dam Kd Zj Sse IO Bgd Agh LB Bsa IL Hf Pa JO Sn CN Ui Ku Ii AF Hr Blh Gbh Srb Kab Ch Gs KG Ssn Mn TJ Pm Chr UZ TM Fe KK Ik Hp Ro Kr St Kyi Da CY GG AZ Tbl Bjo Mng Kir Lag Nv Ord Sdt Mrv Bne Zj DZ BSa Ges Agi Eba MA
- 663.Helicoverpa armigera (Hübner,[1808]) (Noctuidae) Synonym(s): obsoleta auct. nec Fabr.,1775; barbara Fabricius,1794 [rejected]; armigera Hübner,[1808]; pulverosa Walker,[1857]; uniformis Wallengren,1860; rama Bhattacherjee & Gupta,1972. Range (as codes): Md Cn DZ MA TN PT ES Mu FR Co Sa Si IT MT IE GB BE NL DE CH

- AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY IR Fa Lo By Yas Ke CN Ui Ku PK Bl Qu AF Ca Gbh Hr Srb Kab Arh Dwe ZA Gau Pre Jh Tva Lpo Spb Mdk CA MX GT CR PA JM IQ JO IL Pa Rd US Tx Cf VE CV BR PE CL ZR SD KE Nta Kzu Dbn Mv Cto Ec Grh Wca Kny Cto YE Ad SY LB Bei JP Ch IN Hp Sml Gs Drm Cp Nl Ddu Up SI NP SG LK ID Ja NAu QAu Bri NSw Syd TS NZ Hw WŠ PC FJ TO EL NH SB PG AU MY Prk OW NC CY Âgh Hf TH CMa CDo Cuo Cuo7 KK Osh Elb Lvv Th Dam Kd Snj Mz Gls Kh Gh Mia Kz Ss Chh Kda Cai Bli Sbw Sba Kai GG AZ AM Cc Ro Kr St Kb Kc Nt Ich Ing Da Kyi ET ET24 CV Az Md Kndy Pdy Dck Smt Bjo Lag Kir Bku Der Abe Clo Lbs PH
- **664.Heliothis nubigera Herrich-Schäffer,[1851]** (Noctuidae) Synonym(s): Schäffer,[1851]; perigeoides Moore,1881; deserta Sohn-Rethel,1929; minutier Thurner,1938. Range (as codes): cn DZ PT ES Mu FR Co Sa Si IT MT GB NL DE CH AT PL SK HU RO YU AL BG GR Cr TR CY FI RU Cc AZ Ny Ord Len Ro St Kb Nt Da MD UA BY IR Lo Hz Ss Kh Elb Th Dam Kdj Ak Mrd AF Hr Gbh Arh Dwe Srb Fz LB Bei Bsa IN Hp Dlh IQ Agh Amr Mj Dy SO IL Pa SY Hf JO Sn TM YE Ad SO Kp Gls Bsk Khh BSa Ktr Onç Gtt Gha Abe Sbd Sfr Saia Agi Ges Ah Ajj
- 665. Heliothis peltigera ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): peltigera [Denis & Schiffermüller],1775; alphea Cramer,1780; florentina Esper,[1788]; charmione Stoll,1790; straminea Donovan,1793; insulata Navas,1924. Range (as codes): MA DZ Cn PT ES Mu FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR DK SE FI EE LV LT RU MD UA BY IR Mz Fa Ke Lo By Yas Hz Ss Kh Ha PK Bl Qu IQ Mj JHa Amr Agh Kq Dk AF Hr Gbh Kab Srb Arh Dwe Bark Fz LB Bsa IN Dlh Hp NP JO Sn IL Pa Hf Dam Kdj Elb Th Ak Mrd Mia Kz Yas Km Kd Snj Hz B-A Maz Gls Kh GG AZ AM Cc KK TrA TM Kp ÛZ KG Ro Kr St Kb Kc Nt Ing Da CV MM Kba Tbl Smt Bjo Lag Bku Nv Ord Hmk Ktr Khh BSa Perr Sfr Dje Dhm Abe Bsk Hrh Ges Clo Lbs Anna Ah Ajj
- 666. Heliothis viriplaca (Hufnagel, 1766) (Noctuidae) Synonym(s): viriplaca Hufnagel, 1766; dipsacea Linnaeus, 1767; spergulariae Lederer, 1857; #dispaceus Alpheraky, 1882; salamantina Fernald, 1928. Range (as codes): Cn PT ES Mu FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG AZ AM Cc CY LB Bsa DK NO SE FI EE LV LT RU Ro Kr St Nt Ich Da Kyi Am MD UA BY IR Fa Es Lo Ke Zj Elb Th Dam Ab Oru Kz Yas Km Kd Snj IQ Dia Hjo Bag CN Ui Ku Yk MM Ch PK Hu IL Pa Lvv Tek Kty IN Dra JP JO Smt Bjo Lag Nv Ord Der Mrv Bne Sfr Btna Khh Lbs MA
- **667.Heteropalpia vetusta (Walker,1865)** (Noctuidae) Synonym(s): vetusta Walker,1865; profesta Christoph,1887; sacra Staudinger,1898 Range (as codes): UZ TR CY IN PK Sd Hyd AF Dwe SY Sk DZ TM Kp IR Th Elb Fa Shr Hz Ss Kdj Ma Chh B-A IQ Ama Dy kut JHa Sbn Tkr Dk Agh Bgd Dia BH LB Bei IL Pa SA SA63 As YE OM JO ZA AU
- 668.Hoplodrina ambigua ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): ambigua [Denis & Schiffermüller],1775; plantaginis Hübner,[1813]; uniformis Swinhoe,1885 Range (as codes): MA DZ TN LY? PT ES Mu FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd TR Cc CY IQ DK SE EE LV LT RU Ro Kr St No Ich Ing MD UA BY AF Srb PK Bl Qu IR Fa By Yas Ke Gh Elb Mz Th Kdj Gls EG TM CN Ui TJ IL Hf Pa SY JO LB Bsa UZ N-A Lvv KK T-S GG Smt Bjo AZ Kir Ges Btna Lbs Hmk Abe Sbd Prr Khh Dhm Agi
- 669.Hoplodrina pfeifferi (Boursin,1932) (Noctuidae) Synonym(s): pfeifferi Boursin,1932. Range (as codes): TR LB Bsa IR Zj Elb Th Kd Bne Mrv Cc AM AZ RU Ich Ing Da IQ
- 670. Hypena (Jussalypena) laceratalis Walker, [1859] (Noctuidae) Synonym(s): Walker,[1859]; senectalis Guenée,1862; hemigrammalis Mabille,1880; acrocompsa Turner,1932. Range (as codes): PK Cp IN LK MG YE SA MR OM IO BSr Sk SL CI SD ET KE UG TZ MW MZ ZW BW NA ZA Gau Pre Nta Kzu Dbn Tva CN FJ RÊ AU NSw TH Nan Dpk CMa Lmp VN ID Sum Bli HK TW
- 671. Hypena (s.str.) obsitalis (Hübner, [1813]) (Noctuidae) Synonym(s): obsitalis Hübner, [1813]; cholerica Schawerda,1921 Range (as codes): Cn TN DZ Mzg Rbt Agi Hrh Dzc Sfr Blid Abe Sbd Clo MA PT ES Mu FR Co Sa Si IT MT IE GB LU CH AT YU AL BG GR Cr Rd Sms TR GG Smt Akh Cc CY IL Pa JO EG Sn LB Bei Bsa SY IQ IR Kh Fa Kaz Mia Sse Kz Yas SA Sk ET SD
- 672. Hypena obesalis Treitschke, 1829 (Noctuidae) Synonym(s): obesalis Treitschke, 1829; crassalis Hübner,1796 Range (as codes): ES FR Sa Si IT GB NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK FI RU Cc St Kb Kc Nt Ich Da Sb MD UA BY IR Fa Kaz Mia AM IQ PK AF UZ MN CN Ui Kun
- **673. Hypena palpalis (Hübner, 1796)** (Noctuidae) Synonym(s): palpalis Hübner,1796; extensalis Guenée,1854; armenialis Staudinger,1901. Range (as codes): FR Co Sa Si IT YU AL BG GR TR AM RU GG Tbl Cc St Da MD UA BY AF LB Bsa IR Fa Sse IQ Rwz
- 674. Hypenodes kalchbergi Staudinger, 1876 (Noctuidae) Synonym(s): kalchbergi Staudinger, 1876 Range (as codes): Si RO YU TR IQ Bgd
- 675. Hypeuthina fulgurita Lederer, 1855 (Noctuidae) Synonym(s): fulgurita Lederer, 1855 Range (as <u>codes):</u> LB Bei SY TR <mark>IQ</mark> Ry Rwz Dia Brs Kq IR Bu Fa IL Pa Hf JO
- 676.Idia calvaria ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): calvaria [Denis & Schiffermüller],1775; calvarialis Hübner,1818 Range (as codes): ES FR Co Sa Si IT NL DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ AM GG Tbl Smt Bjo CY IQ RU Cc Kr MD UA Lvv BY IR Gls Kh
- 677. Iranada turcorum (Zerny,1915) (Noctuidae) Synonym(s): turcorum Zerny,1915 Range (as codes): IL Pa Hf LB Bei IQ EG Sn JO SY IR Ss Es Chh Hz B-A OM AE SA
- 678.Jodia croceago (Fabricius, 1787) (Noctuidae) Synonym(s): #croceago [Denis & Schiffermüller], 1775; croceago Fabricius,1787; aurantiago Donovan,1796; corsica Mabille,1868 Range (as codes): MA DZ Sbd TN PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Smt Bjo Mng SE RU Ro St Da MD UA BY IO Shq LB IL Pa
- 679.Lacanobia (Diataraxia) oleracea (Linnaeus, 1758) (Noctuidae) Synonym(s): oleracea Borkhausen,1792; spinaciae variegata Austaut, 1885; Hampson,1909; albolineata essoni Matsumura,1926; #pallida Bytinski-Salz & Brandt,1937 Range (as codes): MA DZ TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IL Hf Pa JO LB IQ Shq Bgd IR Elb Th Kdj Kh Gh DK NO

- SE FI EE LV LT RU Ro Kr St Kb Kc Nt Ich Ing Da AM AZ Kir GG Tbl Bjo Cc At CN Ui Ku KK Ik Na KG Tar Tk MD UA BY Lvv JP Nv Ord Lag Hrh Agi Sét Dhm Abe Ahr Clo
- 68o.Lacanobia (Diataraxia) praedita (Hübner,[1813]) (Noctuidae) Synonym(s): praedita Hübner,[1813] Range (as codes): RO BG RU RO Kc Ich MD UA Cm BY TR AM GG Smt Akh Cc AZ Kir IQ AF Pli IR Mz Gls Elb TM Ch KG Tk TJ Pm CN Ui Ga Yk PK KK Ik Ax Skm UZ Fe
- **681.Leucania herrichi Herrich-Schäffer,[1849]** (Noctuidae) Synonym(s): herrichi Herrich-Schäffer,[1849] Range (as codes): BG GR Cr RU Cc Da TR IQ LB IL Pa SY JO CY
- 682. Leucania loreyi (Duponchel,1827) (Noctuidae) Synonym(s): loreyi Duponchel,1827; caricis Walker,1856; collecta Walker,1856; curcula Walker,1856; denotata Walker,1856; designata Walker,1856; exterior Walker,1856; thoracica Walker,1856. Range (as codes): Cn Md MA DZ TN PT ES FR Co Sa Si IT MT IE GB NL DE CH AT RO YU BG GR Cr TR DK EE IQ Agh Amr kut Kum LB Bei Bsa IR Elb Fa Ss Ke Kh PK Rw Drm Cp Nl Bl Qu AF Hr Srb Arh ZA Nta Kzu Dbn Est IN Pj Kul Sml Hp ID Ja AU QAu Bri FJ TO NC KE JP TW MM PH Ceb CY US Clb Up Bhi Sn EG JO SY IL Pa Hf Mz Gls Th Nos Kdj Ab Sdt Kd Mrv Lo Kz Yas Km Cc RU Ro Kb Ich CV Az Cp Abe Gle Sbd Prr Afl Ges Ktr Bsk Sét Dhm BSa Clo Agi Hrh AE KW NP LK VN SA YE CV
- **683.Leucania palaestinae Staudinger,1897** (Noctuidae) Synonym(s): palaestinae Staudinger,1897; languida Staudinger,1897 nec Wlk.,1858; sesamiodes Hampson,1905; #obscura Heydemann et al.,1963; #plastinaea Kornoşor & Lödl,1990 <u>Range (as codes)</u>: DZ Bsk Hes EG Sn GR TR IQ Bgd IR Gls IL Hf Pa Jt SY JO CY SA
- 684.Leucania punctosa (Treitschke,1825) (Noctuidae) Synonym(s): punctosa Treitschke,1825; boisduvalii Duponchel,1827 Range (as codes): MR DZ Ges Sbd Prr Afl Btna Abe PT ES FR Co Sa? Si IT? MT CH? YU GR BG RO Do UA Cm Ode TR IR Fa Gh Elb Th CY IQ Agh RU Cc Da TM Kp LB IL Pa JO SY
- 685.Leucania putrescens (Hübner,[1824]) (Noctuidae) Synonym(s): putrescens Hübner,[1824]; boisduvalii Duponchel,1827; valletai Boursin,1952 Range (as codes): Cn DZ Sbd Afl Abe Mii Prr Lgt Anna PT ES FR Co Sa Si IT MT GB RO YU AL BG GR Cr TR IQ Brs Ry Rwz Dia RU MD UA BY IR Hz KK Ik CY LB IL Pa JO CN
- 686.Leucania zeae (Duponchel,1827) (Noctuidae) Synonym(s): zeae Duponchel,1827; indistincta Christoph,1887; putrida Staudinger,1889; cinerea Lucas,1948 Range (as codes): MA DZ Abe TN PT ES FR Co Sa Si IT YU AL GR Cr TR IQ Bsr Amr RU Cc Ro Ich Da IR Fa Th Elb CN Ui Kun TM Krn K-A UZ Fe Man KK Ik TM EG ZA IL Pa Hf KG Aa Tk
- 687.Leucochlaena muscosa (Staudinger,1892) (Noctuidae) Synonym(s): muscosa Staudinger,1892; hirsutus Staudinger,1892 Range (as codes): GR TR IR Hz Elb Gh Km Ksh CY IQ AF TJ TM Kp UZ N-A IL Js Pa RU Cc Da Der
- **688.Lithophane ledereri (Staudinger,1892)** (Noctuidae) Synonym(s): ledereri Staudinger,1892; discors Staudinger,1892 Range (as codes): YU BG GR Rd TR CY IQ Shq IL Pa He
- 689.Lithophane semibrunnea (Haworth,1809) (Noctuidae) Synonym(s): semibrunnea Haworth,[1809]; oculata Sommer,[1824]. Range (as codes): DZ Btna Perr Hrh MA PT ES FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR 10 Shq DK FI RU Cc Kr Nov
- **690.Lithophasia cyaxares Wiltshire,1957** (Noctuidae) Synonym(s): cyaxares Wiltshire,1957 Range (as codes): 10 Hio
- **691.Lithophasia quadrivirgula (Mabille,1888)** (Noctuidae) Synonym(s): quadrivirgula Mabille,1888; jordana Stertz,1919. Range (as codes): MA DZ Ges Agi BSa TN Gab LY EG JO IQ Dy Jd IL Pa Jt
- **692.Luperina diversa (Staudinger,1892)** (Noctuidae) Synonym(s): diversa Staudinger,1892 <u>Range (as codes)</u>: TR Cc AM Geg Eri CY 10 IR Km Ksh Elb Th LB Bei EG Sn
- 693.Luperina dumerilii (Duponchel,1826) (Noctuidae) Synonym(s): dumerilii Duponchel,1826; amenata Germar,[1842]; sancta Staudinger,1892; armoricana Culot,1909; aequalis Schawerda,1911; uniformis W.Warren,1911; adriatica Stauder,1913; hirsuta F.Wagner,1931; indistincta Rebel,1933; hartigi L.Ronkay & Varga,1985 Range (as codes): MA DZ Dhm TN Perr Btna PT ES Co Sa Si IT MT GB BE DE CH RO YU BG GR Cr TR RU Cc Da CY IQ Dia IL Pa Jt JO
- **694.Lycophorus villosus (Alpheraky,1887)** (Noctuidae) Synonym(s): villosus Alpheraky,1887; benigna Corti,1926 Range (as codes): RU Cc Da Mah TM Kp IR Fa Th Dam Elb IQ
- **695.Lygephila (s.str.) amasina (Staudinger,1879)** (Noctuidae) Synonym(s): amasina Staudinger,1879; sublutea W.Warren,1913. Range (as codes): TR IL Pa IR IQ LB Lkl
- 696.Lygephila (s.str.) craccae (Fabricius,1787) (Noctuidae) Synonym(s): #craccae [Denis & Schiffermüller],1775; craccae Fabricius,1787; nigricollis De Villers,1789; riata Rungs,1952; caliginosa Schawerda,1931; herrerai Yela,1990; #cracae Hacker & Kautt,1999. Range (as codes): MA PT ES Mu FR Co Sa Si IT GB BE LU DE CH AT PL CZ HU RO YU BG GR Cr TR AZ AM GG Cc IQ Ry LB Bsa DK NO SE FI EE LV LT RU Cc Ro Kr St Nt Ich Ing Da MD UA BY IR Fa By Yas Ke Ss Lo Kh Mz Elb Th Dam Kz Yas Skh Kd Snj Lo Yz CN Ui Chk AF Pag KG Tk Dj Ii KK Ik PK Bbu Psu Gg Hu Nar Mlk T-A CY Smt Bjo Mng Lag Kir Bne Mrv
- 697.Macdunnoughia (s.str.) confusa (Stephens,1850) (Noctuidae) Synonym(s): confusa Stephens,1850; gutta Guenée,1852. Range (as codes): PT ES Mu FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR GG Tbl Mng Smt Bjo Lag AZ Kir AM Cc IQ Agh Sbn IR Ha Gh Elb Mz Th LB Bei DK NO SE FI EE LV LT RU RO Kr St Kb Kc Nt Ich Ing Da Kyi MD UA BY CN Ui Ku KG Tk Dj KK Osh AF Nu Pli Srb Lvv PK Psu Gg Hu Ab Mak Ak Kdj Ar Gh Gls Qz Zj Es Kz Der
- **698.Maraschia grisescens Osthelder,1933** (Noctuidae) Synonym(s): grisescens Osthelder,1933; caspica Kuznetsov,1957 Range (as codes): MK HV BG GR Cr RU TR IR Fa IQ Brs TM Kp IL Pa He SY

- **699.Margelana versicolor Staudinger,1888** (Noctuidae) Synonym(s): versicolor Staudinger,1888 Range (as codes): TR IR Kh Elb Th Kdj IQ TM Kp UZ Man
- 700.Megalodes eximia (Freyer,1845) (Noctuidae) Synonym(s): eximia Freyer,1845 Range (as codes): GR TR Cc GG AM RU Da IR Fa Ab Oru Ak Shf Mak Ksh Km Kd Sqq IQ IL Js Pa JO LB Bei
- **701.Meganola gigantula (Staudinger,1879)** (Noctuidae) Synonym(s): gigantula Staudinger,1879 Range (as codes): SK MK BG GR TR 10
- **702.Meganola kolbi (Daniel,1935)** (Noctuidae) Synonym(s): kolbi Daniel,1935; taurica Daniel,1935; pannonica Kovacs,1947 Range (as codes): HU RO BG GR AT CZ IQ TR JO IR Kd Fa Km AF Sfk
- 703.Meganola strigula ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): #strigula [Denis & Schiffermüller],1775; asperalis De Villers,1789; strigularis Hübner,1796; monachalis Haworth,1811; zelleriana Fischer de Waldheim,1824; strigulana Hübner,[1825]; lineolalis Eversmann,1844; pannonica Kovacs,1947 Range (as codes): MA PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU YU SS MK BG GR Cr TR IR Fa IQ Dk DK NO SE FI EE LV LT RU Sr VI Ur Cc MD UA Lvv BY
- 704.Meganola togatulalis (Hübner,1796) (Noctuidae) Synonym(s): togatulalis Hübner,1796; togatulana Duponchel,1845 Range (as codes): MA Ifr DZ Khh TN Dhm PT ES Mu FR Co Sa Si IT BE NL DE CH PL CZ SK HU YU BG GR TR LT RU MD UA BY CY IL Pa LB Bsa IQ IR Ak Ab
- 705.Mesapamea (s.str.) secalis (Linnaeus,1758) (Noctuidae) Synonym(s): secalis Linnaeus,1758

 Range (as codes): MA DZ Berr Abe Sét Lbs Dhm Btna TN PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK

 HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Ich Ing Da MD UA Lvv BY IR Fa IQ KG Tk Dj CY LB

 Cc AM Nyu AZ Adz
- 706.Mesoligia literosa (Haworth,[1809]) (Noctuidae) Synonym(s): literosa Haworth,[1809]; erratricula Hübner,[1813]; onochyna Herrich-Schäffer,1856; subarcta Staudinger,1898; faroulti Rothschild,1914; powelli Oberthür,1918; hispanica Heydemann,1942; minorasia Rezbanyai-Leser,1998; siciliana Rezbanyai-Leser,1998 <u>Range (as codes):</u> MA DZ Ges ES FR Si IT IE GB BE NL CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Ro St Kb Kr Nt Ich Ing Da MD UA BY IR Fa Th Kh KuB Zj Mz Elb Dam Snj Kd Mrv Lo Mia IQ AF IL Pa Js Hf SY UZ AZ AM GG Cc IQ LB Bei TJ Pm KK Ax TrA
- **707.Metachrostis sefidi (Brandt,1938)** (Noctuidae) Synonym(s): sefidi Brandt,1938 Range (as codes): IR Fa Hz Ss IQ TR AF Srb OM
- **708.Metalopha (Antholopha) gloriosa (Staudinger,1892)** (Noctuidae) Synonym(s): gloriosa Staudinger,1892; #intradeleta Osthelder,1933; #extradeleta Osthelder,1933; #grisea Osthelder,1933. Range (as codes): TR Cc IL Hf Js Pa LB IO
- 709. Metalopha (s.str.) liturata (Christoph,1887) (Noctuidae) Synonym(s): liturata Christoph,1887; plusina Staudinger,1892. Range (as codes): IR Sae Elb Th Kdj Ab Mak Ak Mar Ha Hz B-A Fa Ss TM TR IQ Fk AF Ca Hr Arh AE SA SY JO
- 710.Metopoceras (s.str.) delicata (Staudinger,1898) (Noctuidae) Synonym(s): delicata Staudinger,1898; gauckleri Püngeler,1905. Range (as codes): IL Js Pa Jt TR IQ Agh SY JO
- 711.Metopoceras (s.str.) omar (Oberthür,1887) (Noctuidae) Synonym(s): omar Oberthür,1887 Range (as codes): TN MR MA DZ Hes Sfr Ges BSa Lgt Onç Gha Kdr Ceg Bsk Ktr Cst Khh Hmk Hrh Abe Agi Ah Si IT TR EG Sn LB Bei CY IQ Amr IR Mz Fa Ss Elb Gor Bu Hz B-A IL Pa Hf SY JO TM
- 712.Metopodicha ernesti Draudt,1936 (Noctuidae) Synonym(s): ernesti Draudt,1936; achaemenica Wiltshire,1941 Range (as codes): TR IR Fa IQ
- 713.Metoponrhis albirena (Christoph,1887) (Noctuidae) Synonym(s): albirena Christoph,1887; kisilkumensis Erschoff,1885 Range (as codes): TR Cc IR Es Elb Th Ha Kd Sqq Bjr Zj Fa IQ Hjo TM Kp
- 714.Metopoplus boursini Brandt,1938 (Noctuidae) Synonym(s): boursini Brandt,1938 Range (as codes): IR Fa Kd Snj Com TR IQ
- 715.Minucia bimaculata Osthelder,1933 (Noctuidae) Synonym(s): bimaculata Osthelder,1933 Range (as codes): TR 10 IR Fa Hz B-A
- 716.Mniotype buxtoni (Rothschild,1921) (Noctuidae) Synonym(s): buxtoni Rothschild,1921 Range (as codes): IR ss IQ
- 717.Mormo maura (Linnaeus,1758) (Noctuidae) Synonym(s): maura Linnaeus,1758; lemur Meinecke,1775; usta Fourcroy,1785; deusta Geoffroy,1799; cypriaca Hacker,1996 Range (as codes): MA DZ Ges Dzc Dhm Hrh Sbd Abe Lbs TN PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY AM GG Bjo Smt Lag AZ Kir Cc TR DK RU Kr MD UA BY IL Hf Pa IQ Shq LB Bsa TM IR
- 718.Mythimna (Aletia) alopecuri (Boisduval,1840) (Noctuidae) Synonym(s): alopecuri Boisduval,1840; syriaca Osthelder,1933 Range (as codes): FR RO YU BG GR RU Cc Ro St Ich Ing Da MD UA TR CY 10 TM KG IL Pa JO
- 719. Mythimna (Aletia) congrua (Hübner,[1817]) (Noctuidae) Synonym(s): congrua Hübner,[1817]; amnicola Rambur,1829. Range (as codes): DZ Hrh Hmk Gue Abe ES FR Co Sa Si IT DE PL YU AL BG GR TR IL Pa SY IQ Bgd GG AZ Len AM Cc RU Kr Uch IR Mz Elb Fa TM
- 720.Mythimna (Aletia) l-album (Linnaeus,1767) (Noctuidae) Synonym(s): l-album Linnaeus,1767; penicillata Moore,1881 Range (as codes): MA DZ TN PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR GG AZ AM Cc DK NO SE LV RU Ur MD UA BY IR Fa Ke Lo Es Ha Ss Gh Elb Th Dam Kdj Ab

- Kz Yas AF Gbh PK IN Pj Sml Dlh Hp Kul Up Bhi SI NP CY IQ LB Bei Bsa IL Pa KK KG CN UZ Lvv Tk Dj Ax N-A Ro St Kr Kb Nt Ich Da Thu Smt Bjo Lag Kir Nv Ord Oru Sdt Kd Bne Gls Kh Agi Anna Ges Lgt Blid Bsk Btna Lbs Khh Dhm Prr Abe Sbd Afl BSa Hrh Psu Gg Txl Abb Nar Sai
- 721.Mythimna (Aletia) pallens (Linnaeus,1758) (Noctuidae) Synonym(s): pallens Linnaeus,1758; ectypa Hübner,[1803]; rufescens Haworth,1803; arcuata Stephens,1829; ochracea Stephens,1829; suffusa Stephens,1829. Range (as codes): ES FR Si? IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR GG AZ Len AM Cc IQ Bgd DK NO SE FI EE LV LT RU RO St Kr Kc Kb Nt Kyi Sb Am Prj Us MD UA Lvv BY CN Ti Ts Kno Ui Ii MN Uli UZ Fe Br KK Ik TrA TeA Na US Nh Ny Msc Cf CA
- 722.Mythimna (Aletia) vitellina (Hübner,[1808]) (Noctuidae) Synonym(s): vitellina Hübner,[1808]; #vitellena Lederer,1870; decolorata Dannehl,1929; saturatior Dannehl,1929; grisescens Dannehl,1929. Range (as codes): Cn MA MR DZ TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IQ Brs Ry Rwz Dia Agh DK RU At MD UA BY PK Ch NP IN PJ Kul CN IR Lo Es Ha Kh Fa Mz Elb Th Kdj AF Hr UZ Fe KK Ik TM KG TJ CY AZ Bak GG Cc LB Bsa SY JO IL Pa T-A Kp N-A Br Ro Kr St Kc Kb Nt Ing Ich Da Tbl Smt Bjo Bku Kir Gls Agi Blid Khh Gue Ges Btna BSa Anna Orn Abe Sfr Sbd Dhm Sét Hrh Hmk Lvv
- 723.Mythimna (Hyphilare) ferrago (Fabricius,1787) (Noctuidae) Synonym(s): ferrago Fabricius,1787; lithargyria Esper,[1788]; grisea Stephens,1829; anargyria Boisduval,1840; argyristis Rambur,1858; meridionalis Dannehl,1926 Range (as codes): DZ MA PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR IQ IR Fa MZ Elb Th Dam Gh DK NO SE FI EE LV LT RU Ro Kr Kc St Kb Nt Ich Ing Da At Sb Ur MD UA BY CN Ui Kun TM KK TrA KG LB IL Pa PK Gg Ch Kag Hu Swa GG AZ AM Cc Smt Lvv Bjo Mng Lag Kir Haz Abe Sbd Sét Dhm TN
- **724.Mythimna (Morphopoliana) languida (Walker,1858)** (Noctuidae) Synonym(s): consanguis auct. nec Gn.,1852; languida Walker,1858; zachii Bohatsch,1880; abbas Bethune-Baker,1894; arbia Boursin & Rungs,1952. Range (as codes): DZ MT PT FR GR Cr TR EG EGo5 ZA Nta LB Beq Bei IL Pa SY JO IR Fa Ss IQ CY
- 725.Noctua (Euschesis) janthina ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): janthina [Denis & Schiffermüller],1775; flavomaculata Goeze,1781; altica Geoffroy,1785; latimarginata Röber,1900; algirica Oberthür,1918; intermedia Rothschild,1920 Range (as codes): DZ Abe Agi Anna Dhm TN PT ES FR Co Sa Si IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK SE FI LV LT RU Ro Kr Kb Nt Ich Ing Da Der MD UA Cm Lvv BY LB IQ IR Elb Mz Dam Cc AZ Kir
- 726.Noctua (Latanoctua) orbona (Hufnagel,1766) (Noctuidae) Synonym(s): orbona Hufnagel,1766; subsequa [Denis & Schiffermüller],1775; caroni Lempke,1964. Range (as codes): MA DZ TN LY PT ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR CY TR DK NO SE FI EE LV LT RU RO Kr St Kb Nt Ich Ing Kyi Da MD UA Cm BY IR Lo By Yas Zj Elb Th Kdj Kd LB Bsa SY IQ GG Smt Akh Bjo Tbl AZ Hkd Kir Nv Ord AM Cc TM UZ N-A AF Kh LU KG Uk KK Osh TJ Pm Chr Tbl Smt Bjo Lag Kir Nv Ord Bne Ges Clo PK Abb
- 727.Noctua (Paranoctua) comes (Hübner,[1813]) (Noctuidae) Synonym(s): orbona Fabricius,1787 nec Hufn.,1767; comes Hübner,[1813]; adsequa Treitschke,1825; prosequa Treitschke,1825; bergensis Sp.-Schn.,1901.

 Range (as codes): MA DZ Dzc Hrh Abe Sbd Lbs Dhm Tun Btna TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT IR Lo Ke Fa Enz Gh Ab Kz Km Kd Lo Mz Gls Elb Kh IQ SY LB Bsa IL Hf Pa JO AM GG Tbl Cc RU Ro Kr St Kb Da Der
- 728.Noctua (s.str.) pronuba (Linnaeus,1758) (Noctuidae) Synonym(s): pronuba Linnaeus,1758; connuba Hübner,[1822]; innuba Treitschke,1825; hoegei Herrich-Schäffer,1861; nigra Krausse,1912 nec Piesz.,1908; decolorata Turati,1923. Range (as codes): MA DZ TN LY EG PT ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR DK NO SE FI EE LV LT RU Nov Sr MD UA Cm BY IR Fa MZ Gh Elb Th Kd Bu Dlk IQ Agh Dy Kbl Kro AF PK IN GG Tbl Bjo AZ Kir AM Cc Sb Ur LB Bsa IL Hf Pa JO Lvv Sn AZ Cn UZ Br Ro Kr St Kc Kb Nt Ing Kyi Da Tbl Smt Bjo Lag Kir Bne Gls Btna Agi Dhm Bdj BSa Khh Orn Anna Abe Sbd Afl Knt Hrh Mzg
- **729.Nola (s.str.) harouni (Wiltshire,1951)** (Noctuidae) Synonym(s): harouni Wiltshire,1951 Range (as codes): GR Pl Cr Rd TR 10 Dk Agh Bsr Bgd LB Bei JO TR CY IR Kd
- 730.Nola (s.str.) squalida Staudinger,1871 (Noctuidae) Synonym(s): squalida Staudinger,1871; musculalis Saalmüller,1880; turanica Staudinger,1887; fraterna Moore,1888; vanhasseltii Heylaerts,1892; ceylonica Hampson,1893; desmotes Turner,1899; parvula Chrétien,1913; mesoscia Hampson,1914; henrioti Warnecke,1937; minima Warnecke,1938; #squamosa Zukowsky,1941; priesneri Rebel,1948 Range (as codes): MA DZ Bsk Ges TN AL ES An FR Sa Si IT DE AL GR CY TR LB Bei IL Pa PK TJ AF Kab Nu Bsg Srb Pli UZ Fe Man IR Kz Fa Shr Kh Sbz EG EG11 AE OM IQ Bgd Bsr Sbn Agh CN TW LK Pdy
- 731.Nola subchlamydula Staudinger,1870 (Noctuidae) Synonym(s): subchlamydula Staudinger,1870; lathonialis Milliére,1872; kruegeri Turati,1911; praetextula Chrétien,1923; infantula Kitt,1926; derasa Zerny,1933; albidula Zerny,1934 Range (as codes): MA DZ Afl Lbs Hrh TN ES Mu FR Co Sa IT BE DE Bw CH AT YU BG GR Cr Sms TR LB Bei Bsa IR Fa IQ Cc RU Ao Da UA Cm
- **732.Nonagria puengeleri (Schawerda,1924)** (Noctuidae) Synonym(s): puengeleri Schawerda,1924; albipuncta O.Bang-Haas,1927 Range (as codes): RU Us IL Pa IQ Amr
- 733.Nonagria typhae (Thunberg,1784) (Noctuidae) Synonym(s): typhae Thunberg,1784; arundinis Fabricius,1787. Range (as codes): MA DZ TN LY EG PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG GR TR DK NO SE FI EE LV LT RU Cc Ro St Ich Da MD UA Lvv BY LB IL Pa IQ Bsr IR Ss AF CN Ui Ii
- 734. Nycteola asiatica (Krulikovsky,1904) (Noctuidae) Synonym(s): asiatica Krulikovsky,1904; populana Patoçka,1953; hungarica Kovacs,1954. Range (as codes): ES FR Sa IT BE DE CH AT PL CZ SK HU RO YU B-H MK BG GR TR GG Smt Akh JO DK SE FI EE LV LT RU Ur At Sb Prj Us Am Cc Ro Kr St Nt Ich Da MD UA BY IQ IR Ke Kh Elb Th Gh Kd Bne Mrv Lo Mz TM Kp AF Pag PK NP CN Ui Ii T-S Mc KK Ax TeA Skm KG Tk Aa Dj KP KR JP

- Centre for Entomological Studies Ankara
- 735.Ochropleura plecta (Linnaeus,1761) (Noctuidae) Synonym(s): plecta Linnaeus,1761; unimacula Staudinger,1859; anderssoni Lampa,1885; glaucimacula Graeser,[1889]; unupplecta Bryk,1942. Range (as codes): MA DZ TN LY EG PT ES Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Akh Smt Bjo Mng Tbl Lag Cc AZ Kir Hkd DK NO SE FI EE LV LT RU Ro Kr St Kc Kb Nt Ich Ing Da MD UA Lvv BY LB SY IQ IR Gh Elb Mz AF TM KK KG
- 736.Olivenebula subsericata (Herrich-Schäffer,1861) (Noctuidae) Synonym(s): subsericata Herrich-Schäffer,1861; #elisabethae De Lattin,1951; bobitsi Beck,1996 Range (as codes): MK BG GR Rd Cr TR Cc IQ Rwz IR LB CY IL Pa Hf SY JO
- 737.Omphalophana anatolica (Lederer,1857) (Noctuidae) Synonym(s): anatolica Lederer,1857 Range (as codes): Sa Si IT DE YU MK AL BG GR Rd Cr TR AM Cc IR Fa Ss Hz B-A IQ Dy IL Pa
- 738.Omphalophana antirrhinii (Hübner,[1803]) (Noctuidae) Synonym(s): antirrhinii Hübner,[1803] Range (as codes): ES FR Si IT DE AT PL CZ SK HU RO YU AL BG GR TR IR Elb Th Fa Lo Kz Yas UA Lo IQ LB Bsa IL Pa Hf JO GG Lag AZ AM Cc RU Ro Ing Da Der
- 739.Omphalophana durnalayana Osthelder,1933 (Noctuidae) Synonym(s): durnalayana Osthelder,1933 Range (as codes): TR Cc IQ
- **740.Oncocnemis confusa (Freyer,[1839])** (Noctuidae) Synonym(s): confusa Freyer,[1839]. Range (as codes): IR Ha Zj Th Elb Kd Snj Lo TR Cc AM IQ Shq RU IL He Pa UA
- **741.Oncocnemis fuscopicta Wiltshire,1976** (Noctuidae) Synonym(s): fuscopicta Wiltshire,1976 Range (as codes): TR 10 Shq
- 742.Ophiusa tirhaca (Cramer,[1777]) (Noctuidae) Synonym(s): tirhaca Cramer,[1777]; #tirrhaea Fabricius,1781; vesta Esper,1789; olivacea De Villers,1789; auricularis Hübner,[1803]; separans Walker,1858; hottentota Guenée,1852; clementi Swinhoe,1918; #demarginata Heydemann,1963; obscura Pinker & Bacallado,1978 Range (as codes): Cn MA MR DZ TN LY PT ES Mu FR Co Sa Si IT CH AT RO YU BG GR Rd Cr TR CY SY Hal Pmy LB IL Pa JO EG Sn Sk SD ET ET24 ER SO KE ZA Tva Lpo Spb Mdk Gau Pre Wb Ec ZW Har MD IR Hz Fa Kaz Mia IQ Bgd AF PK TH Knc CMa Int CDo MY TW Sum PH IN ID Clb Mlc NC JP AU MG SC Kz Yas Cuo Dhm Ges BSa Bdj Perr Abe Hrh Orn Ah Ajj Js Heb Ngv
- 743.Oria musculosa (Hübner,[1808]) (Noctuidae) Synonym(s): musculosa Hübner,[1808]; laeta Alpheraky,1889. Range (as codes): Cn MA DZ Hrh Hmk Agi Btna Tun Ges Gue Khh Ktr Abe Orn Sbd BSa Dje TN EG PT ES FR Sa Si IT MT GB BE DE CH? AT PL CZ SK HU RO YU AL BG GR Cr CY Rd TR IR Fa Shr Elb Th TM DK RU Cc Ro Kr St Ich Da MD UA BY AF Hr TJ Pm IQ Agh LB IL Hf Js Pa SY Dms JO
- 744.Orthosia (s.str.) incerta (Hufnagel,1766) (Noctuidae) Synonym(s): incerta Hufnagel,1766; instabilis [Denis & Schiffermüller],1775; collinita Esper,[1790]; contracta Esper,[1790]; trigutta Esper,[1790]; nebulosus Haworth,1803; subsetaceus Haworth,1803; angustus Haworth,1803; fuscatus Haworth,1803; pallida Lampa,1885 nec Hw.,1809; pallidior Staudinger,1901 nec Stgr.,1888 Range (as codes): MAPTES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr TR DK NO SE FI EE LV LT RU GG Smt Bjo Lag Cc Ro Kr Nt Da Sb At MD UA Lvv BY CN Ui Ku KK Ik Ax Fe UZ KG DsA JP IN Pj Hp Sml IQ CY LB IR Elb Th
- 745.Ostheldera gracilis (Osthelder,1933) (Noctuidae) Synonym(s): gracilis Osthelder,1933 Range (as codes): TR IQ IR IL He Pa
- **746.Pamparama acuta (Freyer,[1837])** (Noctuidae) Synonym(s): acuta Freyer,[1837]; producta Lederer,1857; pygmaea Staudinger,1871. Range (as codes): GR TR LB Bei IQ Cc AM AZ CY IL Pa Js JO IR Th Elb Kdj Ab Hz B-A
- **747.Paraegle subochracea (Staudinger,1892)** (Noctuidae) Synonym(s): subochracea Staudinger,1892 Range (as codes): TR 10 Mos Hjo IR Ab Sdt Km
- 748.Parallelia orbata Berio,1955 (Noctuidae) Synonym(s): orbata Berio,1955 Range (as codes): 10
 Amr SD
- 749.Parallelia rogenhoferi (Bohatsch,1880) (Noctuidae) Synonym(s): rogenhoferi Bohatsch,1880; mirabilis Romanoff,1885; triangulata Swinhoe,1889. Range (as codes): IQ IR Mz Elb TM UZ Br RU Cc Da Gun AZ Bak PK LB Bei IL Pa
- 750.Pardoxia graellsi (Feisthamel,1837) (Noctuidae) Synonym(s): graellsi Feisthamel,1837; innocens Walker,1858; fimbriata Walker,1865 Range (as codes): ZW Har SL ET MU YE Ad YE47 ZA Tva Mpu Brb Nta Kzu Est ES Mu FR TR 10 Agh IN PK Cp Krc MM
- **751.Parexarnis taurica (Staudinger,1879)** (Noctuidae) Synonym(s): taurica Staudinger,1879; pseudosollers Boursin,1940. Range (as codes): TR Cc RU Nt Ich Ing Da IR Mz Elb Kdj Fa IQ Mos
- 752.Pericyma albidentaria (Freyer,[1841]) (Noctuidae) Synonym(s): albidentaria Freyer,[1841] Range (as codes): GR TM Kp Fe UZ AF Hr Pli Srb Gbh Bd IQ Bgd Amr Bsr kut SY Pa IL Pa Hf LB CY TR CN Ui Ku Ga KG Tk Tks Dj Aa RU Cc GG Tbl Ro St Ich Da Der Sr AZ Nv Ord IR Mz Gls LY
- 753.Pericyma squalens Lederer,1855 (Noctuidae) Synonym(s): squalens Lederer,1855 Range (as codes): CY TR IQ kut Agh Tkr Amr IR Th Elb Ahz Kh Fa Ab Mak Ke Mia Kaz Kd Lo Km Snj Bjr Chh Hz B-A Bu Dlk AF Pli TM KW SA EG EG11 EG61 LB Bei IL Pa JO
- **754.Perigrapha (Opacographa) cilissa Püngeler,1917** (Noctuidae) Synonym(s): cilissa Püngeler,1917 Range (as codes): **TR 10**

- 755.Perigrapha (Opacographa) rorida (Frivaldsky,1835) (Noctuidae) Synonym(s): Frivaldsky, 1835; sieversi Romanoff, 1885; ganimetae Kornosor & Lödl, 1990 Range (as codes): ES FR Co Sa IT YU MK AL BG GR Cr Rd TR IQ Cc GG Tbl
- 756.Periphanes (s.str.) delphinii (Linnaeus,1758) (Noctuidae) Synonym(s): Linnaeus,1758; darollesi Oberthür,1876; delphini Hampson,1903. Range (as codes): MA TN DZ BSa Sbd ES FR IT GB NL DE CH AT PL CZ SK HU RO YU BG GR TR GG Smt Akh Cc AM LV LT RU Ro St Ich Kyi Da Ur MD UA BY IR Fa Ss Elb Th Dam Ab Mak IQ TlH AF Hr UZ Fe KK KG TJ UZ N-A SY IL Pa
- 757.Phlogophora meticulosa (Linnaeus,1758) (Noctuidae) Synonym(s): meticulosa Linnaeus,1758; lamii Schadewald,1993 Range (as codes): MA DZ Abe Ges Btna Dhm Hrh TN PT ES Mu FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc GG Tbl Bjo Smt Lag AZ Kir IQ Agh CY LB IL Hf Pa IR Gh Elb Clu Mz DK NO SE FI EE LV LT RU Ro St Kr Kc Kb Nt Ich Da MD UA Lvv BY
- 758.Phylapora canescens (Duponchel,1826) (Noctuidae) Synonym(s): canescens Duponchel,1826; pumicosa Geyer,[1832]; asphodeli Rambur,1832; plumbea Staudinger,1895; plumbina Osthelder,1933. Range (as codes): PT ES Co Sa Si IT MT CH YU AL BG GR Cr Rd TR 10 IL Pa Js Hf LB JO CY IR Km Fa Shr Bu Dlk
- 759.Plecoptera inquinata (Lederer, 1857) (Noctuidae) Synonym(s): inquinata Lederer, 1857; pyrami Rogenhofer, 1873; amanica Osthelder, 1933 Range (as codes): TN LB Bei Bsa IL Pa TR Cc AZ Kir Ny Ord IQ Rwz IR Fa Ke Lo Ss Kaz Mia Sse Kz Yas SY Pmy
- **760.Plecoptera reflexa Guenée,1852** (Noctuidae) Synonym(s): reflexa Guenée,1852; gammoides Walker, 1858; simplex Walker, 1858; hamifera Walker, 1865 Range (as codes): IR Ke Fa Mia Kaz Kz Yas Skh IQ Bsr Agh AF Srb AE IL Pa TH CMa CDo IN PK Cp Txl Abb
- 761.Polymixis (Bischoffia) apora (Staudinger, 1898) (Noctuidae) Synonym(s): apora Staudinger,1898 <u>Range (as codes): IQ</u> Rwz LB Bei IL Js Pa
- 762.Polymixis (Bischoffia) bischoffi (Herrich-Schäffer,1850) (Noctuidae) Synonym(s): bischoffi Herrich-Schäffer,[1850] Range (as codes): GR Sms Ae TR SY LB Bei IQ
- 763. Polymixis (Eremophysa) apotheina (Brandt, 1938) (Noctuidae) Synonym(s): Brandt,1938 Range (as codes): TR IR Hz Th Kdj Elb Km Ksh JO IO AF Srb AZ Nv Ngm Drh Dz Cc TM Kp
- 764. Polypogon proxima (Christoph, 1893) (Noctuidae) Synonym(s): proxima Christoph, 1893 Range (as codes): TR Cc AZ Nv Ord IR Fa Shr IQ
- **765.Powellinia boetica (Boisduval,[1837])** (Noctuidae) Synonym(s): boetica Boisduval,[1837]; noctambulatrix Chrétien,1911; orana Oberthür,1912 (preocc.); mateui Rungs,1952; variata Rungs,1952 (preocc.) Range (as codes): MA DZ Sbd Eba Orn TN Gf ES IQ Agh Mj Qg Kbl IR Fa Cc GG TR
- 766.Powellinia lasserrei (Oberthür, 1881) (Noctuidae) Synonym(s): lasserrei Oberthür, 1881; sabura Mabille,1888; ptolemaidea Turati,1924 Range (as codes): MA DZ Mage Sbd Ges Btna Afl Tun Gab TN Gf Cn ES MT DZ TN LY EG TR IL Hf Pa LB SY Hal CY JO IQ Agh Bgd Kq TM Kp IR Kz
- 767. Powellinia margelanoides (Boursin, 1944) (Noctuidae) Synonym(s): margelanoides Boursin, 1944 Range (as codes): IL Pa JO SA IO BH
- 768.Powellinia pierreti (Bugnion, 1837) (Noctuidae) Synonym(s): pierreti Bugnion, 1837; messaouda Oberthür, 1884; marsdeni Bethune-Baker, 1894 Range (as codes): MA DZ Anna Ges Afl Sbd TN LY IR Kz IQ Agh Bgd Bji IL Pa JO ES
- 769.Pseudenargia deleta (Osthelder,1933) (Noctuidae) Synonym(s): #badiofasciata Draudt,1936; basilissa Brandt,1938. Range (as codes): TR Cc 叹 LB IL Pa IR Elb Th Fa Sse Shr
- 770.Pseudenargia regina (Staudinger, 1892) (Noctuidae) Synonym(s): regina Staudinger, 1892 Range (as codes): DZ Dhm TN TR Cc LB IL Pa JO IQ Brs Ry Rwz Dia
- 771. Pseudocopicucullia jakesi (G.Ronkay & L.Ronkay, 1988) (Noctuidae) Synonym(s): jakesi G.Ronkay & L.Ronkay, 1988 Range (as codes): 10 Njf
- 772.Pseudocopicucullia syrtana (Mabille,1888) (Noctuidae) Synonym(s): syrtana Mabille,1888; #cyrtana Rothschild,1913 Range (as codes): Cn MR MA DZ Ajj Hes Ktr Dhm Kdr Mri Nbr Ceg BSa Gha Bsk TN Gab LY EG Sn SA MT GR CY IR Hz Ss IQ Agh Njf IL Pa JO
- 773.Pseudohadena (Jaxartia) jordana (Staudinger,1900) (Noctuidae) Synonym(s): jordana Staudinger,1900 Range (as codes): JO Jt IL Pa EG Sn IQ
- 774.Pseudohadena (Jaxartia) pseudamoena (Boursin,1943) (Noctuidae) Synonym(s): pseudamoena Boursin,1943 Range (as codes): Cc AZ Nv Dz IQ Bgd
- 775.Recophora beata (Staudinger, 1892) (Noctuidae) Synonym(s): beata Staudinger, 1892 Range (as codes): TR IR Ab Oru Fa Km Ab IQ IL Pa SY Dms
- 776. Rhabdophera arefacta (Swinhoe, 1884) (Noctuidae) Synonym(s): arefacta Swinhoe, 1884; messrae Staudinger,1898. Range (as codes): PK Sd Krc IL Pa Jt JO Sn EG IQ Amr Agh IR Hz
- 777. Rhabinopteryx subtilis (Mabille,1888) (Noctuidae) Synonym(s): subtilis Mabille,1888; renatalis Rebel,1909 nec Obth.; luridalis Rebel,1911. Range (as codes): MA DZ Onç Hes Ges Berr Ceg BSa Tou Bsk Sfr TN Gab LY MT TN EG Sn SA JO IL Pa IQ Kbl Bgd IR

- 778.Rhizedra lutosa (Hübner,[1803]) (Noctuidae) Synonym(s): lutosa Hübner,[1803]; crassicornis Haworth,1809; pilicornis Haworth,1812; vectis Curtis,1833; bathyerga Boie,1835; ?pallidipennis W.Warren,1911 Range (as codes): ES FR Sa IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cc IQ TR DK NO SE FI EE LV LT RU Cc Ro Ich Da Sb MD UA Lvv BY KK Ik TM Kp CN Ui Kun MN KP KR JP
- 779.Rhyacia (Anchorhyacia) psammia (Püngeler,1906) (Noctuidae) Synonym(s): psammia Püngeler,1906 Range (as codes): GR TR AM Eri Cc RU Ich Ing Da TM Kp IR Zj Fa Mz Lo Elb Th Dam Ss LB Bsa IQ KK Ik CN Ui Kl Au PK
- **780.Rhyacia (s.str.) lucipeta ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): lucipeta [Denis & Schiffermüller],1775. Range (as codes): DZ Blid ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc IR Zj Elb Th Ab Dam IQ RU St Nt MD UA BY
- **781.Rhynchina obliqualis (Kollar,[1844])** (Noctuidae) Synonym(s): obliqualis Kollar,1844; masurialis Guenée,1854; cramboides Butler,1879; morosa Butler,1879. <u>Range (as codes): PK Thu K-P IN Hp JP SA IQ</u>
- 782.Rhypagla lacernaria (Hübner,[1813]) (Noctuidae) Synonym(s): lacernaria Hübner,[1813]; glarea Treitschke,1826; cretula Freyer,1842 Range (as codes): DZ ES Mu FR IT YU AL BG GR Cr TR GG Cc AM AZ Nv Ord IR Es Fa Kaz Kz Yas Kd Kh Elb Th IQ TlH CY LB IL Pa JO
- 783.Rivula sericealis (Scopoli,1763) (Noctuidae) Synonym(s): sericealis Scopoli,1763; munda Hufnagel,1767; lunatralis Denis & Schiffermüller,1775; leeana Fabricius,1777; ocellaris Thunberg,1784; centralis De Villers,1789; distincta Rothschild,1920 Range (as codes): DZ Clo Hmk Agi Abe Sbd PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ AM GG Tbl Smt Bjo Lag Der Cc IQ Amr DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Ich Da MD UA Lvv BY CN Ui Ku Kun IR Elb Mz Gh
- 784. Rivula tanitalis Rebel,1912 (Noctuidae) Synonym(s): tanitalis Rebel,1912 Range (as codes): MA DZ Cr TR CY GR IR Fa Kaz Kd Snj Km Ss SA YE EG EGO5 10 Kq Agh BH LB IL Pa
- **785.Saragossa siccanorum (Staudinger,1870)** (Noctuidae) Synonym(s): siccanorum Staudinger,1870 Range (as codes): RO UA RU Cc Ro Kyi Da Sr TR IL Pa LB TM Kp IQ Agh IR Es Ke AF MN CN
- **786.Schrankia balneorum (Alpheraky,1880)** (Noctuidae) Synonym(s): balneorum Alpheraky,1880; bosporella Budashkin & Kljuchko,1990 Range (as codes): Cm Cc Ur TR AM AZ GG RU IQ Agh TM Kp
- 787.Scoliopteryx libatrix (Linnaeus,1758) (Noctuidae) Synonym(s): libatrix Linnaeus,1758; salictaria Poda,1761; modesta Müller,1764; delicatula Retzius,1783; libatricus Haworth,1809 Range (as codes): MA DZ Abe TN PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Smt Bjo Lag AZ Kir Cc IQ LB Bsa Bei DK NO SE FI EE LV LT RU Ro Kr Kc St Kb Nt Ich Sb MD UA Lvv BY KK Ax IR Elb Mz CN KP KR JP TW
- **788.Scythocentropus inquinatus (Mabille,1888)** (Noctuidae) Synonym(s): inquinata Mabille,1888; mercedes Pinker,1974 Range (as codes): Cn MR MA DZ Ajj Ges Bsk Gf TN Gab LY MT TN IQ Agh Bgd IR Hz Lo PK ?IN IL Pa SY JO EG Sn TR?
- **789.Sesamia boursini (Wiltshire,1957)** (Noctuidae) Synonym(s): boursini Wiltshire,1957 Range (as codes): 10 Shq
- 790. Sesamia cretica Lederer, 1857 (Noctuidae) Synonym(s): cretica Lederer, 1857; cyrnaea Mabille, 1866; fraterna Moore, 1882; striata Staudinger, 1888; pecki Tams, 1938 Range (as codes): Cn MR MA DZ Abe Prr Sbd Dhm TN LY EG ES FR Co Sa Si IT MT DE YU AL BG GR Cr TR IR Mz Hz B-A Ss Fa Elb Mz Th Kdj RU Cc Ro Kr Nt Ich Ing Da AF Srb EG Sn SA IL Hf Pa LB JO SY IQ Bgd Agh SD ET SO TM UZ IN Hp ZA
- 791.Setoctena dentula (Lederer,1869) (Noctuidae) Synonym(s): dentula Lederer,1869; angulifera Moore,1881; innubila Swinhoe,1886 Range (as codes): JO Amm TR IR Mz Gls Th Elb Gor Ss Kuh TM AF PK IN Mhw IQ Amr Akr Sbn AM Cc
- 792.Shargacucullia (s.str.) barthae Boursin,1933 (Noctuidae) Synonym(s): barthae Boursin,1933; kurthuberi G.Ronkay, L.Ronkay, P.Gyulai,2011 Range (as codes): TR Cc LB Bsa Bei IL Pa Hf CY IQ IR Elb SY JO AM AZ
- 793. Shargacucullia (s.str.) lychnitis (Rambur,1833) (Noctuidae) Synonym(s): lychnitis Rambur,1833 Range (as codes): Ly ES Mu FR Co Sa Si IT MT GB BE DE CH AT PL CZ SK HU RO YU BG GR TR LB Bei Bsa Zah DK SE FI EE LT RU Cc Ro Kr St Kc Nt Ich Ing Da MD UA BY IQ IL Pa AZ Cc SY Dms IR Ab Kd Lo Yz Fa Km TM Kp
- 794. Shargacucullia (s.str.) strigicosta Boursin,1940 (Noctuidae) Synonym(s): strigicosta Boursin,1940 Range (as codes): EG Sn IL Pa IQ Bgd Jd IR Elb Th Kdj Fa Kh Hz B-A RU Cc Da Kus Ich Ceo TR
- 795. Shargacucullia (s.str.) thapsiphaga (Treitschke,1826) (Noctuidae) Synonym(s): lanceolata De Villers,1789; thapsiphaga Treitschke,1826 Range (as codes): DZ Btna Hrh ES FR Co Sa Si IT MT CH AT PL CZ SK HU RO YU BG GR TR RU Cc Da AZ AM GG Tbl Lag Cc St Kb Kc MD UA BY IR Ke Fa CN Ui CY LB Bsa Bei Zah TM Kp IQ
- 796.Shargacucullia (Verbascullia) verbasci (Linnaeus,1758) (Noctuidae) Synonym(s): verbasci Linnaeus,1758 Range (as codes): PT ES Mu FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR GG Tbl Smt Bjo AZ Nv Ord AM Cc CY LB SY DK SE LV LT RU Ro Kr St MD UA BY IQ IR Agh Fa Gor Elb Th Dam Kh AF TM Kp MA DZ Ght BSa Ktr Khh Hrh Agi Btna Hmk Ahr Afl TN LY Cy IL Pa JO UZ KG Aa TJ Pm KK
- 797.Sideridis (Aneda) rivularis (Fabricius,1775) (Noctuidae) Synonym(s): rivularis Fabricius,1775; cucubali [Denis & Schiffermüller],1775; rivosa Ström,1783; behenis Freyer,1845. Range (as codes): ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR GG Lag Smt Bjo AM Cc IQ DK NO SE FI EE LV LT RU Ro St Kb Nt Ich Ing Da Am Prj Us MD UA Lvv BY KG TJ KK Ik Ax TrA UZ CN JP TW

- 798.Sideridis (Luteohadena) luteago ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): luteago [Denis & Schiffermüller],1775; brunneago Esper,[1804]; nigrescens Wagner,1926 (praeocc.); ottomana Kocak.1990. Range (as codes): DZ Hrh FR AD Co Si IT MT GB DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd FI LV LT RU Ro Kr St Kb Nt Ich Ing Da MD UA Lvv BY TR IR Fa Kh Elb Th 10 LB Bsa SY GG Tbl Bjo Smt Kir Cc AZ AM KK KG
- 799.Simyra dentinosa Freyer,1839 (Noctuidae) Synonym(s): dentinosa Freyer,1839; leucaspis Fischer v. Waldheim, 1840; zeliha Kornosor & Lödl, 1990 Range (as codes): ROMK AL BG GR RU ROKT St Nt Da MD UA TR Cc GG IL Pa LB SY Dms Hal JO IQ IR Ss AF Hr TM
- **800.Spodoptera cilium Guenée, 1852** (Noctuidae) Synonym(s): cilium Guenée,1852; cycloides Guenée, 1852; capicola Herrich-Schäffer, [1854]; latebrosa Lederer, 1855; insignata Walker, 1857; orbicularis Walker, 1857; praeterita Walker,1857; procedens Walker,1857; obliterans Walker,1862; infixa Walker,1862; insulsa Walker,1865; imperviata Walker,1865; retrahens Walker,1870. Range (as codes): DZ Bsk PT ES Mu FR Co Sa? Si IT MT GB BG Cr TR IL Pa Hf LB Bei Bsa IQ Bsr Amr Agh Bgd IR Km Hz CY PK Bl Txl Abb Qu Haz Cte AF Srb IN ZA Nta Kzu Est Wca Cto Ec ZW Har KE TH Bnk
- 801.Spodoptera exiguum (Hübner,[1808]) (Noctuidae) Synonym(s): exigua Hübner,[1808]; fulgens Geyer,[1832]; pygmaea Rambur,1834; junceti Zeller,1847; caradrinoides Walker,1856; flavimaculata Harvey,1876; venosa Butler,1880; sebghana Austaut,1880; antipodea W.Warren,1914; protector De Laever,1985. Range (as codes): MA DZ TN PT ES MU FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR GG AZ AM Cc DK NO SE FI EE LV LT RU MD UA BY CY LB Bsa IQ Agh Bgd Qr Amr KW PK Bl Qu AF Hr Gbh Srb Arh Dwe Kab ZA Gau Pre Tva Nta Kzu Dbn Est ZW IL Hf Rd Pa IR TH Fa Lo By Kz Yas Ke Hz B-A Ss Ha Kh Ab Oru Mz Elb Dam Kdj Kh Gh Bu Dlk Ro St Kb Nt Ich Ing Da ET ET24 YE Ad CV Az Md Cn Hw CA US Cp Rw Ges Ktr Agi Lgt BSa Gha Gtt Omy Ogl Gle Khh Blid Sét Abe Bsk Perr Sfr Btna Hmk Dhm Hrh Onç Ah Ajj
- 802.Spodoptera littoralis (Boisduval, 1833) (Noctuidae) Synonym(s): littoralis Boisduval, 1833; retina Freyer,1845; testaceoides Guenée,1852; metriodes Bethune-Baker,1911. Range (as codes): ET ET24 ZA PT ES Mu FR Co Sa Si IT MT GB NL DE CH AL GR Cr TR CY DK SE FI IQ IR Ke Bu Dlk Hz B-A IL Pa Hf YE Ad
- 803. Spodoptera litura (Fabricius, 1775) (Noctuidae) Synonym(s): litura Fabricius, 1775 Range (as codes): DZ Out Perr Ktr Bsk Abe OM IR Fa Hz Ss IO Agh Bgd Amr Bsr Or EG NC WS PC FJ TO NH SB PG AU MY IN Mh Nsk Cn JP TH CMa Cuo Cuo1 Cuo7
- 804.Stenodrina aeschista Boursin,1937 (Noctuidae) Synonym(s): aeschista Boursin,1937; #aeshita Poltavsky & Nekrasov,2002 Range (as codes): TR IQ IR Elb RU Cc Kb Da Der
- 805.Stilbina (s.str.) hypaenides Staudinger, 1892 (Noctuidae) Synonym(s): Staudinger, 1892 Range (as codes): LB Bei IL Js Hf Pa TR IQ Ry Rwz Dia Brs IR Gh Elb Mz Clu Lo CY SY JO
- 806.Tamsola tarda Wiltshire,1946 (Noctuidae) Synonym(s): tarda Wiltshire,1946 Range (as codes):
- 807. Tarachephia hueberi (Erschoff, 1874) (Noctuidae) Synonym(s): hueberi Erschoff, 1874 Range (as codes): TR IR Ss Ahz Elb Mz Th Kdj Bu Dlk Hz B-A IQ Amr Agh AF TM Kp UZ
- 808.Tathorhynchus exsiccatus (Lederer, 1855) (Noctuidae) Synonym(s): exsiccata Lederer, 1855; vinctalis Walker,[1866]; angustiorata Grote,1882; fallax Swinhoe,1902; #exiccata Wiltshire,1941; greuteri Koutsaftikis,1973 Range (as codes): Cn MA DZ Ah Ajj Ges Abe Sfr BSa Bsk PT ES FR Sa Si IT MT GB YU GR Cr TR IR Fa Hz Ss Ke Kh Elb Th Dam Mia Kaz B-A AF Hr Gbh PK Swa Sgl Cp CY IQ Bsy Kbl LB Bei Bsa IL Pa EG OM AE SA YE Ad UZ Br ZA ET ET24 Sw US Mai Col AU NF NZ AR
- 809.Teinoptera gafsana (Blachier,1905) (Noctuidae) Synonym(s): gafsana Blachier,1905; gassana Hampson,1906; albina A.Bang-Haas,1907; #intermedia Rothschild,1920; pianii C.G.Krüger,1933 Range (as codes): MA DZ Ah Mri Heh Bsk BSa Onc Gha Tun Gle TN Gf LY IQ Kbl SA IL Pa
- 810.Thiacidas postica Walker, 1855 (Noctuidae) Synonym(s): postica Walker, 1855; cheituna Brandt, 1939 Range (as codes): NP IR Ahz Hz Ss Chh Bu Dlk B-A IQ
- 811. Thria robusta Walker, [1858] (Noctuidae) Synonym(s): anysa auct.; robusta Walker, [1858]; fugitiva Walker,[1858]; opposita Wallengren,1865; sennaarensis R.Felder & Rogenhofer,1874; grandis Staudinger,1877; terrigena Christoph,1877; similata Moore,1883; distincta Rothschild,1920; asiria Wiltshire,1988; omana Wiltshire,1988; sokotrana Wiltshire,1988 Range (as codes): Cn MA DZ Ath Ah Ajj Abe Sfr TN PT ES LY EG Sn IL Pa LB SY JO IT MT GR CY TR IQ Agh Bgd kut Amr IR Fa Qz Elb Th Dam Mia Kaz Kd Snj Mrv Lo Km Ss Hz Mz Gls Kh B-A Ke SA As OM Sk AF PK TM Kp KK ID Ja ZA Nta Kzu Est Tva NA Dmr KE YE Ad SD ET ET24 IN LK MM Txl
- 812. Thysanoplusia (Daubeiplusia) daubei (Boisduval, 1840) (Noctuidae) Synonym(s): daubei Boisduval,1840; ciliaris Walker,[1858] Range (as codes): MA DZ Bsk Abe Bdj Ktr TN Gf LY EG ES Mu FR Co Sa Si IT MT GR Cr TR AF Nu Bsg IL Pa SY Hal LB CY IR Fa Ss Hz B-A Km Kz Bu Hz Ke IQ Bgd Agh Bsr PK Abb Bbu SI Gg IN NP CN JP TW TH CMa Php GM SN ZA ZW ZR
- 813.Trichoplusia ni (Hübner,[1803]) (Noctuidae) Synonym(s): ni Hübner,[1803]; humilis Walker,1858; extrahens Walker, 1858; brassicae Riley, 1870; echinocystidis Strecker, 1874; deserticola Rothschild, 1913 Range (as codes): MA DZ TN LY PT ES Mu FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR DK SE FI EE RU EG IL Hf Pa LB Bsa JO SY SA 1Q Kq Agh Amr IR Fa By Yas Lo Kh Elb GG AM AZ Cc AF Bsg Nu Kab Hr Pli Srb Gbh Ca Arh Dwe PK IN KP KR CN US CA CU ZA MX Cn MD UA BY CV Wca Cto JP MG NZ Hw TH VN NP Elb Mz Th Kz Clu Dam Plr Kdj Ab Sdt Skh Kd Bne Snj B-A Hz Kaz Mia Ss Chh Ke UZ Br Ro Kr St Kb Nt Ich Ing Da DJ DJ44 Cp Tbl Smt Bjo Kir Der Hal Sbd Blid Afl Bsk Agi Hrh Sfr Perr BSa Ktr Dzc Abe Orn Gle Btna Hmk Dhm Tun Mzg Onç Ah Ath

- 814. Tyta luctuosa ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): luctuosa [Denis & Schiffermüller],1775; italica Fabricius,1781; atra Goeze,1781 nec Linn.,1767; astroites Fourcroy,1785; maculosa De Villers,1789 Range (as codes): MA DZ PT ES Mu FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd TR GG AZ Len AM Cc CY IL Pa Hf LB SY JO IR Ab Oru Jal Fa Es Ha Kh Elb Mz Dam Th Ab Km Kd DK SE FI EE LV LT RU MD UA BY At KG Tks Tk Dj KK Ik TrA Osh UZ CN Ui Kun Ku Lvv AF IQ Agh Ro Kr St Kb Nt Ich Kyi Da Sdt Bjr Zj Agi Btna Hmk Abe Hrh Perr Sét Tiz Dzc Dhm Rbt
- 815. Valeria carducha (Wiltshire, 1957) (Noctuidae) Synonym(s): carducha Wiltshire, 1957 Range (as codes): IQ Shq IR Fa
- 816. Valeria oleagina (Esper,[1786]) (Noctuidae) Synonym(s): #oleagina [Denis & Schiffermüller],1775; oleagina Esper,[1786]. Range (as codes): FR Sa Si IT MT DE CH AT PL CZ SK HU RO YU BG GR TR IQ LB
- 817. Victrix (Rasihia) tabora (Staudinger, 1892) (Noctuidae) Synonym(s): tabora Staudinger, 1892 Range (as codes): TR 10 Mos IR Fa Km Ksh Lo Com IL Pa
- 818.Xanthia (Cirrhia) gilvago ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): gilvago [Denis & Schiffermüller],1775 Range (as codes): MA DZ Btna ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU GG Smt Bjo Lag Cc Ro Kr St Kyi MD UA Lvv BY Ch 1Q Agh IR Gls
- **819.Xanthodes albago (Fabricius, 1794)** (Noctuidae) Synonym(s): albago Fabricius,1794; malvae Esper,[1796]; stramen Guenée,1852; impurata Walker,1857; impellens Walker,1858; inefficiens Walker,1858. Range (as codes): MR MA DZ Agi Bsk Ktr Perr Abe Clo ET ZA Tva Gau Pre ES Mu FR Sa Si IT MT AL GR Cr TR IR IQ AF LB Bei IN TW LK CN KP KR JP AU
- 820.Xestia (s.str.) cohaesa (Herrich-Schäffer,[1849]) (Noctuidae) Synonym(s): cohaesa Herrich-Schäffer,[1849] Range (as codes): Sa Si IT RO YU BG GR Cr TR RU Cc GG Lag Ich IQ IR Elb Th Fa SY IL Pa JO CY
- 821.Xestia (s.str.) palaestinensis (Kalchberg, [1898]) (Noctuidae) Synonym(s): palaestinensis Kalchberg,[1898] Range (as codes): GR Cr TR IL Pa Hf JO IR 10 Brs Ry Dia Rwz CY LB SY
- 822.Xestia (s.str.) xanthographa ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): xanthographa [Denis & Schiffermüller],1775; tetragona Haworth,1809; budensis Freyer,1838; elutior Alpheraky,1887; funerea Gauckler,1901; trumani Smith,1903; praecipuina Rothschild,1914; almohada F.Wagner,1918; faroulti Rothschild,1920; lepida Constantini,1922; algirica Corti & Draudt,1933 Range (as codes): MA DZ Ges Lbs Dhm Btna Abe Perr TN PT ES An FR Co Sa Si IT MT IE GB BE NL DE Bw CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR DK NO SE FI EE LV LT RU Mo Cc Ro Kr St Nt Ich MD UA Lvv BY IQ Agh Bgd IR Elb Kh Nys UZ Fe Tas EG Sn JO IL Hf Pa LB CA BCo US Ws Org
- 823.Xylena exsoleta (Linnaeus,1758) (Noctuidae) Synonym(s): exsoleta Linnaeus,1758; exoleta Fabricius, 1787; impudica Staudinger, 1888; canaria Pinker, 1969 Range (as codes): Cn Md MA DZ Sbd Blid Ges Sfr Hrh Afl TN PT ES FR Sa Si IT MT IS IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR TR GG Smt Bjo Tbl Cc IQ IR Kh AF LB IL Js Pa He DK NO SE FI EE LV LT RU RO Kr St Da MD UA BY CN Ti KK Ik KG Ssn Tar Lps UZ Smk Fe
- **824.Xylocampa mustapha (Oberthür,1910)** (Noctuidae) Synonym(s): mustapha Oberthür,1920 Range (as codes): DZ Cst Lbs Agi Blid Hrh Ges MA Si IT IQ TR LB IL Js Pa JO
- 825.Zekelita (Ravalita) ravalis (Herrich-Schäffer,[1852]) (Noctuidae) Synonym(s): Herrich-Schäffer,[1852]; revolutalis Zeller,1852; eremialis Swinhoe,1889 nec Walk.,1859; centralis Staudinger,1892; syriacalis Staudinger,1892; extorris W.Warren,1913; #pallida Schawerda,1929; #transcaspica Brandt,1941 Range (as codes); GR RU AZ Kir Cc Ich Da Der TR CY IL Pa Js LB Bei IO Mos Dia Ry Rwz Brs Agh Amr KG KK PK Ou Sd IN Up Alh AF Hr Blh Gbh Srb Pli Bd Fz Pag Kab EG BH JO SY IR Ak Shf Fa Ss Kh Elb Gh Mz Kd Bjr Zj Ke Hz B-A TM Kp UZ Tas Fe Smk CN Ui Ga N-A ZA
- 826.Zekelita (Rhynchodontodes) pallida Draudt,1936 (Noctuidae) Synonym(s): pallida Draudt,1936 Range (as codes): 10 Mos
- 827.Zethes insularis Rambur,1833 (Noctuidae) Synonym(s): insularis Rambur,1833 Range (as codes): MA DZ Orn Hrh Hmk Dzc Ges Sfr TN LY PT ES Mu FR Co Sa Si IT YU BG GR Rd TR CY IR Fa Mia Kaz Sse Ke By Kz Yas Lo IQ Ssa LB Bei IL Pa Hf SY JO

Notodontidae

In this country, 10 species have been recorded so far.

- 828.Cerura (s.str.) intermedia (Teich,1896) (Notodontidae) Synonym(s): intermedia Teich,1896 Range (as codes): Cc TR IR Ha Es Kz IQ Er Shq Bgd PK UA RU
- 829. Cerura (s.str.) vinula (Linnaeus,1758) (Notodontidae) Synonym(s): vinula Linnaeus,1758; minax Hübner,[1803]; teberdina Kornejev,1939 Range (as codes): ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR GG Smt Bjo Mng Lag AM AZ Kir Cc TR DK NO SE FI EE LV LT RU Kb Teb MD UA Lvv BY IQ Agh IR Ab Oru Ak Shf Kh AF Nu Bsg Kab ČN Ui Khr Um
- 830.Clostera pigra (Hufnagel,1766) (Notodontidae) Synonym(s): pigra Hufnagel,1766; reclusa [Denis & Schiffermüller],1775; alticaudafurcata Retzius,1783; suffusa Stephens,1835; superior Rangnow,1935; #flavidior Bytinski-Salz,1936 Range (as codes): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR GG Tbl Smt Bjo AZ Kir AM Cc DK NO SE FI EE LV LT RU MD UA Lvv BY IQ CN Ui Ku

- 831.Furcula interrupta (Christoph,1867) (Notodontidae) Synonym(s): interrupta Christoph,1867; leucotera Stichel,1911; sureyae Rebel,1933; hoeferi Bytinski-Salz,1936; leucotera Lenek,1969; #syreyae Schintlmeister,1989. Range (as codes): TR IR Ha Cc AZ Nv Ord Kir Elb Th Kdj Tbz IQ Shq Bgd IL Pa LB Bsa Bei SY Hms CY RU Sr UZ Fe Man CN Ui Ku
- 832.Harpyia milhauseri (Fabricius,1775) (Notodontidae) Synonym(s): milhauseri Fabricius,1775; terrifica [Denis & Schiffermüller],1775; vidua Knoch,1781; albida Daniel,1932 Range (as codes): PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE LV LT RU MD UA Lvv BY IQ
- 833. Neoharpyia pulcherrima (Brandt,1938) (Notodontidae) Synonym(s): pulcherrima Brandt,1938 Range (as codes): IR Fa TR 1Q Shq PK AF Nu Srb Bsg
- 834.Peridea korbi (Rebel,1918) (Notodontidae) Synonym(s): korbi Rebel,1918 Range (as codes): RO MK BG GR TR IR IQ Shq SY Hal
- 835.Phalera bucephaloides (Ochsenheimer,1810) (Notodontidae) Synonym(s): bucephaloides Ochsenheimer,1810 Range (as codes): ES FR Co IT AT CZ SK HU RO YU AL BG GR TR IQ Shq LB Bsa IL Pa Hf
- 836.Spatalia argentina ([Denis & Schiffermüller],1775) (Notodontidae) Synonym(s): argentina [Denis & Schiffermüller],1775 Range (as codes): ES FR Si IT DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc IQ LB Bsa
- 837. Sumeria dipotamica Tams,1938 (Notodontidae) Synonym(s): dipotamica Tams,1938 Range (as codes): IQ Bsr Bgd Agh SA OM AE YE IR Ss Hz

Oecophoridae

In this country, 14 species have been recorded so far.

- 838.Agonopterix funebrella Caradja,1920 (Oecophoridae) Synonym(s): funebrella Caradja,1920 Range (as codes): KG Uk IQ Hjo
- **839.Agonopterix novaspersella (Spuler,1910)** (Oecophoridae) Synonym(s): aspersella Constant,1888 nec Koll.,1832; novaspersella Spuler,1910; autocnista Meyrick,1921 Range (as codes): ES FR Co Si RO IQ Shq
- 840.Agonopterix xyleuta (Meyrick,1913) (Oecophoridae) Synonym(s): xyleuta Meyrick,1913 Range (as codes): TR IQ Ama Dk Ry Mos
- **841.Depressaria beckmanni Heinemann,1870** (Oecophoridae) Synonym(s): beckmanni Heinemann,1870 Range (as codes): ES FR IT DE CH AT SK AL GR FI IQ Shq IR Gls Kh
- **842.Depressaria daucivorella Ragonot,1889** (Oecophoridae) Synonym(s): daucivorella Ragonot,1889; mesopotamica Amsel,1949 Range (as codes): FR IT CH AT IR Elb IQ CY
- 843. Depressaria eryngiella Millière, 1881 (Oecophoridae) Synonym(s): eryngiella Millière, 1881; campestrella Chrétien, 1896; deliciosella Turati, 1924; obolucha Meyrick, 1936 Range (as codes): ES FR Py IR SS Fa IQ Hjo UA Cm TM Kp UZ KG TR
- 844. Depressaria obolucha Meyrick,1936 (Oecophoridae) Synonym(s): obolucha Meyrick,1936 Range (as codes): 10 Dk Ama
- **845.Depressaria ruticola Christoph,1873** (Oecophoridae) Synonym(s): ruticola Christoph,1873 Range (as codes): TR IR Srd IQ Mos IL Pa
- 846.Epicallima icterinella (Mann,1867) (Oecophoridae) Synonym(s): icterinella Mann,1867 Range (as codes): YU ME BG GR Rd TR 10 Shq
- 847. Exaeretia ledereri (Zeller,1854) (Oecophoridae) Synonym(s): ledereri Zeller,1854; homochroella Erschoff,1874; xyleuta Meyrick,1913; leviella Amsel,1935 Range (as codes): YU MK RO TR Cc GG AM AZ CY IL Pa LB Bsa KG IR Fa Shr Mia Dlk Th IQ TM UZ TJ AF Pli Pic Pag Kab CN Ui Ku
- 848.Pleurota (s.str.) eremica H.Back,1973 (Oecophoridae) Synonym(s): eremica H.Back,1973 Range (as codes): 10 Rba
- **849.Pleurota (s.str.) generosella Rebel,1900** (Oecophoridae) Synonym(s): generosella Rebel,1900; alexandrina Meyrick,1935 Range (as codes): TR IQ Mos Kbl IR Elb Th IL Pa
- 850.Pleurota (s.str.) irakella Amsel,1959 (Oecophoridae) Synonym(s): irakella Amsel,1959 Range (as codes): 10 Hjo Ry Er
- 851.Pleurota (s.str.) wiltshirei Amsel,1949 (Oecophoridae) Synonym(s): wiltshirei Amsel,1949 Range (as codes): IR Ahz IQ Mos Nw Kbl

Psychidae

In this country, 4 species have been recorded so far.

- **852.Amicta murina (Klug,1834)** (Psychidae) Synonym(s): murina Klug,1834; albescens Staudinger,1900 nec Obth.,1883; falkneri Koçak,1980 Range (as codes): MA DZ TN IL Pa EG AE IQ
- 853.Canephora villosa (Brandt,1938) (Psychidae) Synonym(s): villosa Brandt,1938 Range (as codes): IR Fa Sse 10
- 854.Oiketicoides lutea (Staudinger,1871) (Psychidae) Synonym(s): lutea Staudinger,1871; sera Wiskott,1880; heylaertsii Millière,1878; armena Heylaerts,1885 Range (as codes): si IT HV AL BG GR Cr TR RU Cc AM Eri GG Tbl Nv Ord AZ Kir IQ SY LB IL Pa
- **855.Oiketicoides shahkuhensis (Heylaerts,1885)** (Psychidae) Synonym(s): shahkuhensis Heylaerts,1885 Range (as codes): IR Elb Shh IQ TM Kp

Pterolonchidae

In this country, a single species has been recorded so far.

856.Pterolonche (Gomezbustillus) kurdistanella Amsel,1959 (Pterolonchidae) Synonym(s): kurdistanella Amsel,1959 Range (as codes): 10 Shq

Pterophoridae

In this country, 11 species have been recorded so far.

- 857.Agdistis tamaricis (Zeller,1847) (Pterophoridae) Synonym(s): tamaricis Zeller,1847; bagdadiensis Amsel,1949; xinjiangsis Qin & Zheng,1997. Range (as codes): Cn CV MA TN LY DZ PT ES Mu FR Co Sa Si IT MT DE CH RO YU MK BG GR Cr TR RU St Sr MD UA BY IR Mz Elb Th Kz Sde Gls Ss Hz IQ Bgd CN Ui Au IMn Kgs She Gn Hph Stg TW CY IL Jr Jf Hf JO Amm AF Kab PK Krc Pes UZ Br TM Kp BH SA SA63 Hj SA39 EG EG05 EG11 SD GH YE Mrw
- 858.Crombrugghia laeta (Zeller,1847) (Pterophoridae) Synonym(s): laetus Zeller,1847; loetidactyla Bruand,1858; andryalae Millière,1863; andryaladactylus Millière,1863; lantoscanus Millière,1882. Range (as codes): MATN DZ Bsk LY Cn PT ES FR Co Sa Si IT MT GB YU B-H HV MK AL BG GR TR Cc LB Bei IQ Shq IR Kz TM Kp K-K
- 859.Emmelina monodactyla (Linnaeus,1758) (Pterophoridae) Synonym(s): monodactyla Linnaeus,1758; sibiricus Caradja,1920. Range (as codes): Cn Md MZ DZ TN LY Cy PT ES FR Co Sa Si IT MT IC IE GB BE NL LU DE CH AT PL CZ SK HU RO YU HV B-H MK SS AL BG GR Cr TR CY IL Pa JO Zq LB Bsa Bei AM DK NO SE FI EE LV LT RU MD UA BY KG UK CN Ui Ku Pkn Hph Stg She Ts SY Hal IQ Dia Bgd Mo Kc Teb Cc Cm Sr Sb Ur St No VI Bn Aa Lps KK Ik Al TM Kp TJ UZ Man AF Sfk Kot Shah Srb Kab Hr Dwe Pli Bark Blh Bd Fz Bsg PK Swa Haz IN Ch Ld SA SA63 YE Sna EG EG11 US Cf Tgo IR Elb Kdj Th Gor Gh Clu Kz Dzf Ha Lo Es Ke Jrf Ab Oru Khy Ak Tbz Zj Kh Msh Se Gls MA Ifr Ouk Anna Bsk Ski Cst Clo Sfx Tun
- **860.Gillmeria irakella (Amsel,1959)** (Pterophoridae) Synonym(s): irakella Amsel,1959 <u>Range (as codes)</u>: TR IR 10 Hjo
- 861.Marasmarcha rhypodactyla (Staudinger,1871) (Pterophoridae) Synonym(s): rhypodactyla Staudinger,1871; trimmatodactyla Christoph,1873; uralski Caradja,1920; leucocrossa Meyrick,1936; terrenus Meyrick,1936 Range (as codes): RU Ao Sr KG Uk IR Ab Oru Km Ke Hz LB IQ Dia
- 862.Merrifieldia malacodactyla (Zeller,1847) (Pterophoridae) Synonym(s): malacodactyla Zeller,1847; meridionalis Staudinger,1880; indocta Meyrick,1913; subtilis Caradja,1920; parca Meyrick,1921; subcretosa Meyrick,1922; phaeoschista Meyrick,1923; luteodactyla Turati,1926; rayatella Amsel,1959; insularis Bigot,1961; livadiensis Zagulyaev & Filippova,1976; transdanubinus Fazekas,1986; garrigae Bigot & Picard,1989; moulignieri Nel,1991; inopinata Bigot, Nel & Picard,1993 Range (as codes): Cn MA DZ Bsk TN Dhm LY Cy PT ES Mu FR Co Sa Si IT MT SK HU RO YU HV B-H MK SS BG GR Cr Rd CY TR Cc RU MD UA Cm BY LB Bei Bsa Bmm SY Hal Dms IL Hf Js Pa IQ Ry Hjo IR Ab Oru Gls Ke Elb Kdj Shr Fa AF Srb Kab Sfk Kot Nu SA As
- 863.Pterophorus ischnodactylus (Treitschke,1835) (Pterophoridae) Synonym(s): ischnodactyla Treitschke,1835; actinodactyla Chrétien,1891; eburnella Amsel,1968. Range (as codes): DZ LY ES FR Co Si IT MT BE AT HU RO YU MK HV B-H AL BG GR Rd TR RU MD UA Cm BY IL Jer Pa IQ Bgd SA SA63 OM BH PK Krc MN ZA FS Blo IR
- 864.Pterophorus terrenus Meyrick,1936 (Pterophoridae) Synonym(s): terrenus Meyrick,1936 Range (as codes): 10 Ry Dia
- 865.Stangeia siceliota (Zeller,1847) (Pterophoridae) Synonym(s): siceliota Zeller,1847; ononidis Zeller,1852; ononydactyla Bruand,1858; siceliotidactyla Bruand,1858. Range (as codes): MA Ouk Rf DZ Ski Hes Bsk Ktr TN Cn PT ES An Grn Mu FR Co Sa Si IT YU MK HV BG GR Cr CY TR Arr Cc AM Eri SY Dms LB Bei Bsa Bmm JO Zq Amm IL Js Jt Pa AF Srb IR Ar IQ Bgd SA As OM YE CN Hun
- 866.Stenoptilia bipunctidactyla (Scopoli,1763) (Pterophoridae) Synonym(s): bipunctidactyla Scopoli,1763; mictodactyla [Denis & Schiffermüller],1775; #pallida Tutt,1906; arida Caradja,1920 nec Zell.,1847. Range (as codes): MA Rbt DZ Bsk Ges Gue TN Sfx LY Cn PT ES FR Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU UA At Tv Sb Us Cc AM Eri IL Pa IQ Mos SY Dms JO Amm EG IR Elb Ak Th KG Uk LB Bsa

867. Stenoptilia mannii (Zeller,1852) (Pterophoridae) Synonym(s): mannii Zeller,1852; megalochra Meyrick,1927; lucasi Arenberger,1990 Range (as codes): MA FR MK BG GR TR RU IR Ab Mmş Ar Elb Th Fa Cc GG AM Eri UA Cm CN Ui Ku LB SY Hal IQ UZ KK

Pyralidae

In this country, 265 species have been recorded so far.

- 868.Achyra nudalis (Hübner,1796) (Pyralidae) Synonym(s): nudalis Hübner,1796; interpunctalis Hübner,1796; unipunctalis Duponchel,1831; bipunctalis Duponchel,1832; lacunalis Zeller,1852; pauciferalis Walker,1865; nodalis Gundlach,1891; fulvalis W.Warren,1892; ochromorpha Lower,1901; kronei Schawerda,1914; brunnealis Caradja,1916; serenalis Schawerda,1916; xanthalis Fawcett,1916 Range (as codes): MA TN DZ Clo PT ES FR Co Sa Si IT MT HU YU B-H AL BG GR Cr CY TR Cc Ce Gro RU Ao AM Eri GG Tbl Len AZ Kir Nv Ord YE IL Pa Hf LB IR ES FA Shr Th Elb Kdj Kz Sde Ana Ke Put Mz IQ Bgd AF Hr Ca Blh Pli Arh Dwe Fz Bkt PK Sd Krc CN Ui MN LK IN ZA SA NE ZR KE
- **869.Acrobasis atrisquamella Ragonot,1887** (Pyralidae) Synonym(s): atrisquamella Ragonot,1887; nigrisquamella Amsel,1954 Range (as codes): TR IR Fa IQ Ssa IL LB Bei
- 870.Acrobasis dulcella (Zeller,1848) (Pyralidae) Synonym(s): dulcella Zeller,1848 Range (as codes): ES Grn An FR Si IT DE AT SK HU RO YU AL BG GR RU MD UA Cm BY Cc AM TR IQ Shq LB Bsa IR Gh Enz Srd Elb Mz Kh
- **871.Acteniopsis kurdistanella Amsel,1959** (Pyralidae) Synonym(s): kurdistanella Amsel,1959; #unicolorella Amsel,1961. Range (as codes): IR Elb Th Kdj Fa Sse Com IQ Hjo
- 872.Aeglotis argentalis (Christoph,1887) (Pyralidae) Synonym(s): argentalis Christoph,1887 Range (as codes): IR Elb Kdj Th Ha Fa Com TM Kp K-A IQ Hjo Er TR PK Swa Kkar Sds
- 873.Aeschremon disparalis Herrich-Schäffer,[1855] (Pyralidae) Synonym(s): disparalis Herrich-Schäffer,[1855]; #indistinctalis Amsel,1961 Range (as codes): DZ Cst YU GR TR SY IQ Bgd IR Elb Th Kdj Srd Kdv Gor Ss Chh Fa Shr Irs Mkr Cc GG Tbl Kir AZ Nv Ord Lag Bak AF Ca Hr Anh Arh KK Ik IN RU Ro
- 874.Aglossa aglossalis (Ragonot,1892) (Pyralidae) Synonym(s): aglossalis Ragonot,1892; exigualis Chrétien,1911; africana Rothschild,1921; latidorsalis Turati,1929; exsculpta Meyrick,1937 Range (as codes): MR DZ Omy TN Gf LY Cy IQ Mos IR Ss Chh Irs Fa Ana Ke OM KW PK Sd Krc YE Ad SA AE NE
- 875.Aglossa pinguinalis (Linnaeus,1758) (Pyralidae) Synonym(s): pinguinalis Linnaeus,1758; marmorella Geoffroy,1785; marmoratella De Villers,1789; pinguiculatus Haworth,1809; pinguinatus Haworth,1809; rubralis Hampson,1900; guicciardii Constantinio,1922; sanaensis Rebel,1930; maroccana Schmidt,1934 Range (as codes): MA DZ Onç Gha Gea Ges PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR Cr TR AF Hr DK NO SE FI EE LV LT RU MD UA BY IR Ab Oru EG CY IQ Bgd IL JO LB YE Sna Ax KK Na AF Ca UZ Smk PK Bl Qu Mre Haz IN CN AU
- 876.Agriphila brionella (Zerny,1914) (Pyralidae) Synonym(s): brioniella Zerny,1914; #subbrioniella Amsel,1959; vasilevi Ganev,1983 Range (as codes): FR Sa Si IT SK HU RO YU AL BG Cr CY TR RU MD UA Cm IQ SY LR Rei
- 877. Agriphila cyrenaicella (Ragonot,1887) (Pyralidae) Synonym(s): cyrenaicella Ragonot,1887; alexandriensis Bethune-Baker,1894; permixtellus Kalchberg,1897 Range (as codes): TN LY Cy ES Mu Sa Si GR Cr TR IQ Mos IR JO IL Hf Pa EG EG EG05
- 878.Agriphila latistria (Haworth,[1811]) (Pyralidae) Synonym(s): latistria Haworth,[1811]; gueneellus Duponchel,1836; monotaeniellus Herrich-Schäffer,[1852]; vectifer Zeller,1863; vallicolella Costa,1885. Range (as codes): DZ Lbs PT ES FR Co Sa Si IT GB BE NL DE YU BG GR Cr DK NO SE RU MD UA BY TR IQ
- 879.Agriphila tersella (Lederer,1855) (Pyralidae) Synonym(s): tersellus Lederer,1855; graphellus Constant,1884; hungaricus Schmidt,1909; austellus Chrétien,1913; uniformellus Caradja,1918; chneouri Lucas,1942.

 Range (as codes): Cn MA TN DZ Bsk Anna PT ES FR Sa Si IT YU BG GR RO HU AT IL Pa Hf LB Bei IR IQ TR TM Kp Cc GG AM AZ
- 880.Agriphila tolli (Bleszynski,1952) (Pyralidae) Synonym(s): tolli Bleszynski,1952 Range (as codes): Co Si IT AT CZ SK HU RO YU HV AL BG GR Cr CY TR SY IQ Mos Shq IR RU MD UA Cm
- **881.Anania ochrofascialis (Christoph,1882)** (Pyralidae) Synonym(s): ochrofascialis Christoph,1882; retowskyi Möschler,1888; bilinea Bethune-Baker,1894; #ochrifascialis Rebel,1901; younesalis Chrétien,1915 <u>Range (as codes):</u> RU Cc Da UA Cm AZ Kir Nv Ord IQ EG TN Gf IR Ss AE
- 882.Anania verbascata (Fabricius,1787) (Pyralidae) Synonym(s): #verbascalis [Denis & Schiffermüller],1775; verbascata Fabricius,1787; parvalis Osthelder,1934. Range (as codes): DZ Clo PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR IL Pa Hf IQ Shq DK SE FI EE LV LT Cc GG Lag Tbl Mng Kir AZ IR Mz Gh Tgo
- 883. Anarpia incertalis (Duponchel,1832) (Pyralidae) Synonym(s): incertalis Duponchel,1832; pyrenealis Duponchel,1842; incertella Duponchel,[1845]; pyrenaeella Duponchel,[1845]; pyrenaicalis Guenée,1846; phycophanes Meyrick,1937; rupestris Meyrick,1937 Range (as codes): MA DZ Btna TN PT ES Py FR Co Sa Si IT YU GR Cr TR Cc AZ Nv Ord Eri AM RU IR Elb Mz Dam Kh IL Pa Js LB Bsa CY B-H SY JO AF UZ KG KK IQ Rwz

- 884.Ancylodes dealbatella (Erschoff,1874) (Pyralidae) Synonym(s): dealbatella Erschoff,1874; staminella Christoph,1877; nervulatella Turati,1926; subgoliathella Caradja,1937; kerbelella Amsel,1949; gigantella Roesler,1965 Range (as codes): Cn ES MA DZ Bsk TN Gf LY Cy EG SD SA SA63 BH IL Pa Hf Jt JO LB SY Dms TR IQ Kbl IR Th Elb Mz AF Gbh Srb Pli PK Gg Ch MN UZ Smk TM Kp Krn RU Sr Uk KG Ind CN Yu SI
- 885.Ancylodes pallens Ragonot,1887 (Pyralidae) Synonym(s): pallens Ragonot,1887; lactealis Rothschild,1915; banghaasiella Caradja,1917; #fuscella Amsel,1958. Range (as codes): Cn MA DZ Sfr TN Gf LY Cy ES MT YU HV GR Rd EG TR IL Pa Hf Jer IR Fa AF Ca Kab Srb IQ Mos SY LB Bei SA SA63 SD SD91 BH
- 886.Ancylolomia palpella ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): palpella [Denis & Schiffermüller],1775; sovinskyi Krulikovsky,1909 Range (as codes): DZ Lbs Cst PT ES FR IT BE AT SK HU RO YU AL BG GR CY RU MD UA BY IR IQ Shq Amr Mos IL Pa Js LB TR Cc EG TM Kp KG
- 887.Ancylolomia pectinatella (Zeller,1847) (Pyralidae) Synonym(s): pectinatellus Zeller,1847 Range (as codes): Si IT MT HU YU BG GR Cr TR IL Pa Js Hf JO LB 10 Mos IR Ahz CY SY
- 888.Ancylolomia tentaculella (Hübner,1796) (Pyralidae) Synonym(s): tentaculella Hübner,1796; irakella Amsel,1949. Range (as codes): PT ES FR Co Sa Si IT MT GB CH RO YU AL BG GR Cr TR RU Ur MD UA Cm BY CY Cc GG Lag JO IL Pa Hf Js Jt IQ Dia IR LB
- 889.Ancylosis albicostella Amsel,1951 (Pyralidae) Synonym(s): albicostella Amsel,1951 Range (as codes): IR Fa Shr IQ Shq
- 890.Ancylosis candidatella (Lederer,1858) (Pyralidae) Synonym(s): candidatella Lederer,1858; fathmella Oberthür,1888; tenuigranella Ragonot,1890. Range (as codes): MA DZ Bsk TN SY Dms IL Pa Hf LB Bei IQ Mos Kbl Bgd IR Ahz Fa Elb Th Ss Ke Aba TR Th Elb TM Kp K-K KW AF Hr Ca Kbb Srb
- 891.Ancylosis cinnamomella (Duponchel,1836) (Pyralidae) Synonym(s): dilutella Tr.,1832 [n.o.]; cinnamomella Dup.,1836; labeomella Staudinger,1859; lafauryella Rag.,1887; byzacaeniella Rag.,1887; roseopennella Rag.,1901; tunesella Caradja,1910; fuliginosa Rothschild,1913; pictella Tur.,1922; ferrugineolineella Tur.,1924. Range (as codes): DZ TN Gf PT ES Mu FR Co Sa Si IT BE LU DE CH AT PL CZ SK HU RO YU AL MK BG GR NO SE FI LV MD RU Or Sb Ur UA BY KG Uk Ind TM TR LB Bei Bsa SY Dms IL Hf Js JO IQ Shq Mos Bsr EG EG11 IR Elb Kj Th Fa Ha Ss AF Kab Kbb Pag CN Ui Ku UZ Man KK T-S Cc AZ Kir MN Mri Eba MA Ifr Ouk
- 892.Ancylosis convexella (Lederer,1855) (Pyralidae) Synonym(s): convexella Lederer,1855; albiciliella Staudinger,1859; favorinella Zeller,1867 Range (as codes): Cn MA DZ Ajj Bsk Onç TN Gf LY Cy ES Mu MT YU GR IR Mz Elb Th Ke Fa Ana TM Kp IL Hf Js Pa JO TR IQ Bgd Kbl Mos Dia Bsr BH EG EG11 Sn LB Bei SD SA SA63 CY AF Ca Srb Kab PK Bl Qu Krc
- 893.Ancylosis deserticola (Staudinger,1870) (Pyralidae) Synonym(s): deserticola Staudinger,1870

 Range (as codes): DZ Eal Onç Gha ES HU RO BG TR SA SA63 EG EG11 SD IL Jf Jer Hf Pa SY Dms LB Bei IR Elb Th
 Ss IQ RU Ur Or Sr Sb KG Uk TM Kp UZ Br AF Kab Srb PK Bl Qu UA Cm
- 894.Ancylosis eremicola (Amsel,1935) (Pyralidae) Synonym(s): eremicola Amsel,1935; #nigricella Amsel,1959. Range (as codes): IL Jf Pa SA SA63 BH KW IR Kz Ss Irs Sde IQ
- 895.Ancylosis faustinella (Zeller,1867) (Pyralidae) Synonym(s): faustinella Zeller,1867; staudingeri Christoph,1877; rubripictella Hampson,1896; thalerella Mabille,1908; variabilis Rothschild,1915; airensis Rothschild,1921; bilineella Amsel,1935; damascenella Amsel,1952. Range (as codes): Cn MA TN DZ Ath Bsk Ogl Ah LY Cy SD MT RU JO IL Js Jf Pa AZ Nv Ord Cc TR EG EG11 Sn SA SA63 SA39 YE BH SY Dms LB Bei Bsa NE Air KG Uk IQ Mos Bsr IR Elb Th Fa Ss Irs Kz Sde Kh TM Krn Kp AF Kab Srb Ca Hr PK Bl Qu Pj Lh IN MN
- 896.Ancylosis gracilella Ragonot,1887 (Pyralidae) Synonym(s): gracilella Ragonot,1887; subcandidatella Ragonot,1887; monostictella Ranogot,1887; casella Chrétien,1910; lybistinella Turati,1924; dowsoniella Richards & Thomson,1932. Range (as codes): MA TN DZ Bsk LY Cy EG EG11 BH SA SA63 SD MT MK UZ KW JO IL Hf Js Jer Jt Pa LB Bei SY TR Cc IQ Mos Bgd Amr Bsr Kbl IR Elb Th Fa Ahz Ss Kz Sde Aba Ke AF Kab Pag Ca Hr PK Gg TM Krn UZ Fe Man CN Ui Ku
- 897.Ancylosis harmoniella (Ragonot,1887) (Pyralidae) Synonym(s): harmoniella Ragonot,1887; ochrotaeniella Ragonot,1887; fulminantella Turati,1922; rosalbella Turati,1930; diffusella Turati,1930; incanella Turati,1930. Range (as codes): MA DZ Gab Bsk TN Gf LY Cy MT EG EG11 Sn SD SA SA63 IQ Kbl Bsr TR IR Th Elb Fa IL Js Jf SY Dms LB Bei Bsa AF Kab Kbb Bd Cc AZ Nv Ord
- 898.Ancylosis hellenica (Staudinger,1870) (Pyralidae) Synonym(s): hellenica Staudinger,1870; deliciosella Caradja,1910 Range (as codes): LY Cy EG EG11 SD SA SA63 MK BG GR CY TR Cc IQ Shq Bgd Mos IL Hf Js Jer Jf Pa JO IR Elb Kj Th Fa Shr Ss Irs Ana Ke Ahz LB Bei Bsa SY Dms TM Kp AF Hr Kab Srb PK Nwf Bl Qu Gg Hu UZ Br
- 899.Ancylosis iranella Ragonot,1887 (Pyralidae) Synonym(s): iranella Ragonot,1887; turaniella Ragonot,1887. Range (as codes): Cc TR IR Th Elb Shh Kdv IL Hf Pa LB Bei IQ Bsr KK TM Kp
- 900.Ancylosis lacteicostella (Ragonot,1887) (Pyralidae) Synonym(s): lacteicostella Ragonot,1887; fulvobasella Ragonot,1887; aegyptiacella Ragonot,1901; spatzi Rothschild,1915. Range (as codes): MA DZ Bsk Lbs Gha Ah TN EG SD SA SA63 KW YE IL Jf Hf Pa IQ Bgd Amr IR Lo Ss Se Elb AF TR Cc UZ Man Fe RU Ur CN Ui Ku AE
- 901.Ancylosis maculifera Staudinger,1870 (Pyralidae) Synonym(s): maculifera Staudinger,1870; ifraneella Lucas,1954. Range (as codes): MA DZ TN Gf LY ES RO BG MD UA BY TR Cc IR Elb Th EG Sn IL Js Pa LB Bei IQ Mos Bsr AF Pag Kab Bd Srb KG Uk MN CN Ui Ku RU Ur Sr Or Am TW CN Yu
- 902.Ancylosis muliebris (Meyrick,1937) (Pyralidae) Synonym(s): muliebris Meyrick,1937; macedonica Schawerda,1937. Range (as codes): DZ TN MK TR SA SA63 EG Sn IL Js Pa JO IQ Mos KW IR Elb Kj Th Fa Ss Irs Ana Ke AF Kab UZ Smk

- 903.Ancylosis oblitella (Zeller,1848) (Pyralidae) Synonym(s): oblitella Zeller,1848; homographis Hampson,1930; ischnopsis Meyrick,1937; major Lucas,1948; ochraeella Lucas,1948; boitella Lucas,1950; calaritalella Amsel,1951; indistinctella Lucas,1955. Range (as codes): MA TN Sfx DZ Abe Bsk LY Cy PT ES FR Sa Si IT MT GB BE NL DE CH AT PL CZ SK HU RO HV MK B-H YU AL BG GR CY DK LV RU Sr MD UA BY TR LB Bei IL Jf Js Hf Pa IQ Mos Bgd Dia IR Elb Th Mz Kh Msh SA SA63 EG AF Hr PK Gg KG Uk TM Kp MN NP
- 904.Ancylosis partitella (Ragonot,1887) (Pyralidae) Synonym(s): partitella Ragonot,1887; adustella Ragonot,1887; fractifasciella Ragonot,1890; kebiliella Lucas,1909; combustella Chrétien,1910. Range (as codes): MA TN Gf DZ Ah Ajj Bsk MT LY Cy SD EG SA SA63 IL SY Dms AE IQ Bgd Kbl IR Elb Th Ss Irs Sde Kz Ana Ke Ahz BH Cc AZ Nv Ord KG Uk AF Ca Hr CN Ui Ku Ga TM Kp UZ KW MN
- 905.Ancylosis pyrethrella (Herrich-Schäffer,1860) (Pyralidae) Synonym(s): pyrethrella Herrich-Schäffer,1860; strictella Mann,1861; ignibasella Ragonot,1887; inflammatella Ragonot,1901; trilineata Amsel,1961.

 Range (as codes): RO RU MD UA BY IR Ab Sro Oru Elb Srd Mz IL Pa Hf TR KG Uk Ind LB Bei IL SA SA63 IQ Mos AF Hr TM Kp KK Ax UZ Fe Man
- 906.Ancylosis rhodochrella (Herrich-Schäffer,1855) (Pyralidae) Synonym(s): rhodochrella Herrich-Schäffer,1855; delicatella Möschler,1860; ciliatella Zeller,1872; lucida W.Warren,1888; microstictella Hampson,1903; ciliella Amsel,1961. Range (as codes): DZ Lbs Orn PT ES RU MD UA BY DZ SA SA63 SD TR Cc IL Hf Js Jf Pa LB Bsa SY Dms EG EG11 CY IR Elb Kj Th Kh Msh Fa Shr Cc AM Eri IQ Bsr Mos AF Hr Kab Pag Srb Bd PK Cp IN
- 907.Ancylosis roscidella (Eversmann,1844) (Pyralidae) Synonym(s): roscidella Eversmann,1844; cinerella Stainton,1859; ephedrella Herrich-Schäffer,1860; neglectella Heinemann,1864; blandella Ragonot,1887; zohrella Oberthür,1888; carnea W.Warren,1888; bartelella Caradja,1910; benderella Amsel,1961 Range (as codes): MA DZ Bsk TN Gf LY Cy EG EG11 SA SA63 SD BH ES Mu RO YU HV MK AL BG GR TR RU Sr Or Sb IL Hf Js Jt LB Bei Bsa JO SY Dms KG Uk Ind IQ Bsr IR Elb Th Kj Ss AF Hr Kbb Srb PK Ch Cp Cc AZ Nv Ord MN Sb TM CN Ui T-S
- 908.Ancylosis samaritanella (Zeller,1867) (Pyralidae) Synonym(s): samaritanella Zeller,1867; urbicella Erschoff,1874; biligulella Ragonot,1887; flavescentella Chrétien,1910; diminutella Chrétien,1910; cinnamomeifascia Rothschild,1915; lacroixella Lucas,1939; brevipalpella Amsel,1954. Range (as codes): Cn MA DZ Hdr Bsk Gha TN LY Cy EG EG11 Sn SD SA SA63 PT ES RU Sr Or MD UA BY KG Uk Ind JO LB Bei Bsa IL Hf Js Jf Pa TR TM Kp Sn IR Elb Th Fa IQ BH AF Srb Ca Hr Kbb PK Bl Qu Cc AZ Nv Ord CN Ui Ku
- 909.Ancylosis syrtella (Ragonot,1887) (Pyralidae) Synonym(s): syrtella Ragonot,1887; costalbella Amsel,1954 Range (as codes): MA Ifr DZ Lbs Abe Bsk TN Gf Gab Sfx LY Cy IL Js Pa IR Elb Kdj Th Fa Ha Kh RU TR IO Bsr AF Gbh CN Ui Ga KG Uk Ind
- 910.Ancylosis umbrilimbella (Ragonot,1901) (Pyralidae) Synonym(s): umbrilimbella Ragonot,1901; holella Lucas,1909; thirieti Lucas,1937; sfaxella Lucas,1949; concavella Amsel,1949 Range (as codes): MA DZ TN EG Sn IL Js Pa SA SA63 BH KW IQ Mos Bsr Kbl Bgd IR Elb Th Fa Ss Irs Ahz Kz Th IN TM Kp PK Pj Mln IN
- 911.Ancylosis xylinella (Staudinger,1870) (Pyralidae) Synonym(s): xylinella Staudinger,1870; sablonella Rothschild,1915; molochinella Zerny,1929. Range (as codes): MA DZ Ah TN LY EG EG11 SA SA63 PT ES RU Sr Or Sb Am MD UA BY CN Ui Ku T-S MN KG Uk Ind TM Kp IR Elb Th Fa Ss Chh Irs TR IL Hf Pa LB Bei IQ Mos AF Ca Kab Hr PK Gg Sb
- 912.Anthophilopsis baphialis (Staudinger,1870) (Pyralidae) Synonym(s): baphialis Staudinger,1870; plumbiferalis Christoph,1877; #baphiale Caradja,1916; #oleaginalis Amsel,1970 Range (as codes): GR TR Cc IL Pa Hf TM Kp IR Ahz Ss Chh Bu Shr Com Fa Enz Gls Irs Ana Ke Gh Tgo KW IQ Bgd Kbl Mos Ry Amr EG EG11 AF Hr In Bmu Dwe Srb Gbh Pli Ca Kab Blh Arh Cc GG Tbl AZ Kir Bak Da Der AM Eri
- 913.Antigastra catalaunalis (Duponchel,1833) (Pyralidae) Synonym(s): catalaunalis Duponchel,1833; venosalis Walker,[1866]; #sionensis Caradja,1929 Range (as codes): PT ES FR BE Co Sa Si IT MT GB CH CZ HU YU GR DK CY LB Bsa IQ Bgd Dia IR Fa Shr Elb Th Mz Kdj Ss Irs Ke Ana AF Srb Dwe Kab Gbh Hr Bkt TR YE Sk EG IL Hf Pa AE IN CN TW JP AU ZA NA
- 914.Aphomia sabella (Hampson,1901) (Pyralidae) Synonym(s): sabella Hampson,1901 Range (as codes): DZ Eal Bsk Phv IR Bu Ss Irs Srw OM ES Alc IQ Bgd Amr EG EG11 KW SA Sk AE
- 915.Aporodes floralis (Hübner,[1809]) (Pyralidae) Synonym(s): floralis Hübner,[1809]; stygialis Treitschke,1829; siculalis Duponchel,1833; conversalis Duponchel,1834; meleagrisalis Walker,1859; transversalis Moore,1878; grisealis Caradja,1916; #florealis Rebel,1939 Range (as codes): TN Sfx PT ES FR Co Sa Si IT MT DE AT CZ SK HU RO YU AL BG GR Rd Cr TR Cc IR Ahz Kdj Th Elb Nss Fa Shr Com Ss Kh Chh Qz Men IQ Mos Bgd Kbl Shq Ssa Amr GG IL Pa LB YE CY LB AF Ca Hr Bmu Pli Blh Gbh Srb Anh Fz Dwe Kab Arh Sen Pnj Bark Pag Ca Asm CN Ui Yk PK Sd Krc Cp Hf Cc GG Bjo Tbl Kir Da Der AZ IN Mh Bba Kz Sde Irs PL KG Tks Mz DZ Clo Ajj MA
- 916.Aproceratia rhectogramma (Meyrick,1937) (Pyralidae) Synonym(s): rhectogramma Meyrick,1937 Range (as codes): IQ Ry Hjo IR Fa Shr Kz Com Ha Avd
- 917.Arimania komaroffi (Ragonot,1888) (Pyralidae) Synonym(s): komaroffi Ragonot,1888; amanella Zerny,1934; diplocapna Meyrick,1937 Range (as codes): DZ Onç IR Fa IQ Rwz Brs Dia Shq Ssa GR TR Cc AZ Len AM
- 918.Arsenaria wiltshirei (Amsel,1949) (Pyralidae) Synonym(s): wiltshirei Amsel,1949 Range (as codes): 1Q Bgd Kbl IR Kz Sde
- 919. Asalebria (s.str.) amphipyrrha (Meyrick,1937) (Pyralidae) Synonym(s): amphipyrrha Meyrick,1937 Range (as codes): 10 Dia Ama
- 920.Bostra marginalis Rothschild,1921 (Pyralidae) Synonym(s): marginalis Rothschild,1921 Range (as codes): 10 Bgd Amr PK Sd Krc

- 921.Cadra calidella (Guenée,1845) (Pyralidae) Synonym(s): calidella Guenée,1845; #ficella Douglas,1851; xanthotricha Staudinger,1859. Range (as codes): DZ Bsk Ajj PT ES FR Si IT MT IE GB NL DE CH AT CZ SK YU GR TR IQ Amr Bgd IL Pa Hf EG SA DK NO SE FI RU MD UA BY ZA
- 922.Cadra cautella (Walker,1863) (Pyralidae) Synonym(s): cautella Walker,1863; defectella Walker,1864; desuetella Walker,1866; passulella Barrett,1875; formosella Wileman & South,1918; rotundatella Turati,1930; pelopis Turner,1947; irakella Amsel,1959 Range (as codes): Cn MA DZ TN LY Cy PT ES FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU HV MK AL BG GR Cr TR JO IL Hf Pa LB SY Dms Sk YE IQ Bgd Shq IR Fa Kz AF Srb Pic Nu Bsg CY EG EG11 SD SA SA63 DK NO SE FI LV RU Sr Or MD UA BY ZA AU MG IN LK ID Ja CN TW TH JP Bsr Amr Enz PH WS FJ SB OW NW
- 923.Cadra figulilella (Gregson,1871) (Pyralidae) Synonym(s): figulilella Gregson,1871; ficulella Barrett,1875; milleri Zeller,1876; gypsella Ragonot,1887; venosella Turati,1926; ernestinella Turati,1927; #halfaella Roesler,1965. Range (as codes): Cn MR MA DZ Bsk TN Gf LY Cy PT ES B-I FR Co Sa Si IT MT GB BE NL DE CH AT CZ RO YU HV AL BG GR Cr TR CY LB IL JO Pa EG SD SA YE NO SE RU MD UA BY IQ IR Elb Shh Mz AF PK NP Ch CN JP KP KR ZA AU
- 924.Cadra furcatella (Herrich-Schäffer,[1849]) (Pyralidae) Synonym(s): furcatella Herrich-Schäffer,[1849] Range (as codes): IR Fa Elb LB IQ Cc AZ GG AF Srb Pag Kab Pic Bd Nu Bsg Bkt UZ LY Cy Co Sa Si IT MA PT ES Mu An Py CZ SK AT HU RO HV B-H YU MK BG AL GR Cr TR RU
- 925.Calamotropha paludella (Hübner,[1824]) (Pyralidae) Synonym(s): paludella Hübner,[1824]; obtusellus Stainton,1856; paramattellus Meyrick,1879; carpherus Hampson,1898; nivellus Rebel,1914; calamosus Hampson,1919; durandi Lucas,1931; typhivorus Meyrick,1932; #digitatus Osthelder,1937; afghanistanica Bleszynski,1959

 Range (as codes): PT ES FR Sa IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR IQ BSr SY IR Ahz TM DK NO SE FI EE LV LT RU Am Prj Us MD UA BY KG Dj Tk IR Mz AF Srb PK Ch AU MG ZA Tva Pre CN Sz Kgs Ui Yu IMn Mc Hun Fkn TW JP Kyu Hkk ID IN
- **926.Candiope sahariensis (Rothschild,1921)** (Pyralidae) Synonym(s): sahariensis Rothschild,1921; pseudodiscomaculella Amsel,1935 Range (as codes): NG IL Pa IQ Mos
- 927.Chilo luteellus (Motschulsky,1866) (Pyralidae) Synonym(s): lutellus Motschulsky,1860 nec [Denis & Schiff.],1775; luteellus Motschulsky,1866; concolorellus Christoph,1885; gensamellus Leech,1889;dubia Bethune-Baker,1894;boxanus Hering,1903; plumbosellus Chrétien,1910; molydellus Zerny,1935; molybdellus Zerny,1941 Range (as codes): DZ Bsk ES Sa IT HU BG GR Cr RO TR RU TM Kp IR Mz Shh Gh Tgo Cc AZ Len SY EG LB IQ Rwz AF Hr PK Cp CN Stg Ui Ku KP KR JP Hkk Kyu KG Tk Dj Ii KK Ik PH
- 928.Chilo partellus (Swinhoe,1885) (Pyralidae) Synonym(s): zonellus Swinhoe,[1885] nec Zell.,1847; partellus Swinhoe,1885; lutulentalis Tams,1932 Range (as codes): UG MW ZA TZ SD SD91 AF Bm Srb PK Sd Krc LK IN Poo Bba BD NP TH TW IR Ss IQ IL Pa Hf KM ID JP CY TR
- 929.Chilo phragmitellus (Hübner,[1810]) (Pyralidae) Synonym(s): phragmitellus Hübner,[1810]; rhombea Haworth,[1811]. Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK DK NO SE FI EE LV RU MD UA BY TR 10 IR Enz CN Ui Stg JP Hkk
- 930.Chilo suppressalis Walker,1863 (Pyralidae) Synonym(s): suppressalis Walker,1863; oryzae T.B.Fletcher,1928. Range (as codes): PT ES FR Co IQ Amr IR PK CN Kgs Sz Stg Fkn Kwa KP KR JP Hkk Kyu MY TH IN PJ Ass Clc LK IN TW Hw VN PH AU
- 931.Christophia bilineella (Ragonot,1887) (Pyralidae) Synonym(s): bilineella Ragonot,1887 Range (as codes): Cc AZ Nv Ord SA SA63 KW IL Pa IQ Mos Bsr IR Fa Elb Th Se Mak Ab AF Hr Ca PK Bl Qu TM Kp K-K Krn UZ Fe Man MN
- 932. Chrysocrambus linetellus (Fabricius,1781) (Pyralidae) Synonym(s): linetellus Fabricius,1781; cassentiniellus Herrich-Schäffer,[1848]; distinctus Müller-Rutz,1920; chrysocrossis Meyrick,1936; #marioni Dufrane,1960. Range (as codes): ES FR Co Sa Si IT GB CH AT SK HU RO YU AL BG GR Cr TR SY JO IR Gh Tgo LB IQ CY Rd UZ Br CN Ui Cc AZ Len
- 933.Chrysocrambus syriellus (Zerny,1934) (Pyralidae) Synonym(s): syriellus Zerny,1934 Range (as codes): LB Bsa Bei SY TR IL Pa JO IQ Hjo AF
- 934. Ciliocera leucosarca (Meyrick,1937) (Pyralidae) Synonym(s): leucosarca Meyrick,1937 Range (as codes): 10 Ry IR Elb Kdj
- 935.Coenochroa ablutella (Zeller,1839) (Pyralidae) Synonym(s): ablutella Zeller,1839; flaveolella Ragonot,1887; stigmatellus Ragonot,1888; seeboldi Ragonot,1894; majorella Rothschild,1913; buxtoni Rothschild,1921 Range (as codes): Cn Md MA Rbt DZ Ajj Bsk Onç Ogl Gle PT ES Grn FR Si IT RO YU BG GR Cr TR CY IQ Bgd Mos Kbl IR Mz Qz Ss Irs Fa Shr Th Kdj Se KuB Kz Com IL Hf Pa TE LB JO EG TM Kp AF UZ PK Sd Krc IN ZA AE
- 936.Cornifrons ulceratalis Lederer,1858 (Pyralidae) Synonym(s): ulceratalis Lederer,1858; seriziatalis Oberthür,1876 Range (as codes): DZ Rhr Bsk Gha Ceg Nbr Tou Ogl Heh Gle Gtt Ah Ajj TN Gf Cn ES Sa Si IT MT YU AL GR Cr TR SY Dms SA EG IL Pa Hf Js CY JO LB IQ Bgd Dia Kbl KW IR Fa Ss Chh Kz Sde AF PK Sd Krc
- 937.Cybalomia haplogramma Meyrick,1936 (Pyralidae) Synonym(s): haplogramma Meyrick,1936 Range (as codes): 10 кы
- 938.Cybalomia pentadalis (Lederer,1855) (Pyralidae) Synonym(s): pentadalis Lederer,1855 Range (as codes): GR Cr CY TR Cc LB Bei TM Kp IR Ahz Fa Shr Th Kdj Kh IQ Kbl Bgd Bsr Amr JO IL Pa Js Hf PK Sd Krc
- 939.Cybalomia triplacogramma Meyrick,1937 (Pyralidae) Synonym(s): triplacogramma Meyrick,1937 Range (as codes): 10 Rwz IR Fa Shr Ss PK

- 940.Cynaeda (Noctuelia) albidalis Hampson,1913 (Pyralidae) Synonym(s): albidalis Hampson,1913 Range (as codes): 10
- 941.Cynaeda (Noctuelia) superba (Freyer,[1844]) (Pyralidae) Synonym(s): superba Freyer,[1844]; superbalis Herrich-Schäffer,1848; petitjeanii Oberthür,1876 Range (as codes): MA Ifr DZ Lbs MK TR GG Cc Bjo AM LB IR Elb Shh Ha Kdj Th Fa Kdv IQ AF Shah
- 942. Cynaeda (s.str.) gigantea (Staudinger, 1879) (Pyralidae) Synonym(s): #gigantea Wocke, 1871; gigantea Staudinger,1879 Range (as codes): FR CH HU YU GR Cr TR IQ Hjo Ssa IR Fa Shr Com Sse Gls IL Pa LB Bsa AF Slg Pnj Pag Adr KG Uk
- 943.Daria coenosella Ragonot,1888 (Pyralidae) Synonym(s): coenosella Ragonot,1888; tshetverikovi Kusnesov,1908. Range (as codes): 10 Bgd IR Ke TM Krn UZ Fe Man RU KG Tk Dj Ii
- 944.Denticera divisella (Duponchel, 1842) (Pyralidae) Synonym(s): divisella Duponchel,1842; euphorbiella Zeller,1846; albiricella Herrich-Schäffer,1849; sardzeella Amsel,1961. Range (as codes): MA DZ Ajj ES FR Sa Si IT MT YU BG GR TR IR IL Pa Hf IQ Rwz Dia Shq GM ZA Nta Kzu YE Ad PK Sd Krc LK
- 945.Dentifovea fulvifascialis (Christoph,1887) (Pyralidae) Synonym(s): fulvifascialis Christoph,1887; foviferalis Hampson,1900 Range (as codes): GR LB Bei IL Pa AF Hr Srb Pli Pic TR 10 Rwz Bgd Brs IR Ahz Bu Se PK
- 946.Dentitegumia nigrigranella (Ragonot,1890) (Pyralidae) Synonym(s): nigrigranella Ragonot,1890; comeella Amsel,1961. Range (as codes): DZ Bsk TN Gf IL Pa Jer 叹 Kbl Rba IR Ss Fa
- 947.Dolicharthria bruguieralis (Duponchel, 1833) (Pyralidae) Synonym(s): bruguieralis Duponchel,1833; coniotalis Hampson,1903; pseudobotys Rothschild,1913; similalis Rothschild,1915; bahrlutalis Amsel,1935; mauretanica D.Lucas,1949 Range (as codes): DZ Rhr Clo Ah Omy Onç LY Cy EG MA TN PT ES FR Co Sa Si IT MT RO YU AL BG GR Cr Rd TR CY LB Bsa Bmm IL Pa Hf IQ Rwz Brs Ry Shq IR Fa Shr Sse Bu AF Pnj Kab Pli Gbh Srb Khi Adr Fz ZA
- 948.Dolicharthria intervacatalis (Christoph, 1877) (Pyralidae) Synonym(s): intervacatalis Christoph,1877; psologramma Meyrick,1937 Range (as codes): TR AZ Nv Ord Cc IR Elb Th Mz Srd Fa Shr Km Ksh IL Jt Pa IQ Rwz TM K-K
- 949.Donacaula nilotica (Zeller,1867) (Pyralidae) Synonym(s): niloticus Zeller,1867; alpherakii Staudinger, 1874; vescerellus Chrétien, 1910; argophthalmus Meyrick, 1933; nigrolineata Popescu-Gorj & Draghia, 1968 Range (as codes): RO BG GR RU DZ BSK EG EG05 EG11 TR AZ Cc Kir IL Pa Hf Js JO 10 Mos IR Kh KG UK UZ Br IN
- 950.Duponchelia fovealis Zeller, 1847 (Pyralidae) Synonym(s): fovealis Zeller,1847; canuisalis Millière,1869; griseata Butler,1875; uniflexalis Mabille,1880 Range (as codes): Cn DZ Agi Bsk PT ES FR Co Sa Si IT MT NL BE DE YU GR Cr CY TR IL Pa Hf EG Hx Hp Ahz Fa Sse Ana Ke JO LB YE Ad IQ Bsr AE DK SE AF Srb ZA Nta Kzu ZR MZ
- 951.Elegia fallax (Staudinger, 1881) (Pyralidae) Synonym(s): fallax Staudinger,1881; atrifasciella Ragonot,1887; nigribasella Ragonot,1895; iozona Meyrick,1937; elegiella Amsel,1953 Range (as codes): PT ES FR Si IT SK HU RO YU BG GR TR Cc GG Lag IQ Dia Rwz
- 952. Elophila hederalis Amsel, 1935 (Pyralidae) Synonym(s): hederalis Amsel, 1935; auralis Osthelder, 1935 Range (as codes): IL 10 Bsr IR Ahz Kz TR
- 953.Ematheudes vitellinellus Ragonot,1887 (Pyralidae) Synonym(s): vitellinella Ragonot,1887; #vittelinella Amsel,1949 Range (as codes): Cc GG TR IR Ahz IQ Bgd Shq
- 954.Emprepes russulalis (Christoph,1877) (Pyralidae) Synonym(s): russulalis Christoph,1877; baryscia Meyrick, 1937 Range (as codes): DZ Bsk TN Gf IQ Dia Kbl IR Th Elb Kdj Srd Fa Shr Ss Irs Mkr KW AF Srb Hr Kab
- 955.Endotricha flammealis ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): flammealis [Denis & Schiffermüller],1775; adustalis Turati,1905; lutealis Turati,1905; carnealis De Lattin,1951 Range (as codes): DZ Clo TN PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR 1Q IL Hf Pa CY LB Cc GG IR Fa Sse Com Shr Mz Th Kdj Gor Gh Tgo TM Kp DK SE RU MD UA BY KG
- 956.Epactoctena octogenalis (Lederer, 1863) (Pyralidae) Synonym(s): octogenalis Lederer,1863 Range (as codes): TR IR Ahz Ha JO IQ Ssa Dia Mos Ry Shq IL Pa Js Hf CY
- 957.Epascestria pustulalis (Hübner,[1823]) (Pyralidae) Synonym(s): pustulalis Hübner,[1823]; orientalis Caradja,1916 Range (as codes): ES IT LU DE AT PL CZ SK HU RO YU BG GR Rd Cr TR LB Bei 10 Hjo Cc AM Eri AZ Kir SE LV LT RU MD UA BY IR Elb Th Kdj IL Pa Hf AF Pag
- 958.Ephelis cruentalis (Geyer,[1832]) (Pyralidae) Synonym(s): cruentalis Geyer,[1832]; bourjotalis Duponchel,1833; badialis Treitschke,1835 Range (as codes): FR Si IT YU BG GR Rd Cr TR LB Cc GG Tbl Mng Lag AM AZ IL Pa Hf EG IR Fa Sse Elb Th Kdj Nss Kdv Gor Kh IQ Ry Shq AF Adr Shv Kab KG Slu Syr
- 959.Ephestia (Anagasta) abnormalella (Ragonot, 1887) (Pyralidae) Synonym(s): abnormalella Ragonot,1887; alphitopis Meyrick,1937. Range (as codes): 10 Ry AF Kab IR Fa UZ Man
- 960.Ephestia (Anagasta) kuehniella Zeller,1879 (Pyralidae) Synonym(s): kuehniella Zeller,1879; fuscofasciella Ragonot, 1887; gitoniella Druce, 1896; lunella Noel, 1904; ischnomorpha Meyrick, 1931; #kueniella Hutacharern & Tubtim,1995 Range (as codes): DZ Hdr MA TN Cn LY PT ES FR Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR CY IL Hf Pa LB EG SK DK NO SE FI EE LV LT RU MD UA BY IR IQ AF Ch SA CN Kgs JP TH TW MX NZ AU ZA

- 961.Ephestia (s.str.) elutella (Hübner,1796) (Pyralidae) Synonym(s): elutella Hübner,1796; semirufa Haworth,1811; rufa Haworth,1811; angusta Haworth,1811; sericarium Scott,1859; roxburghii Gregson,1873; infumatella Ragonot,1887; affusella Ragonot,1888; icosiella Ragonot,1888; amarella Dyar,1904; pterogrisella Roesler,1965 Range (as codes): Md Cn MA DZ Anna TN LY Cy PT ES B-I FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU HV AL BG GR Cr TR Cc YE EG SD SA IL JO IR CY TM Kp IQ Amr DK NO SE FI EE LV LT RU MD UA BY KG UK AF PK Ch NP CN KP KR JP TH TW AU ZA
- 962.Epicrocis pseudodiscomaculella (Amsel,1935) (Pyralidae) Synonym(s): pseudodiscomaculella Amsel,1935; candiopella Amsel,1961 Range (as codes): ET Hrr IL Pa JO IR Fa SA SA63 IQ Mos AE
- 963.Epiepischnia pseudolydella Amsel,1954 (Pyralidae) Synonym(s): pseudolydella Amsel,1954 Range (as codes): TR IQ Shq Hjo IR Fa Sse Elb Th Kdj
- 964.**Epimetasia albalis Amsel,1959** (Pyralidae) Synonym(s): albalis Amsel,1959 Range (as codes): 10 Shq
- 965.Epimetasia eoa (Meyrick,1936) (Pyralidae) Synonym(s): eoa Meyrick,1936 Range (as codes): IR Ha Adv IQ Ry Shq Ssa Er TR
- **966.Epiparthia simplicialis (Rothschild,1921)** (Pyralidae) Synonym(s): simplicialis Rothschild,1921; pallens Amsel,1935. Range (as codes): IQ Amr Bsr IR Th
- 967.**Epischnia albunculella (Staudinger,1879)** (Pyralidae) Synonym(s): albunculella Staudinger,1879; rhectogramma Meyrick,1937; albunculella Ragonot & Hampson,1901 Range (as codes): TR IQ Ry IR Fa Mz Elb Pdv Plr Dam TM Kp
- 968.Epischnia nervosella (Ragonot,1887) (Pyralidae) Synonym(s): nervosella Ragonot,1887; libanoticella Amsel,1953; binaloudella Amsel,1954 Range (as codes): TM IR Yz Fa Com Sse Elb Th Kdv Kh KuB LB Bsa IQ
- 969. Etiella zinckenella (Treitschke,1832) (Pyralidae) Synonym(s): marginella Fabricius,1781 nec Den. & Schiff.,1775; zinckenella Treitschke,1832; etiella Treitschke,1835; majorellus Costa,1836; colonnellus Costa,1836; dymnusalis Walker,1859; heraldella Guenée,1862; anticalis Walker,1863; indicatalis Walker,1863; hastiferella Walker,1866; decipiens Staudinger,1870; spartiella Rondani,1876; sabulinus Butler,1879; madagascariensis Saalmüller,1880; schisticolor Zeller,1881; villosella Hulst,1887; rubribasella Hulst,1890; #tiella Pinhey,1975. Range (as codes): PT ES FR Co Sa Si IT MT GB NL LU DE CH AT CZ SK HU RO YU AL BG GR TR DK RU MD UA BY IL JO LB IQ IR YE SK CY EG KK Ax MG AF PK IN LK BT NP TH MM LA VN MY BOR ID Sum Ja AU CN Hn TW JP US CA CU PR EC GS PH PG SB NC WS DZ NA TN LY EG GW LB SL GA CM NG NE CI GM CF SD ET ER DJ SO KE UG YE TZ ZW RW BI MW AO NM SZ LS MG MZ ZA Tva Nta Gau Tva Lpo Spb Mdk BW SC ZR ZM TD WS FJ Pa Hf TH CMa Cmz Cz10 Cz11 ID Sum Sbh AE Fa Shr Com Se Ha Th Elb Kuh Ss Kdj
- 970.Euchromius bellus (Hübner,1796) (Pyralidae) Synonym(s): bella Hübner,1796; bellalis Hübner,[1825]. Range (as codes): MA Ifr DZ Bsk ES An Mu FR Sa Si IT SK HU RO YU BG GR Cr TR RU Cc MD UA BY 10 Rwz Dia Brs Ama IR IL Pa JO Amm LB Bei EG PK Bl Chm
- 971.Euchromius ocelleus (Haworth,[1811]) (Pyralidae) Synonym(s): ocellea Haworth,[1811]; cyrilli Costa,1832; fumiculella Treitschke,1832; texana Robinson,1870; gigantea Turati,1924; quadrii Ahmad, Zaidi & Kamaluddin,1982 Range (as codes): Md Cn MA DZ TN LY Cy PT ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU BG GR Rd Cr TR Cc DK NO SE FI EE LV LT RU MD UA BY KG UK TK DJ II EG IL LB TM Kp YE Ad Sk IQ Kbl Bgd Amr IR Ahz Plr CY AF Hr IN Mh Poo PK Cp PJ Krc Sd Mhw AU US Tx UZ Br ET AE SO KE MT TZ CF UG MW SC MG MZ ZW Bul Har Nta Kzu Ec Ans Fs Blo Wca Cto Dbn Grh Lds Tva Lpo Pie Gau Pre Wnn Wr Ste Cer Grg BW NA AO GO NG NE BF GH SN FP Pag Gh Tgo Ss Irs Sde Kz Mz Gls Kh Pa Hf Onc Bsk Gf Ajj Ah
- 972. Euchromius pulverosus (Christoph,1887) (Pyralidae) Synonym(s): pulverosa Christoph,1887; cochlearella Amsel,1949 Range (as codes): Cc Nv Ord AZ TR IQ Ry IR Elb Kdv Kdj Th SY IL Pa Js LB Bsa Bei
- 973. Euchromius ramburiellus (Duponchel,1836) (Pyralidae) Synonym(s): ramburiellus Duponchel,1836; zonellus Zeller,1847; luteella Caradja,1910; #ramburellus Rothschild,1924; islamella Amsel,1949

 Range (as codes): MA LY DZ Afl Sfr BSa Gle Ktr Gha Hes Lgt Sbd Abe Bsk Onç TN Sfx PT ES An Grn Mu FR Co Sa Si IT YU BG RU MD UA BY CN Ui KG Uk IL Pa Hf EG JO LB IR Fa Enz Ssh Sde Kz IQ Bsr Bgd Amr TR Cc
- 974. Euchromius rayatellus (Amsel,1949) (Pyralidae) Synonym(s): rayatella Amsel,1949 Range (as codes): ES IT YU BG GR Cr CY IQ Ry TR Cc RU Sr AF Pic Blh IL Jer Pa JO IR Mz UZ Br
- 975. Euchromius vinculellus (Zeller,1847) (Pyralidae) Synonym(s): vinculellus Zeller,1847; corsicalis Hampson,1919; joiceyella Schmidt,1934; bahrlutella Amsel,1949. Range (as codes): MA DZ Ah Hmk Ktr Sbd Abe Tmn TN Dhm LY SD EG PT ES Co Sa Si IT TR GR IL Pa Hf LB IR Ahw IQ AF Srb AE KE NE Air
- 976.Euclasta (s.str.) splendidalis (Herrich-Schäffer,[1848]) (Pyralidae) Synonym(s): splendidalis Herrich-Schäffer,[1848] Range (as codes): TN Gf DZ Bsk MT MK RO BG GR TR GG AM RU Da TM Kp CY LB Bei IQ Shq Cc AZ Kir Len CN Ui Ku
- 977.**Eudonia piroformis (Amsel,1949)** (Pyralidae) Synonym(s): piroformis Amsel,1949 <u>Range (as codes)</u>: 10 Brs
- 978.Eurhodope (Eurhobasis) cinerea (Staudinger,1879) (Pyralidae) Synonym(s): cinerea Staudinger,1879; buxtoni Rothschild,1921 Range (as codes): LB Bei Bsa IL Pa Hf TR IQ Kbl Bgd Amr Bsr Shq IR Ahz Ke Ana AF Hr Pli Fz Blh CY
- 979.**Eurhodope (s.str.) monogrammos (Zeller,1867)** (Pyralidae) Synonym(s): monogrammos Zeller,1867; homochromella Amsel,1961; melanella Roesler,1969 Range (as codes): AL BG IQ JO IL Pa IR TR

980.Euzophera (s.str.) albicostalis Hampson,1903 (Pyralidae) Synonym(s): albicostalis Hampson,1903; albocostalis Amsel,1949 Range (as codes): RU Sr Ch IR Elb Ahz Kz Cc GG Lag IQ Dy Qg AF Kab AZ IN

- 981.Euzophera (s.str.) bigella (Zeller,1848) (Pyralidae) Synonym(s): bigella Zeller,1848; stenoptycha Herrich-Schäffer,1855; bisinuella Ragonot,1887; punicaeella Moore,1891; immundella Ragonot,1901; angulella Chrétien,1922; renulella Constantini,1922 Range (as codes): DZ Bsk TN Gf Sfx MA PT ES An Mu FR Co Si IT MT GB BE DE CH AT PL CZ SK HU RO B-H HV MK YU AL BG GR CY TR Cc IL Hf Jer Pa IR Th Fa Shh Ss SY DK RU LB Bei IQ Mos AF Pli NP UZ Br TM K-K Kp
- 982.Euzophera (s.str.) formosella (Rebel,1910) (Pyralidae) Synonym(s): formosella Rebel,1910 Range (as codes): GR RU UA Cm TR 1Q Kbl IR Elb Th Fa Kz Com CY SY AF Kbb BdA MN KG Uk Ind CN Ui Ku
- 983. Euzophera (s.str.) imperfectella Ragonot, 1895 (Pyralidae) Synonym(s): imperfectella Ragonot, 1895; xylomorpha Meyrick, 1937. Range (as codes): TR IL Hf Pa IQ Ry Shq IR Fa
- 984.Euzophera (s.str.) lactiflora Meyrick,1937 (Pyralidae) Synonym(s): lactiflora Meyrick,1937 Range (as codes): 10 Mos AF
- 985. Euzophera (s.str.) lunulella (Costa,1836) (Pyralidae) Synonym(s): lunulella Costa,1836; corcyrella Herrich-Schäffer,1851. Range (as codes): MA DZ TN Gf LY Cy SA ES Grn Mu FR Si IT MT LY Cy EG Sn SD Ksl SA SA63 MK AL GR Cr TR IR Ss Ana Ke IQ Kbl
- 986.Euzophera (s.str.) osseatella (Treitschke,1832) (Pyralidae) Synonym(s): osseatella Treitschke,1832; arcuatella Ragonot,1901. Range (as codes): MA DZ Cst Bsk Gf TN LY Cy PT ES Co Sa Si IT GB NL B-H MK GR LB Bei IL Hf Jt Jf Pa SY TR EG EG11 CY IQ Mos IR Ss Irs Ana Ke
- **987.Euzophera (s.str.) pulchella Ragonot,1887** (Pyralidae) Synonym(s): pulchella Ragonot,1887; xylomorpha Meyrick,1937 Range (as codes): B-H MK BG GR IQ Shq Ama Ry TR IL Hf Jf Pa
- 988. Euzophera (s.str.) subcribrella Ragonot,1887 (Pyralidae) Synonym(s): subcribrella Ragonot,1887; mercatrix Meyrick,1937; marginepunctella Amsel,1959. Range (as codes): MA DZ TN Gf LY Cy ES MT EG EG11 SA SA63 IL Pa TM UZ Fe Nmg IQ Bgd Kbl IR Kz Sde
- 989. Euzopherodes lutisignella (Mann, 1869) (Pyralidae) Synonym(s): lutisignella Mann, 1869; leonhardi Rebel, 1910; scipionella Turati, 1924; battella Turati, 1924. Range (as codes): si RO RU YU B-H HV AL BG MK GR Cr LY Cy TR IL Hf Jer Pa LB Bei JO IQ Rwz IR Elb Th Kj Fa AF Pag Kbb Slg Cc AM UZ Smk TM Kp
- 990. Evergestis caesialis (Herrich-Schäffer,[1849]) (Pyralidae) Synonym(s): caesialis Herrich-Schäffer,[1849]; saxicolalis Mann,1862 Range (as codes): MA Co? IT RO HV B-H MK Och YU BG GR Cr TR IR Elb Shh Th Kdv Fa LB Bsa TN Kp ?IQ Ama AF Pag Pnj Kbb
- 991.Evergestis desertalis (Hübner,[1813]) (Pyralidae) Synonym(s): desertalis Hübner,[1813]; vandalusialis Herrich-Schäffer,[1855]; avicennae Tams,1925 Range (as codes): MA Cn DZ Thh Ges Ah Gha Bsk Tou Ogl Heh Gle Omy Gtt LY Cy ES An Grn Alm Alc Vcl Mu Si MT RO BG TR EG EG11 IQ Dy IR Fa Shr Th Kdj Elb Kz Sde Ss Irs Cc AM Eri AZ Kir Nv Ord UA SA AF Pli Kab AE
- 992. Evergestis isatidalis (Duponchel,1833) (Pyralidae) Synonym(s): isatidalis Duponchel,1833; conquisitalis Guenée,1849 Range (as codes): MA Cn DZ Orn Anna TN Gf PT ES FR Co Sa Si IT MT YU GR JO IL Pa CY IQ Bgd IR Ss Bu Fa EG LY Cy TR
- 993. Faveria dionysia (Zeller,1846) (Pyralidae) Synonym(s): dionysia Zeller,1846; terrella Ragonot,1888; isoxyla Meyrick,1937 Range (as codes): MA TN Gf DZ Bsk PT ES Si IT MT YU GR Cr Rd CY TR IQ Mos Bgd IR Ahz Kz Ss Irs EG EG12 GM ZA Gau Ec Elo NA Tva Jh TZ Zz GM IL Pa Hf AE
- 994. Faveria nigroanalis (Amsel,1959) (Pyralidae) Synonym(s): nigroanalis Amsel,1959 Range (as codes): 10 Shq
- 995. Faveria sordida (Staudinger, 1879) (Pyralidae) Synonym(s): sordida Staudinger, 1879; atmologa Meyrick, 1937 Range (as codes): TR LB Bei CY Nv Ord Cc AZ IQ Bgd Kbl Mos
- 996.Galleria mellonella (Linnaeus,1758) (Pyralidae) Synonym(s): mellonella Linnaeus,1758; cereana Blom,1764; cerella Fabricius,1775; cerea Haworth,1811; cerealis Hübner,[1825]; obliquella Walker,1866; austrina R.Felder & Rogenhofer,1875; #crombruggheela Dufrane,1930. Range (as codes): PT DZ Anna Sbd ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY IR Fa Th Elb Kdj LB IQ Agh IL Pa Hf EG Tls Ax Ik KK KG CY ZA AU TH MY SG Bor Sbh IN AE
- 997. Gymnancyla gilvella (Ragonot,1887) (Pyralidae) Synonym(s): gilvella Ragonot,1887 Range (as codes): Cn MA DZ Bsk Ajj TN Gf LY Cy EG EG11 Sn IL Pa TR 1Q Kbl KW Cc AM TM Krn UZ Man CN Ui Ku
- 998.Gymnancyla hornigii (Lederer,1852) (Pyralidae) Synonym(s): hornigii Lederer,1852; #hornigii Hannemann,1964. Range (as codes): MA DZ TN LY Cy EG SD ES Mu FR IT DE AT PL CZ SK HU RO YU AL BG GR RU IQ Bsr Bgd Amr TR
- 999. Hannemanneia tacapella (Ragonot,1887) (Pyralidae) Synonym(s): tacapella Ragonot,1887 Range (as codes): MA DZ TN LY Cy SD SA SA63 EG BH IL Pa IQ Mos IR TR ZA
- 1000. Hellula undalis (Fabricius,1781) (Pyralidae) Synonym(s): undalis Fabricius,1781; lunulalis Costa,1836; alconalis Walker,1859; exemptalis Walker,[1866]; geyri Rothschild,1915; occidentalis De Joannis,1930; reniculus Pajni & Rose,1977 Range (as codes): TN Sfx PT ES FR Co Sa Si IT MT GB LU DE CH AT SK RO YU GR Cr YE IL Pa TR Sk IR Enz Qz Fa Bu Shr Sse Ss Irs Ana Ke Th Kdj Lgr Km CY LB Bei TM Kp JO IQ Bgd EG AF Hr Bmu Srb Gbh Dwe Bsg Bkt Kot PK Sd Krc Hw US SH IN LK CN PH Luz TW JP AE Cp Hf TH Cc GG Sok MY Bor BN Swk Sbh CV Md Cn AU QAu Bri Bth NSw Aby Gtn DZ Clo Bsk Gf RU Da Cc

1001.Herpetogramma licarsisalis (Walker,1859) (Pyralidae) Synonym(s): licarsisalis Walker,1859; pharaxalis Walker,1859; immundalis Walker,[1866]; fumidalis Walker,[1866]; serotinalis De Joannis,1888; #licarsialis Rebel,1939 Range (as codes): Cn TR CY IL Pa Hf LB Bei EG EG11 IQ Bsr IR Fa Ahz Ss Irs Bmp AF Srb PK Sd Krc AE TW LK CN JP MY Bor Swk Ja ID MH FJ ZA WS TO SB PG AU IN TH PH Luz

- 1002.Homoeosoma candefactellum Ragonot,1887 (Pyralidae) Synonym(s): candefactellum Ragonot,1887 Range (as codes): GG Cc RU Da IQ Agh CY IR Kz AF Srb
- 1003.Homoeosoma capsitanellum Chrétien,1911 (Pyralidae) Synonym(s): capsitanellum Chrétien,1911; eminentella Turati,1924; litorella Amsel,1935; soaltheirellum Roesler,1965 Range (as codes): PT ES Grn MA TN Gf LY Cy IL Jf Pa SA SA63 IQ Bgd IR Kh KuB AF Kab
- 1004. Hydriris ornatalis (Duponchel,1832) (Pyralidae) Synonym(s): ornatalis Duponchel,1832; saturnalis Treitschke,1835; deciusalis Walker,1859; invenustalis Walker,[1866]; fraterna Butler,1875; pulchellalis Mabille,1880 nec Mill.,1873; bifascialis Heeger,1938; orientalis Yamanaka,1972 Range (as codes): Cn DZ Anna Bsk Clo TH Bnk CMa Cuo Cuo7 PH Luz Ceb WS FJ NH MY IN LK ID Ja TW US AU PT ES FR Co Sa Si IT MT CH YU GR Cr CY TR IL Pa Hf LB IQ Bgd Amr EG ZA
- 1005. Hypochalcia rayatella Amsel,1959 (Pyralidae) Synonym(s): rayatella Amsel,1959 Range (as codes): 10 Hio IR Elb Dam
- 1006.Hypotia affinis (Rothschild,1921) (Pyralidae) Synonym(s): affinis Rothschild,1921 Range (as codes): IQ kut Amr IR Qz
- 1007. Hypotia colchicalis (Herrich-Schäffer,[1855]) (Pyralidae) Synonym(s): colchicalis Herrich-Schäffer,[1855]; anceschii Turati,1926 Range (as codes): DZ TN Sfx LY ES RU Cc Kr MD UA BY TR IR Ahz Fa Ss Shr Sse SY JO IL LB IQ Ry CY IR TM KG Tk Dj
- 1008. Hypotia concatenalis Lederer, 1858 (Pyralidae) Synonym(s): concatenalis Lederer, 1858 Range (as codes): 10 Kbl SY Dms KG Uk Ind IR Fa Shr
- 1009. Hypotia mesopotamica (Amsel,1955) (Pyralidae) Synonym(s): mesopotamica Amsel,1955 Range (as codes): 10 Bsr IR Bu Ss
- 1010.Hypotia poliopastalis (Hampson,1900) (Pyralidae) Synonym(s): poliopastalis Hampson,1900 Range (as codes): DZ Ogl Gle Bsk Gf TN IQ
- 1011.Hypotia sinaica (Rebel,1903) (Pyralidae) Synonym(s): sinaica Rebel,1903; debskii Rebel,1912; turturalis Turati,1930; bertrami Lucas,1939; hyrcanalis Amsel,1951; mauritanica Leraut,2004 Range (as codes): MR DZ LY EG Sn KW IQ Bsr IR Ss
- 1012. Hypsopygia costalis (Fabricius,1775) (Pyralidae) Synonym(s): costalis Fabricius,1775; fimbrialis [Denis & Schiffermüller],1775; purpurana Thunberg,1784; hyllalis Walker,1859; rubrocilialis Staudinger,1870; #lugens Rebel,1903; syriaca Zerny,1914; lugens Caradja,1917. Range (as codes): DZ Orn PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR CY TR Cc DK NO SE FI EE LV LT RU MD UA BY IR Ab Sro Th Elb Mz Gls IL Hf Pa EG TM Kp UZ Fe PK IQ Shq Dia KG Tk Tks Nrk CN Ui
- 1013.Insalebria serraticornella (Zeller,1839) (Pyralidae) Synonym(s): serraticornella Zeller,1839; gregella Eversmann,1844; zernyi Toll,1942; rungsella D.Lucas,1942; ifraneella D.Lucas,1956; kairouanensis Leraut,2003 Range (as codes): MA DZ Orn TN SK HU RO YU BG GR TR 10 Ama RU IR
- 1014. Isauria dilucidella (Duponchel,1836) (Pyralidae) Synonym(s): dilucidella Duponchel,1836; ilignella Zeller,1839; laternella Eversmann,1844; crepusculella Lederer,1870; incredibilis Staudinger,1879; subsoritella Ragonot,1887; satanella Ragonot,1887; odontella Ragonot,1893; ledereri Ragonot,1893; cuencella Caradja,1916; gabalitella Chrétien,1931; grisescens Lucas,1950; parvella Amsel,1951; shahidanella Amsel,1970 Range (as codes): DZ Bsk ES Cue FR Sa Si IT DE CH AT PL CZ SK HU RO YU BG GR TR RU Ur MD UA BY IQ Hjo LB Bsa IL Pa TM Kp IR Fa Th Kdj Shh Plr Mz Elb Dam Kz Com AF Sfk KG MN Cc AM GG Smt Akh AE
- 1015.Keradere argyrophanes (Meyrick,1937) (Pyralidae) Synonym(s): argyrophanes Meyrick,1937 Range (as codes): 10 Shq Ssa IR Fa Sse
- 1016.Keradere lepidella (Ragonot,1887) (Pyralidae) Synonym(s): lepidella Ragonot,1887 Range (as codes): YU GR TR Cc CY AM AZ Ny Ord GG LB Bsa 10 Hjo IR Ahz Kh Fa Sse Kdj
- 1017.Keradere noctivaga (Staudinger,1879) (Pyralidae) Synonym(s): noctivaga Staudinger,1879 Range (as codes): MK GR CY TR IL LB Bsa IQ Hjo IR Elb Mz Dam Fa Shr Sse TM
- 1018.Kerbela monotona Amsel,1949 (Pyralidae) Synonym(s): monotona Amsel,1949 Range (as codes): 10 Kbl
- 1019.Krombia pulchella Amsel,1949 (Pyralidae) Synonym(s): pulchella Amsel,1949 Range (as codes): IR Ahz Fa Shr IQ KW
- **1020.Lambaesia straminella (Zerny,1914)** (Pyralidae) Synonym(s): straminella Zerny,1914; alphitopis Meyrick,1937. Range (as codes): TR SY IQ Ry Hjo IR Ha Avd
- 1021.Lamoria anella ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): anella [Denis & Schiffermüller],1775; insulana Schawerda,1931; variegana Lucas,1949; marocana Lucas,1955 Range (as codes): MA DZ Onç TN Tun Elk PT ES FR Co Sa Si IT MT BE NL DE CH AT PL CZ SK HU RO YU BG GR Cr TR RU Sb Us Kr MD UA BY AF Hr IL Pa Hf LB Bei Bsa IQ Bgd IR Ahz Enz Elb Th Kdj Ha Fa Bu Ss Irs KG Uk CY TM Kp EG PK Pj Krc IN Poo Mh LK CN JP ZA AE JO SY AM Cc AZ

1022.Laristania lydella (Lederer,1865) (Pyralidae) Synonym(s): lydella Lederer,1865; gypsocrates Meyrick,1937 Range (as codes): TR IQ Ry Cc Da Ku GG Akh Tbl AM Eri IR Elb Kdv Plr Dam Gor Yz

- **1023.Lepidogma wiltshirei Amsel,1949** (Pyralidae) Synonym(s): wiltshirei Amsel,1949 Range (as codes): 10 Bgd
- 1024.Loryma marginalis (Rothschild,1921) (Pyralidae) Synonym(s): marginalis Rothschild,1921 Range (as codes): IQ Amr
- 1025.Loxostege bicoloralis (W.Warren,1892) (Pyralidae) Synonym(s): bicoloralis W.Warren,1892; flavivenalis Hampson,1913; osthelderi Schawerda,1932 Range (as codes): AM Cc TR 10 Bgd
- **1026.Loxostege scalaris (Christoph,1877)** (Pyralidae) Synonym(s): scalaris Christoph,1877 Range (as codes): **10** Kbl IR Elb TM AF Srb Hr Bsg
- 1027.Maradana minimalis (Amsel,1949) (Pyralidae) Synonym(s): minimalis Amsel,1949 Range (as codes): 10 Mos AE
- 1028.Mecyna marcidalis (Fuchs,1879) (Pyralidae) Synonym(s): marcidalis Fuchs,1879 [März]; pontica Staudinger,1879 [1 Nov.,1879]; designatalis Christoph,1887; lutalbalis Caradja,1916; levilinealis Amsel,1935; syriacalis Marion,1955 Range (as codes): TR IR Elb Kdj Kdv Gor Srd AZ Cc GG Tbl Nv Ord Fa Shr Gls Ghz IQ Shq Ry LB IL Pa Js AF Kot Pag Bm Srb Arh
- 1029.Mecyna subsequalis (Herrich-Schäffer,1855) (Pyralidae) Synonym(s): #subsequalis Herrich-Schäffer,1855; lutulentalis Lederer,1858; consequens Meyrick,1932 Range (as codes): BG GR Cr TR SY Dms IQ Hjo LB Bsa Cc GG Bjo AZ Nv Ord IR Th Elb Kdv Mz Dam Gor
- 1030.Mecyna trinalis ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): trinalis [Denis & Schiffermüller],1775; andalusica Staudinger,1879; tripunctalis Oberthür,1887; anienalis Hartig,1941; joannisalis Marion,1955; maroccanensis Amsel,1956 Range (as codes): MA Rf DZ Lbs Anna Agi ES Mu FR Si IT AT CZ SK HU RO YU AL BG GR TR Cc IQ Hjo Mos IR Elb Kdv Plr Mz Gor Ha Adv UA Cc GG Bjo MN
- 1031.Metacrambus kurdistanellus (Amsel,1959) (Pyralidae) Synonym(s): kurdistanellus Amsel,1959 Range (as codes): 10 Hjo Shq IR
- 1032.Metasia continualis Amsel,1961 (Pyralidae) Synonym(s): continualis Amsel,1961 Range (as codes): 10 Kbl IR Fa
- **1033.Metasia inustalis Ragonot,1894** (Pyralidae) Synonym(s): inustalis Ragonot,1894; continualis Amsel,1961; pseudocontinualis Amsel,1961 Range (as codes): TR IQ KbI IR
- 1034.Metasia kurdistanalis Amsel,1961 (Pyralidae) Synonym(s): kurdistanalis Amsel,1961 Range (as codes): 10 Shq
- 1035.Metasia ossealis Staudinger,1879 (Pyralidae) Synonym(s): ossealis Staudinger,1879 Range (as codes): TR 10 Amr
- 1036.Metasia rosealis Ragonot,1895 (Pyralidae) Synonym(s): rosealis Ragonot,1895; perfervidalis Hampson,1900; rubricalis Rebel,1939; cypriusalis Amsel,1958 Range (as codes): YU GR TR CY LB Bei IQ
- 1037.Metasia suppandalis (Hübner,[1823]) (Pyralidae) Synonym(s): suppandalis Hübner,[1823] Range (as codes): DZ Btna Bsk TN Gf PT ES Mu FR Co Si RO YU AL BG GR Cr TR Cc CY IQ Hjo IR Elb Th Kdj Sse Fa Com Gls
- 1038.Metasia virginalis Ragonot,1894 (Pyralidae) Synonym(s): virginalis Ragonot,1894; fulvilinealis Hampson,1900; #virginialis Rebel,1901; phthoneropis Meyrick,1937 Range (as codes): TR IQ Kbl Shq Dia Mos Ry IR Lo Elb Mz Th LB Bsa
- 1039.Myelois (Gnathogutta) circumdatella Lederer,1858 (Pyralidae) Synonym(s): circumdatella Lederer,1858; ottoella Schawerda,1924; quinquepunctella Turati,1934; cinnerethella Amsel,1935 Range (as codes): LY Cy TR SY Dms IL Pa Hf Js LB IQ Shq Hjo Mos IR Fa Sse Shr Th Elb Kdj
- **1040.Myelois (Gnathogutta) pumicosa Lederer,1855** (Pyralidae) Synonym(s): pumicosa Lederer,1855 Range (as codes): TR LB 10 Hjo Dy
- 1041.Myelois (s.str.) fuscicostella Mann,1861 (Pyralidae) Synonym(s): fuscicostella Mann,1861; nivosella Ragonot,1890; palalbidella Chrétien,1917; margaritella Turati,1930; infumatella Amsel,1961; niveisplendella Amsel,1961 Range (as codes): DZ Ges Bsk Lms Onç TN Gf LY Cy TR ES AF Srb Bm IR IQ Kbl
- 1042.Myelois (s.str.) synclina Meyrick,1937 (Pyralidae) Synonym(s): synclina Meyrick,1937 Range (as codes): 10 Shq
- 1043.Myrlaea albistrigata (Staudinger,1881) (Pyralidae) Synonym(s): albistrigata Staudinger,1881 Range (as codes): TR Cc LB Bsa IR Elb Mz Kdv Plr Shh IO Rv Hjo AF Pag
- **1044.Myrlaea epischniella (Staudinger,1879)** (Pyralidae) Synonym(s): epischniella Staudinger,1879; dentilineella Ragonot,1887 Range (as codes): TR TM Krn IQ Hjo
- 1045.Myrlaea kurdistana Amsel,1959 (Pyralidae) Synonym(s): kurdistana Amsel,1959 Range (as codes): 10 Shq
- **1046.Nephopterix eustatica Meyrick,1937** (Pyralidae) Synonym(s): eustatica Meyrick,1937 Range (as codes): 10 Ry

1047.Nephopterix macrocirtensis Amsel,1954 (Pyralidae) Synonym(s): macrocirtensis Amsel,1954 Range (as codes): IR Fa Shr Ss Irs IQ

- 1048.Nomophila noctuella ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): noctuella [Denis & Schiffermüller],1775; hybridalis Hübner,1796; indistinctalis Walker,1859 Range (as codes): MA DZ TN Sfx Elk PT ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR IQ Bgd Dia Shq Amr Kro Bji IR Ahz Ab Elb Dam Plr Mz Enz LB Bsa Bei SY IL Pa Hf AF Hr Bmu Anj Gz Jla Kot PK Mre DK NO SE FI EE LV LT RU MD UA BY PH TW AE Cp Haz Abb C-P Cte ID IN ZA Sro Qba Gea Bsk Onç Ceg Heh Ogl Gle Omy Gtt Ah Ajj Ges Rhr
- 1049. Nyctegretis lineana (Scopoli,1786) (Pyralidae) Synonym(s): lineana Scopoli,1786; achatinella Hübner,[1824]. Range (as codes): ES FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU GR TR Cc DK NO SE FI EE LV LT RU MD UA BY Ur LB IL 1Q IR Mz Elb CN Ui Ku Shs AF KG Uk TM Kp MN
- 1050.Nymphulosis arcanella Amsel,1959 (Pyralidae) Synonym(s): arcanella Amsel,1959 Range (as codes): 10
- 1051.Ocrisiodes alphitopis (Meyrick,1937) (Pyralidae) Synonym(s): alphitopis Meyrick,1937 Range (as codes): 10 Ry
- 1052.Oncocera semirubella (Scopoli,1763) (Pyralidae) Synonym(s): semirubella Scopoli,1763; rosella Goeze,1783 nec Sc.,1763; purpurella Thunberg,1788; sanguinella Hübner,1796; sanguinea Haworth,1811; nigrella Caradja,1916 Range (as codes): DZ Cst PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr CY LB IL Pa Hf TR Cc IQ Amr Shq AF Hr CN JP DK NO SE FI EE LV LT RU Am MD UA BY KP KR TW IR Enz Mz Kh CN Ui Tek Kty
- 1053.Palepicorsia ustrinalis (Christoph,[1877]) (Pyralidae) Synonym(s): ustrinalis Christoph,[1877]; emiralis Oberthür,1888; excavatalis Ragonot,1892; palmalis Swinhoe,1884 Range (as codes): Cn MA DZ Bsk TN Gf Sfx PT ES FR Sa MT IQ Bsr CY IL Pa Jt Js IR Ahz Elb Kdj Ss Kz Sde Ssh Ke Ana AF Pag PK Sd Krc YE SA TM AE EG EG11 RU Aa
- 1054.Parapoynx affinialis (Guenée,1854) (Pyralidae) Synonym(s): affinialis Guenée,1854; incommoda Butler,1881; fuscomarginata Bethune-Baker,1894; #alaicalis Caradja,1916 Range (as codes): IL Pa TR SY Dms IR Fa Ahz Kz Sde Ke Ana Ss Irs Gh Tgo TM AF IQ Bsr Bgd Amr Dia Mos KW EG PK Sd Krc MY IN SI Hp Sml Nk Mh Poo Bba Mhw ID AU Aru YE Sk Al TJ ZA RU Ro
- 1055.Pediasia contaminella (Hübner,1796) (Pyralidae) Synonym(s): contaminella Hübner,1796; squalidalis Hübner,[1825]; cantiellus Tutt,1886. Range (as codes): PT ES FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Mo Tt Mnu Kj MD UA BY TM Kp IR Mz Gor Gh Tgo IQ Shq Len AZ Cc ZA
- 1056.Pediasia desertella (Lederer,1855) (Pyralidae) Synonym(s): desertellus Lederer,1855 Range (as codes): MR DZ Cst Bsk LB Bei PT Si RO TR IL Jf Js Hf Pa JO CY IQ Mos Dia Brs IR Fa
- 1057.Pediasia matricella (Treitschke,1832) (Pyralidae) Synonym(s): matricella Treitschke,1832; obscura Caradja,1931; stenopterella Amsel,1949 Range (as codes): IT AT HU RO YU MK Och BG GR TR RU MD UA BY KG JO IL 10 Mos TM IR
- 1058.Pempelia coremetella (Amsel,1949) (Pyralidae) Synonym(s): coremetella Amsel,1949 Range (as codes): ES LY KW IR KZ Sde 10 Shq Kbl
- 1059.Pempelia palumbella ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): palumbella [Denis & Schiffermüller],1775; conturbentella Hübner,1796; cinerea Humpreys & Westwood,1841; undulatella Walker,1866; ragonoti Turati,1923; liviella Zerny,1927 Range (as codes): ZA? DZ Lbs Tni Tis PT ES An Grn FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR CY TR IQ Shq IL Pa Js LB Bsa Bmm DK NO SE FI EE LV LT LK
- **1060.Pempeliella ochrifasciella (Ragonot,1887)** (Pyralidae) Synonym(s): ochrifasciella Ragonot,1887; amphipyrrha Meyrick,1937 Range (as codes): TR Cc IQ Dia Ama
- 1061.Phlyctaenomorpha sinuosalis (Le Cerf,[1910]) (Pyralidae) Synonym(s): sinuosalis Le Cerf,[1910]; platyphaea Meyrick,1937. Range (as codes): 10 Ama Dk Hjo Ry IR Fa Com Sse TR Kal Ae
- 1062.Phycita comeella Amsel,1950 (Pyralidae) Synonym(s): comeella Amsel,1950 Range (as codes): 10 Hjo Shq IR Fa Com Sse
- 1063. Phycita diaphana (Staudinger, 1870) (Pyralidae) Synonym(s): diaphana Staudinger, 1870; biscraella Caradja, 1916 Range (as codes): Cn DZ Bsk PT ES An MT GR Cc TR CY EG AM SY IQ Bgd IR Ana Ke Shh Kz Ss Irs IL Pa RE MU
- 1064.Phycita eremica Amsel,1935 (Pyralidae) Synonym(s): eremica Amsel,1935; aciculata Meyrick Range (as codes): IL Pa JO Jt IQ Bgd IR Ss Irs
- 1065.Phycitodes albatella (Ragonot,1887) (Pyralidae) Synonym(s): albatella Ragonot,1887; parvum Gerasimov,1930; pseudonimbella Bentick,1937 Range (as codes): LY Cy TN Gf DZ MA Cn Az PT ES Mu FR Co Sa Si IT BE NL LU DE CH AT PL CZ SK HU RO YU HV MK AL BG GR DK NO SE FI LV LT RU MD UA BY TM Kp UZ Smk Br LB Bei Bsa SY Dms IL Hf Jer Jf Jt Pa EG CY TR IQ Bsr IR Elb Th Kdj AF Kbb Slg Pli Hr Srb Kab Sen Ch Gg PK TJ KK NP US CN She
- **1066.Phycitodes albovittella (Ragonot,1888)** (Pyralidae) Synonym(s): albovittella Ragonot,1888; costalbella Amsel,1953. Range (as codes): PK Pj IQ Bsr

1067.Phycitodes lacteella (Rothschild,1915) (Pyralidae) Synonym(s): lacteella Rothschild,1915; viettella Roesler,1965. Range (as codes): LY Cy TN DZ Onç MA Cn ES Mu FR Sa Si IT MT DE HU RO SK YU AL BG GR RU Ur Mo MD UA SY Dms TR LB Bda IL Jf Jer Hf SA SA63 BH IQ Bgd IR Elb Th Kdj Fa Shr Kz Ss Kh AF Gbh Pag Sfk Pic Pli Kab Dwe Blh Slg Bm Bkt Nu KG Tk Ii Dj MN

- **1068.Phycitodes nigrilimbella (Ragonot,1887)** (Pyralidae) Synonym(s): nigrilimbella Ragonot,1887 Range (as codes): TR IR Elb Th Fa Shr LB Bsa IL Hf IQ Hjo
- 1069.Phycitodes saxicola (Vaugham,1870) (Pyralidae) Synonym(s): saxicola Vaugham,1870; subbinaevella Ragonot,1888; griseopunctata Lucas,1955; vallettae Amsel,1951; comeella Amsel,1961; tenerifferlla Roesler,1965 Range (as codes): Cn DZ MA TN Gf LY Cy PT ES Mu Py FR Co Sa Si IT MT IE GB BE NL DE CH AT CZ SK RO YU HV B-H MK BG GR Cr CY DK NO SE FI EE LV LT TR RU Or Ur Sr LB Bei Bsa SY Dms IL Hf Js Jt IQ Bgd IR Elb Th Kdj Fa Shr AF Pag Kab Srb Gbh
- 1070. Plodia interpunctella (Hübner, [1813]) (Pyralidae) Synonym(s): interpunctella Hübner, [1813]; interpunctalis Hübner, [1825]; zeae Fitch, 1856; castaneella Reutti, 1898; latercula Hampson, 1901; glycinivora Matsumura, 1917; glycinivorella Matsumura, 1932. Range (as codes): Cn MA DZ Bsk Anna LY Cy TN Gf PT ES B-I Md FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU HV B-H MK AL BG GR Cr TR EG DK NO SE FI EE LV LT RU Sb Ur Am KP KR MD UA BY LB IL Pa SD SA IQ IR Ab Oru TM AF PK KG Uk CN Ui Kgs Stg JP Hkk TW ZA AU CA
- 1071.Polyocha omranella (Amsel,1959) (Pyralidae) Synonym(s): omranella Amsel,1959 Range (as codes): 10 Hjo
- 1072.Polyocha transversariella (Zeller,1848) (Pyralidae) Synonym(s): transversariella Zeller,1848; strigosa Staudinger,1879; phoeniciella Ragonot,1895; discella Hampson,1901; granatella Zerny,1927 Range (as codes): MA DZ Ah TN PT ES An Grn IT Si RO YU GR RU MD UA BY TR Cc IL Pa Hf LB Bei JO IQ Shq Rwz Mos Dia IR Fa
- 1073. Pristocerella solskyi (Christoph,1877) (Pyralidae) Synonym(s): solskyi Christoph,1877; ochroleucella Staudinger,1879; bivitella Christoph,1887. Range (as codes): Cc AM Eri AZ Kir TR IR Elb Th Shh Dam Mz Ha Fa Kd Km Lo Zj Shh IQ Ry Hjo TM Kp
- 1074. Prochoristis rupicapralis (Lederer, 1855) (Pyralidae) Synonym(s): rupicapralis Lederer, 1855 Range (as codes): IL Pa Hf CY LB Bei TM Kp AF Hr TR 10 Mos Kbl Rwz SY IR Fa Shr Ss Sse Mia AE
- 1075.Prorophora (s.str.) curvibasella Ragonot,1887 (Pyralidae) Synonym(s): curvibasella Ragonot,1887 Range (as codes): UZ Nmg Fe TM Kp Krn IR Elb Th Fa AF IQ Mos
- 1076.Psammotis pulveralis (Hübner,1796) (Pyralidae) Synonym(s): pulveralis Hübner,1796 Range (as codes): ES FR Co Sa IT GB NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK TR IQ Ry LB Bsa NO SE FI EE LV LT RU MD UA BY IR Elb Kdv Gor Shh Fa Sse Ha Yz Kh KG Tk Dj Ii AF Slg Shah Kot Adr Shv Pag
- 1077.Psorosa dahliella (Treitschke,1832) (Pyralidae) Synonym(s): dahliella Treitschke,1832; bivitella Duponchel,1836; flavifasciella Hampson,1901 Range (as codes): PT ES FR Co Sa Si IT CH SK HU RO YU BG GR CY TR 10 Ama Ssa IL Pa Hf RU MD UA BY IR Dam Plr Elb Mz Gor Shh
- 1078.Psorosa nucleolella (Möschler,1866) (Pyralidae) Synonym(s): nucleolella Möschler,1866; clarella Caradja,1910; #luteostrigella Caradja,1910; mediterranella Amsel,1953. Range (as codes): PT ES Mu Si FR IT YU TR Cc IQ Shq Bgd Amr RU Sr KG Uk Tk Dj IR Elb Plr Kdv Mz Shh Ss Irs Ana Ke Kz Sde AF Hr MN
- 1079.Ptyonocera proteroleuca Meyrick,1937 (Pyralidae) Synonym(s): proteroleuca Meyrick,1937 Range (as codes): 10 Ry
- 1080.Pyralis farinalis (Linnaeus,1758) (Pyralidae) Synonym(s): farinalis Linnaeus,1758; erecta Fourcroy,1785; farinatus Haworth,1810; domesticalis Zeller,1847; fraterna Butler,1879; tenerifensis Rebel,1906; meridionalis Schmidt,1934; orientalis Amsel,1961 nec Fabr.,1794. Range (as codes): Az Cn DZ Elt TN Sfx PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR IR Ab Oru Elb Th Kdj Nss Ha Gls LB Bsa IQ Bgd Er Shq DK NO SE FI EE LV LT RU MD UA BY IL Pa Hf AF Ca Gbh Pli AU AY NZ TW JP KP KR ZA
- 1081.Pyralis kacheticalis (Christoph,1893) (Pyralidae) Synonym(s): kacheticalis Christoph,1893; imperialis Caradja,1916 Range (as codes): Cc Da RU GG AZ AM UA Cm TR TM Kp IR Fa Sse Ss Th Elb Kdj IQ Brs Ssa
- 1082.Pyrasia gutturalis (Staudinger,1879) (Pyralidae) Synonym(s): gutturalis Staudinger,1879 Range (as codes): TR LB Bsa SY Dms IQ Hjo IR Fa Shr Sse Com Elb Mz
- 1083. Pyrausta aurata (Scopoli,1763) (Pyralidae) Synonym(s): aurata Scopoli,1763; punicealis [Denis & Schiffermüller],1775; niepoldalis Lederer,1863; meridionalis Staudinger,1880 nec Wcke,1871; deficiens Dufrane,1957; inciae Koçak,1982 Range (as codes): Cn MA DZ TN PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr LB Bsa IL Pa CY TR IR Fa Yz Elb Kdj Th Ana Ke Ab Sro Enz Gh Kh Tgo Gls IQ Dia Rwz Shq DK NO SE FI EE LV LT RU MD UA BY AF Srb Pli Arh Hr Kot Fz Khi Kab Dwe Cc GG Bjo Mng Nv Ord Hkd Len Sok AZ Agi
- 1084.Pyrausta despicata (Scopoli,1763) (Pyralidae) Synonym(s): despicata Scopoli,1763; koenigiana O.F.Müller,1764; vestianella Clerk,1764; cespitalis [Denis & Schiffermüller],1775; sordialis Thunberg,1784; intermedialis Duponchel,1833; tendinosalis Bremer,1874; yangtsealis Caradja,1938; ifranalis Leraut,2001 Range (as codes): MA Ifr PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO SS YU AL BG GR Cr TR IQ Rwz Amr DK NO SE FI EE LV LT RU Cc GG CY IR Ab Elb Shh Th Fa Shr Com Ha Plr Kdv Mz AF Hr Bmu Slg Pnj BdA Pic Kab Arh Srb Ca Gbh Adr Fz Khi Pag Pli UZ Fe CN Ui AZ AM Ju Ku LB Bsa PK Abb Sro Mz Sb Yu Uk JO KG DZ Lbs BY MD UA Cm Lvv Da Aa VI KP KR

- 1085.Pyrausta euergestalis (Amsel,1954) (Pyralidae) Synonym(s): euergestalis Amsel,1954; #evergestalis Wiltshire,1957. Range (as codes): TR IR Fa Elb Kdj Th Ahz IQ Dy AF Hr Dwe
- 1086.Pyrausta ferrealis (Hampson,1900) (Pyralidae) Synonym(s): ferrealis Hampson,1900 Range (as codes): TR 10 Mos SY
- **1087.Pyrausta limbopunctalis (Herrich-Schäffer,[1849])** (Pyralidae) Synonym(s): limbopunctalis Herrich-Schäffer,[1849] Range (as codes): PT ES An Grn Sa RU TR Cc Kus Da AM IQ Ry IR Elb Th Mz Ha Dam Kdv
- 1088.Pyrausta virginalis Duponchel,1832 (Pyralidae) Synonym(s): virginalis Duponchel,1832; auroralis Zeller,1847; tristriatalis Szent-Ivany & Uhrik-Meszaros,1942; arianalis Amsel,1970 Range (as codes): TN Elk Sfx FR Co Sa Si IT CH AT SK HU RO YU HV MK AL BG Slv GR Cr Rd CY TR Cc AM Eri IL Pa Js IQ Hjo Mos Shq IR Fa Shr Sse Th Kdj Elb Mz Kh Srd AF Pnj Kbb Kot BdA
- 1089.Rungsina canifusalis (Hampson,1900) (Pyralidae) Synonym(s): canifusalis Hampson,1900; smaraensis Leraut,2004 Range (as codes): TN Gf DZ Ges Gle Bsk Gha Hdr Eal Onç SY JO IQ Amr Kro IR Fa Shr KW
- 1090.Rungsina iranalis (Amsel,1949) (Pyralidae) Synonym(s): iranalis Amsel,1949 Range (as codes): IR Fa Shr Sse Th Kdj Ss Chh Irs IQ Smr
- 1091.Saluria maculivittella Ragonot,1887 (Pyralidae) Synonym(s): maculivittella Ragonot,1887; armeniella Ragonot,1888 Range (as codes): MA DZ Ah Gle Omy Bsk TN Gab FR Sa IT? TR KG Uk JO IQ Bgd Kbl Amr IL EG CY IR Ahz Kz Fa RU UZ Man IN
- 1092. Saluria pulverosa (Hampson, 1896) (Pyralidae) Synonym(s): pulverosa Hampson, 1896 Range (as codes): IN IQ Azz Bgd Amr
- 1093. Schoenobius alpherakyi Staudinger, 1874 (Pyralidae) Synonym(s): alpherakyi Staudinger, 1874 Range (as codes): AF Hr TR IL IR Ahz Elb Kdj Mz Bu Fa Shr Kz Sde IQ Bgd
- 1094. Schoenobius gigantellus ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): gigantella [Denis & Schiffermüller],1775 Range (as codes): ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU BG TR IL Jt Pa Cc AM AZ Len IQ Bgd IR Mz Gls Ahz Kz Sde DK NO SE FI EE LV LT RU MD UA BY KG Uk Tk Dj
- 1095. Schoenobius incertellus (Walker, 1863) (Pyralidae) Synonym(s): incertellus Walker, 1863 Range (as codes): IQ Amr Qr IN Nag Clc LK MY Bor ID Ja Sum TH SG CN TW JP PH
- 1096.Sciota rhenella (Zincken,1818) (Pyralidae) Synonym(s): rhenella Zincken,1818 Range (as codes): ES FR IT BE NL DE CH AT PL CZ SK HU RO YU BG DK FI EE LV LT RU IQ Shq TR AF Cc GG Lag KG Tk Dj Ii IR Elb Th Kdj
- 1097.Scotomera gnidusalis (Walker,1859) (Pyralidae) Synonym(s): gnidusalis Walker,1859; tristis Butler,1881 Range (as codes): TR LK PK Cp Sd Krc IQ ZA
- 1098.Scotomera tacapealis (Ragonot,1891) (Pyralidae) Synonym(s): tacapealis Ragonot,1891 Range (as codes): TN DZ 10 Bgd Rwz IR Th Kdj Elb
- 1099.Shirazia wiltshirei Amsel,1959 (Pyralidae) Synonym(s): wiltshirei Amsel,1959 Range (as codes):
- 1100.Spoladea recurvalis (Fabricius,1775) (Pyralidae) Synonym(s): recurvalis Fabricius,1775; fascialis Cramer,[1782]; recurvella Zincken,1818; diffascialis Hübner,[1825]; albifacialis Boisduval,1833; animalis Guenée,1854; exodias Meyrick,1904; formosana Shiraki,1910. Range (as codes): Az Cn ES FR Co BE MT GB NL DE DK PH Luz Boh ID Sum Ja Amb Tim JP KP KR TW CN PG NIr AU NZ Hw IN Adm LK MG BR ZA Lpo Tva Spb Mdk AF Srb Gbh Kot IQ Bgd YE LB IR Fa Sse Shr Ss Irs CY TR IL Pa Hf WS FJ NH MY Kmd MM TH CMa Cuo Cuo1 Cuo5 Dst Dso9 Sgk Hya PSu HU RU Sh Krl Am Us Cc Ce Gro UA Cm SG Md PK Cp H-A AE OM DB KH Kwa Stg Clb Bor Hkk Ri Swk NP Up Rj Tn Mys Guj CX DZ AO CN Sz KM ZR CG GO ET GN GH KE LS ML MW MU MZ NE NG RE SH ST SN SC SL SO SD TZ UG ZM ZW BM BS JM PA TT PR GP GD HN MQ MS Nje Fl SCa Vi CU CR DO CL CO GY PY PE VE NSw QAu WAu NC VAu CK TO TV Sz1
- 1101.Stemmatophora brunnealis (Treitschke,1829) (Pyralidae) Synonym(s): brunnealis Treitschke,1829; phaealis Hampson,1900; ocellata Rothschild,1915; lividalis Constantini,1922; #nigrobrunnealis Schawerda,1941 Range (as codes): MA DZ Anna Gue Ges TN PT ES FR Sa Si IT MT CH AT CZ SK HU RO HV YU MK BG GR CY IL TR Cc AZ Kir Lag GG LB IQ Bgd TM Kp
- 1102. Stemmatophora honestalis (Treitschke,1829) (Pyralidae) Synonym(s): honestalis Treitschke,1829; marrakechensis Leraut,2000 Range (as codes): MA DZ Sbd PT ES SK HU RO YU HV AL BG GR PI TR CY IR Fa Sse Shr Elb Th Kdj IQ Ry LB
- 1103. Stiphrometasia monialis (Erschoff,1871) (Pyralidae) Synonym(s): monialis Erschoff,1871 Range (as codes): IR Ab Khy Fa Bu Shr Th Kdj Gls Ss Srw PK Ch Gg AF Hr UZ Smk TM IQ IN AE
- 1104. Stiphrometasia sancta (Hampson, 1900) (Pyralidae) Synonym(s): sancta Hampson, 1900; alba Caradja, 1916 Range (as codes): IL Pa JO TR IQ Kbl Rwz IR Ahz Fa Shr
- 1105.Susia designella (Amsel,1955) (Pyralidae) Synonym(s): designella Amsel,1955 Range (as codes):
- 1106.Susia uberalis (Swinhoe,1884) (Pyralidae) Synonym(s): uberalis Swinhoe,1884; bahrainalis Amsel,1968. Range (as codes): DZ Bsk Ath Ah TN Gf LY Cy TR IL Jf Js Jer Pa Hf BH IR Ahz Ss Irs Hz Th Elb Kj Ke B-A LB Bei SY Dms SA SA08 SA63 EG EG11 Sn JO Amm Jt IQ Mos Kbl Bgd AE AF Srb Kab PK Sd Krc Gg Ch Sk
- 1107.Synaphe armenialis (Lederer,1870) (Pyralidae) Synonym(s): armenialis Lederer,1870 Range (as codes): Cc AZ Kir GG Tbl SY TR IQ Azz Bgd Amr

- 1108.Synaphe consecratalis (Lederer,1855) (Pyralidae) Synonym(s): consecratalis Lederer,1855 Range (as codes): LB TR Cc SY IR Elb Th IQ Ry Cc AM Eri
- 1109. Synaphe morbidalis (Guenée, 1849) (Pyralidae) Synonym(s): morbidalis Guenée, 1849; bipunctalis Hampson, 1906 Range (as codes): MR DZ Mage Sét Gha Sa EG SY Dms IL Pa Hf LB TR IQ
- 1110.Synaphe uxorialis (Lederer,1858) (Pyralidae) Synonym(s): uxorialis Lederer,1858 Range (as codes): SY TR IL Pa LB Bsa IQ Ama JO
- 1111.Synclera traducalis (Zeller,1852) (Pyralidae) Synonym(s): traducalis Zeller,1852; retinalis Lederer,1857; univocalis Walker,1859; achatinalis Guenée,1862 Range (as codes): BG TR LB Bei SY IL Pa Hf EG EG11 IQ Mos Rwz Shq IR Ahz Fa Bu Shr AF Kot ZA Lpo Tva PH Luz IN LK ID Ja Clb Amb TH Bnk Chc Mhs Sup LY YE Ad AE SA MU KE TZ ET NG AO NA
- 1112.Syrianarpia mendicalis (Staudinger,1879) (Pyralidae) Synonym(s): mendicalis Staudinger,1879; #mencidalis Amsel,1949; osthelderi Leraut,1982; fuscella Leraut,1982 Range (as codes): UA Cm TR IQ Rwz Brs IR Snj Kd
- 1113. Taftania serratella (Ragonot, 1893) (Pyralidae) Synonym(s): serratella Ragonot, 1893; oxycyma Meyrick, 1937 Range (as codes): EG Sn DZ Ges Sk TR IQ Rwz IR Fa Ss AF Kab Bm Srb
- 1114. Talis quercella ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): #quercella [Denis & Schiffermüller],1775; noctuella Hübner,1796; neglectella Hübner,[1824]. Range (as codes): TN Gf DZ Sa IT AT PL CZ SK HU RO TR BG RU Tt Ur MD UA BY 1Q Smr IR Elb Kdj Th KG Uk CN Ui Ku MN
- 1115.Tegostoma mossulalis Amsel,1949 (Pyralidae) Synonym(s): mossulalis Amsel,1949 Range (as codes): IQ Mos IR Th Kh Ss Bmp Irs Chh Mz AF Pli Dwe Arh Kab Srb Gz
- 1116.Tegostoma paralis Hampson,1900 (Pyralidae) Synonym(s): paralis Hampson,1900 Range (as codes): UZ Fe IQ Bgd IR Qz
- 1117. Tegostoma perlepidalis (Guenée,1854) (Pyralidae) Synonym(s): #lepidalis Herrich-Schäffer,[1851]; perlepidalis Guenée,1854; lepidalis Herrich-Schäffer,[1855]; #lepidale Caradja,1917 Range (as codes): TR Cc AM Eri AZ Nv Ord IQ IR Elb Kdj Th Ha Adv Fa Sse Shr AF Kab
- 1118.Teliphasa (Sultania) lophotalis (Hampson,1900) (Pyralidae) Synonym(s): lophotalis Hampson,1900 Range (as codes): IQ Shq IL Pa JO TR LB Bsa IR Fa
- 1119.Tephris romanoffella (Ragonot,1887) (Pyralidae) Synonym(s): romanoffella Ragonot,1887 Range (as codes): TM Kp TR IQ Shq
- 1120.Tephris stenopterella Amsel,1949 (Pyralidae) Synonym(s): stenopterella Amsel,1949 Range (as codes): IL Pa Jer JO Jt 10 Bgd
- 1121.Thopeutis galleriellus (Ragonot,1892) (Pyralidae) Synonym(s): galleriellus Ragonot,1892; canicostalis Hampson,1896; unicolor De Joannis,1910; submedianalis Hampson,1919; buxtoni Rotschild,1921; chretienellus Dumont,1930; maculalis Predota,1934; hederalis Amsel,1935 Range (as codes): ES FR Sa RO RU Da Ce UA Cm TR IR Mz Ss Fa Gls Bu Gor Abn Ahz Kz TN DZ IN Sd Cle PK LK IQ Amr IL Pa
- 1122. Thyridiphora furia (Swinhoe, 1884) (Pyralidae) Synonym(s): furia Swinhoe, 1884; fenestrata W. Warren, 1888; grisea Amsel, 1968. Range (as codes): GR TR IQ Rwz Kbl PK Pj Cp Krc IR Elb Th Kdj Fa Shr Chh Ss Ana Ke YE Ad
- **1123.Tretopteryx pertusalis (Geyer,[1832])** (Pyralidae) Synonym(s): pertusalis Geyer,[1832]; weissenbornii Freyer Range (as codes): FR GR Cr TR IQ Ama LB Bsa IL Pa
- 1124.Trissonca crocotoxa Meyrick,1937 (Pyralidae) Synonym(s): crocotoxa Meyrick,1937 Range (as codes): 10 Ama
- 1125.Trissonca polycapna Meyrick,1937 (Pyralidae) Synonym(s): polycapna Meyrick,1937 Range (as codes): 10 Ama
- 1126.Udea confinalis (Lederer,1858) (Pyralidae) Synonym(s): confinalis Lederer,1858; graecalis Staudinger,1870 Range (as codes): GR TR Cc SY Dms IQ Ry Hjo IR Elb Nss Com Kz Th Fa Kh
- 1127.Udea ferrugalis (Hübner,1796) (Pyralidae) Synonym(s): ferruginalis Rossi,1794 nec Fabr.,1781; ferrugalis Hübner,1796; #ferugalis Hübner,1796; martialis Guenée,1854; hypatialis Walker,1859; testacea Butler,1879

 Range (as codes): DZ MA PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR DK NO SE FI EE LV RU MD UA BY IL Pa Hf LB Bsa IR Ahz Elb Mz Kdv Dam Plr Gor Kdj Km Th Fa Shr Sse Kh Gh Tgo IQ Dia Bgd Rwz AF Ca Arh Khi Adr Fz Bsg Hr Blh IN LK MM ET JP TW TH CMa Dst Dso9 Cc GG Tbl Lag Len AZ Sok Cn AE Ajj Clo
- 1128.Udea languidalis (Eversmann,1842) (Pyralidae) Synonym(s): languidalis Eversmann,1842; arabescalis Herrich-Schäffer,1860; veneralis Staudinger,1871 Range (as codes): RO SS HV B-H AL BG MK GR Cr TR Cc AZ Kir Mng Nv Ord IR 1Q Ry IL Pa CY UA RU KG Uk
- 1129.Udea praepetalis (Lederer,1869) (Pyralidae) Synonym(s): praepetalis Lederer,1869; haemopsamma Meyrick,1937 Range (as codes): IR Ha Adv Fa Th Kdj Elb Kdv Mz Plr Gor Sse TR Cc AZ Nv Ord IQ Ry Slf TM KK CN Ui Kml
- 1130.Uresiphita gilvata (Fabricius,1794) (Pyralidae) Synonym(s): polygonalis sensu [Denis & Schiff.],1775 nec Linn.,1767; #limbalis [Denis & Schiffermüller],1775; gilvata Fabricius,1794; orientalis Fabricius,1794; diversalis Hübner,1796; rusticalis Hübner,1796; aversalis Guenée,1854; consanguinalis Guenée,1854; teriadalis Guenée,1854;

deprivalis Walker,1859; meridionalis Wocke,1871; virescens Butler,1881; gracilis Caradja,1916; ochrocrossa Clarke,1971 Range (as codes): TN Sfx PT ES FR Co Sa Si IT MT GB BE NL DE CH AT PL CZ SK HU RO YU BG GR Cr CY DK RU UA BY TR IL Pa Hf LB Bsa IQ Mos Brs Dia Amr Ssa IR Ahz Fa Shr Se Ha Gls Elb Th Kdj Lo KG Tks AF Hr Bmu Kab Srb Arh Gbh Bsg Blh Dwe Bkt PK Cp Gg ZA Tva Lpo Spb Hgl Mdk Cm Lvv Vl Ur Tv Lj Sd Krc Lbs An Grn Bei DZ Gtt Onç Anna Orn Ges

08 09 2018

- 1131.Zonora argentalis (Hampson,1900) (Pyralidae) Synonym(s): argentalis Hampson,1900; biscraeensis Caradja,1916; senegalensis Leraut,2004 Range (as codes): MA DZ Bsk TN Gf SN IR Elb Th Ss SY Fa Shr 10 Kbl Amr JO
- 1132.Zonora concatenalis (Lederer,1858) (Pyralidae) Synonym(s): concatenalis Lederer,1858 Range (as codes): RU SY Dms KG Uk IQ Kbl

Saturniidae

In this country, a single species has been recorded so far.

1133. Saturnia (s.str.) pyri ([Denis & Schiffermüller],1775) (Saturniidae) Synonym(s): pyri [Denis & Schiffermüller],1775; teherana Lenek,1970; pinkerae Kobes,1980. Range (as codes): PT ES FR Co Sa Si IT NL LU CH AT CZ SK HU RO DK YU AL BG GR Rd TR SY Dms LB Bsa Pa IL Hf 1Q IR Ab Ak Oru Shf Msw Fa Shr Kh Ke Elb Th AM Eri AZ Nv Ord Hkd GG Tbl Smt Bjo Cc RU Da Der

Scythridae

In this country, 5 species have been recorded so far.

- 1134.Scythris (bagdadiella-gr.) bagdadiella Amsel,1949 (Scythridae) Synonym(s): bagdadiella Amsel,1949 Range (as codes): DZ Agi IQ Bgd TR RU Ur KG UZ AF Ca
- 1135.Scythris (monochreella-gr.) monochreella (Ragonot,1895) (Scythridae) Synonym(s): monochreella Ragonot,1895; lychnitis Meyrick,1918 Range (as codes): EG TR SY LB IL Pa IQ Bsr Bgd IR AE IN Rj AF
- 1136.Scythris (scopolella-gr.) apicalis (Zeller,1847) (Scythridae) Synonym(s): apicalis Zeller,1847; unipunctella Rebel,1901; #mediella Caradja,1920 Range (as codes): FR RO GR TR Cc AM Eri IQ Hjo Er IR LB CN Ui Ku
- 1137. Scythris divergens Bengtsson, 2005 (Scythridae) Synonym(s): divergens Bengtsson, 2005 Range (as codes): TR 10 Hjo SY LB Bei
- 1138.Scythris lychnitis Meyrick,1918 (Scythridae) Synonym(s): lychnitis Meyrick,1918 Range (as codes): 10 Bsr

Sesiidae

In this country, 4 species have been recorded so far.

- 1139.Bembecia illustris (Rebel,1901) (Sesiidae) Synonym(s): illustris Rebel,1901 Range (as codes): GG
- 1140.Chamaesphecia doryceraeformis (Lederer,1853) (Sesiidae) Synonym(s): doryceraeformis Lederer,1853 Range (as codes): TR IQ Cc AM IR Lo Es By
- 1141.Euhagena palariformis (Lederer,1858) (Sesiidae) Synonym(s): palariformis Lederer,1858; dioctriiformis Romanoff,1884; rubrescens Staudinger,1887; almana Rebel,1917 Range (as codes): TR IQ Ssa IR Fa Ab Sro Lo Es By LB SY Bld Dms Cc IL Pa AZ AM
- 1142.Eusphecia pimplaeformis (Oberthür,1872) (Sesiidae) Synonym(s): pimplaeformis Oberthür,1872; maculiferum Staudinger,[1896] Range (as codes): MK YU BG GR TR RU IQ Bgd IR Ke Lo AZ Bak Cc

Sphingidae

In this country, 22 species have been recorded so far.

1143.Acherontia atropos (Linnaeus,1758) (Sphingidae) Synonym(s): atropos Linnaeus,1758; solani Oken,1815; sculda Kirby,1877. Range (as codes): Az Cn CV MA DZ TN LY PT ES Mu An FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY Rd TR DK NO SE FI EE LV LT RU MD UA Cm BY LB IL Hf

- Pa JO AZ IR Elb Gor IQ SA MU MG ZA Nta Cap Ec Pre Tva SO MZ GN SL TZ GM GA EG EG05 SY AZ AM Bkw Gau Lpo Spb Mdk Mpu Brb Dbn Kir GG Bjo Tbl Lag Len Da Mo Vl St Sr Cc Kh Agi Btna Orn Clo
- 1144.Acherontia styx (Westwood,1847) (Sphingidae) Synonym(s): styx Westwood,1847; ariel Boisduval,[1875]; #stax Lewvanich,2001 Range (as codes): JO LB Bei IQ Tkr SY SA OM IR Ss CN PH Bal Ceb Ley Luz Neg Pal Pan AF Srb Sfk PK Cp TH Yal CMa Cuo Sbu Bnk Smu Phi IN LK NP MM VN KP KR JP MY ID Sum Ja TW
- 1145. Agrius convolvuli (Linnaeus,1758) (Sphingidae) Synonym(s): convolvuli Linnaeus,1758; abadonna Fabricius,1798; pseudofasciatus Koch,1865; pseudoconvolvuli Schaufuss,1870; orientalis Butler,1876; distans Butler,1876; batatae Christ,1882; nigricans Cannaviello,1900; ichangensis Tutt,1904; javanensis Tutt,1904; tahitiensis Tutt,1904; indica Skell,1913; marshallensis Clark,1922; aksuensis O.Bang-Haas,1927 Range (as codes): Cn MA DZ TN LY PT ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR DK NO SE FI EE LV LT RU MD UA BY KG KK EG LB Bsa SY IL JO IQ OM SA IR TM Kp BH QA TJ Pm CN UI Au Ln Ga Pkn Ti KP KR JP ID Ja Sum GN NH Md Az ET CM NG ZW Ec SD MU MG TJ Pm YE Ad Gor Elb TW Tn Ngl PK Krc Ask Clc BT SI MM TH Amb Aru NZ FJ PG NC GG Bjo Tbl Pt Tt Vl Mo Cm ZA Jh Gau Cap Ec Tva Lpo Spb Mdk Lj PH Bal Boh Cal Ceb CmM Din Jol Ley Luz Mdo Mno Bkd Ktd Neg Pal Pan Sam Sga SIQ Pre Brb Mpu AU NSw WS FJ SB TZ Bkw Pb Agh Pa Hf AF Srb Sfk Nu Bsg Kab CMa Cuo Cuo3 Cmz Cz10 TAk Bnk Cbu Nst Phc Kln TW Cc AZ AM Cp LK Pdy Abe Btna Bsk Tun Agi Clo
- 1146.Akbesia davidi (Oberthür,1884) (Sphingidae) Synonym(s): davidi Oberthür,1884 Range (as codes): TR 10 Ssa Cc AZ IR Elb Th Fa Ss SY IL Pa Jt Gol Hal LB AF Bm Srb JO
- 1147. Clarina kotschyi (Kollar,[1849]) (Sphingidae) Synonym(s): kotschyi Kollar,[1849]; mardina Staudinger,1901. Range (as codes): TR IR Elb Th Mz Fa Kh IQ Shq IL Pa
- 1148.Daphnis nerii (Linnaeus,1758) (Sphingidae) Synonym(s): nerii Linnaeus,1758; infernelutea Saalmüller,1884; #confluens Closs,1912; #nigra Schmidt,1914; bipartita Gehlen,1934. Range (as codes): Az Cn MA DZ TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU MD UA BY GG Bjo EG EG11 IR Ss LB Bei Bsa IL Hf Pa GN MU MG MZ ZA Nta Kzu Tva Lpo Spb Mdk NG TZ YE Ad IN ID Ja PH Ceb Jol Ley Luz IQ Bkw Tn LK Agh Mar Neg Gau Pre Dbn Rd JO PK AF Sfk Srb TH Bnk CMa Cuo JP Hw Sum NP MM TW Cc Agi
- 1149.Deilephila porcellus (Linnaeus,1758) (Sphingidae) Synonym(s): porcellus Linnaeus,1758 Range (as codes): DZ Dzc Blid Btna Tis Tni PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR TR LB 10 IR TM DK SE FI EE LV LT RU Sr Ur Mo VI Pt Ir Irk Ya At Am MD UA Bkw Cm BY GG Smt Bjo Tbl AZ Hkd Cc PK Pj CN Ui Ku Um Au IMn KK Ik MN KG TJ UZ
- 1150. Deilephila suellus Staudinger, 1878 (Sphingidae) Synonym(s): suellus Staudinger, 1878; kuruschi O.Bang-Haas, 1938. Range (as codes): TR IR GG Bjo Tbl Lag Cc RU Da KK Ik CN Ui Au Ju IQ LB Bsa
- 1151.Hemaris (Cochrania) croatica (Esper,[1779]) (Sphingidae) Synonym(s): croatica Esper,[1779]; sesia Hübner,[1806]; #obscurata Closs,1911; #rangnowi Closs,1911. Range (as codes): IT HU YU HV AL RO BG GR TR IQ IR TM RU RO Or Ao Sr KG Uk GG Tbl Cc AZ Nv Ord LB Bsa JO IL Pa
- 1152.Hemaris (s.str.) syra (Daniel,1939) (Sphingidae) Synonym(s): syra Daniel,1939; #syriaca Müller, Kravchenko, Li, Eitschberger, Hausmann, Miller, Orlova, Ortal, Speidel, Witt,2005

 10 Ssa IL Pa IR Fa Lo Th Elb Mz Gor TM Kp
- 1153.Hyles euphorbiae (Linnaeus,1758) (Sphingidae) Synonym(s): euphorbiae Linnaeus,1758; esulae Hufnagel,1766; vandalusica Ribbe,1910; etrusca Verity,1911; sinensis Closs,1917; rothschildi Stauder,1928; dolomiticola Stauder,1930; filipjevi O.Bang-Haas,1936; lucida Derzhavets,1980. Range (as codes): Md Cn MA DZ TN PT ES FR Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd DK SE FI EE LV LT RU Ao Sr Sb Ur MD UA Bkw BY AZ Tlh IR Elb Th CN Ui Ku Muz TJ Pm TR Cc GG Smt Bjo Tbl JO IL Pa Hf LB Bsa Bei IQ SY Dms IR Elb Th
- 1154.Hyles livornica (Esper,[1780]) (Sphingidae) Synonym(s): livornica Esper,[1780]; koechlini Fuessly,1781; tatsienluica Oberthür,1916; saharae Gehlen,1932; malgassica Denso,1944; tatsienluica Oberthür,1944; renneri Eitschberger, Danner & Surholt,1998. Range (as codes): Md Cn MA DZ TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IR Elb Shh Gor Ke Kh Sbz DK SE FI EE LV RU Sr Mo MD UA BY CN Ui GG Bjo Tbl IL Hf Pa LB Bsa Bei TM Kp K-A Krn PK Bl Qu AU SAu Ade Hw ZA Cap Fs Blo SO MG IQ TW Bkw TH CMa NP SI Ch Djl YE Ad CN Ti Yu T-T Cm CY Ss Kz Gau Tva Pre Agh JO AF Nu Bsg Srb Kab Nu Bsg Cc AZ AM Cc Cp Ak Msw Ess Orn Odj Agi Ges BSa Omy Bsk Ktr Khh Dhm Onç Gha Dzc Mzg Hrh Gf Omy Gle Ceg Gtt Ath Ah
- 1155.Hyles nicaea (Prunner,1798) (Sphingidae) Synonym(s): nicaea Prunner,1798; cyparissiae Hübner,[1813]; #nicea De Freina,1981 Range (as codes): DZ Sbd MA Khh Afl PT ES FR Co Sa IT YU AL BG GR TR Cc AM Eri LB Bsa UA Cm IN KG Ssn IQ
- 1156.Hyles robertsi (Butler,1880) (Sphingidae) Synonym(s): robertsi Butler,1880; peplidis Christoph,1894 Range (as codes): 10 IR Es Ss Gls AF Ca Nu Bsg Srb PK Ch TM Kp TJ Pm
- 1157.Laothoe populeti (Bienert,[1870]) (Sphingidae) Synonym(s): populeti Bienert,[1870]; populetorum Staudinger,1887; syriaca Gehlen,1932; intermedia Gehlen,1934. Range (as codes): TR Cc AZ Nv Ord Kir GG Bjo Lag AM LB SY IQ IR Ab Oru Qba Mz Gls Kh TM UZ TJ KK KG Uk Ssn T-S CN Ui Ku Ts Kno
- 1158.Macroglossum stellatarum (Linnaeus,1758) (Sphingidae) Synonym(s): stellatarum Linnaeus,1758; nigra Cosmovici,1892. Range (as codes): Cn MA DZ TN LY EG PT ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR Cr TR IQ SY LB Bsa IL JO DK NO SE FI EE LV LT RU Sr Ur Mo Ao Sb To Am Vv MD UA Cm IR Elb Kh Ke KK KG Uk Ssn Sp TM Krn Kp TJ Pm UZ AF Ca PK Bl Qu CN Ui Kun Bkw BY KP KR TW JP Az Md CY Pa Hf K-A Lps Shh Ur Ask Pkn Cm Vl Pt Tt Or Bgd Rd JO Kab Khi Pjr Hzr Cc Mre Ab Qba Oru Ak Shf Rbt Saia Orn Agi Blid Omy Bsk Ktr Mzg Hrh Ahr Sfr Tni Tis
- **Schiffermüller],1775) (Sphingidae) Synonym(s): quercus [Denis & Schiffermüller],1775; denisii Fuessly,1779; #brunnescens Rebel,1910; #canescens, pallescens Closs,1922;

- mesopotamica O.Bang-Haas,1938; schirasi O.Bang-Haas,1938; #pallida Vilarrubia,1973. Range (as codes): MA PT ES FR Co Sa Si IT CH AT CZ SK HU RO YU AL BG GR TR AM AZ GG Cc Smt Bjo RU MD UA Bkw IR Fa Shr IQ Rwz LB JO
- 1160.Rethera brandti O.Bang-Haas,1937 (Sphingidae) Synonym(s): brandti O.Bang-Haas,1937 Range (as codes): IR Fa Elb Th Ss TR IQ Dy
- **1161.Rethera komarovi (Christoph,1885)** (Sphingidae) Synonym(s): komarovi Christoph,1885; #kamarowi Wagner,1931; rjabovi O.Bang-Haas,1934; #albocingulata O.Bang-Haas,1934; #roseocingulata O.Bang-Haas,1937 Range (as codes): MK AL BG GR TR Cc GG Bjo AM AZ Nv Ord RU AF KG IQ IR Kh Fa PK Bl Chm JO
- #obscura Closs,1917 Range (as codes): TR Arr IR Es Elb Th Mz Fa AF Ca Nu Bsg Srb Slg Kab Sfk PK Nwf Ci Gg Psu JO SY LB Bsa CY TM Kp IQ Agh AM Cc GG AZ Kir Len UZ Fe Man CN Ui Ga Kl Um Tpn Shz Mgn IN Hp KG Aa T-S TrA
- 1163. Sphingonaepiopsis gorgoniades (Hübner, [1819]) (Sphingidae) Synonym(s): gorgon Esper, [1804] nec Cr., 1777; gorgoniades Hübner, [1819]; chloroptera von Mentzer, 1974. Range (as codes): HV RO AL GR BG UA Cm RU Ur Or MK Skj AM GG Cc TR LB Bsa IR Ab Ak Elb Th Kh Lo IQ Hjo AF Kab JO IL Pa KK KG TJ UZ Fe Man
- 1164.Theretra alecto (Linnaeus,1758) (Sphingidae) Synonym(s): alecto Linnaeus,1758; cretica Boisduval,1827; freyeri Kirby,1892; transcaspica O.Bang-Haas,1927; intermissa Gehlen,1941. Range (as codes): Si RO YU BG GR Rd Cr TR RU IR Mz Kh Th Elb Ss TM Kp Mrw AZ Kir Bak Da Len Der Cc GG Lag LB Bei Bsa IL Hf Pa UZ Fe AF Ca Srb Nu Bsg Kab Pag Jla PK Kai IN CN TH CMa Cuo MM MY TW Ri ID Sum Ja Bor Flo Mlc Clb Kai PH Bal Boh Ceb Jol Ley Luz Mar Mno Mdo Neg Pal Pan Sam IQ Agh JO KG Tks Mre LK

Thaumetopoeidae

In this country, a single species has been recorded so far.

1165. Thaumetopoea (s.str.) solitaria (Freyer,[1838]) (Thaumetopoeidae) Synonym(s): solitaria Freyer,[1838] Range (as codes): DZ Ges YU MK AL BG GR TR IQ Rwz LB CY IR Elb Fa Sse IL Pa Hf AF Srb SA

Thyatiridae

In this country, 2 species have been recorded so far.

- 1166.Polyploca korbi Rebel,1901 (Thyatiridae) Synonym(s): korbi Rebel,1901 Range (as codes): TR 10 IL Pa SY IR
- 1167. Tethea ocularis (Linnaeus, 1767) (Thyatiridae) Synonym(s): ocularis Linnaeus, 1767; octogena Esper, 1788; kosswigi Werny, [1967]; caucasica Werny, [1967] nec Krul., 1901 Range (as codes): PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Sr Ur Da Am GG Bjo Lag Smt MD UA BY IQ Cc IL Pa AZ Lag Nv Ord Kir IR Elb Th Kdj Ak Shf UZ KG KK Na TJ CN

Tineidae

In this country, 17 species have been recorded so far.

- 1168.Ceratuncus affinitellus (Rebel,1901) (Tineidae) Synonym(s): affinitellus Rebel,1901; #extinctella Caradja,1920; maraschensis Rebel,1936; irakella Amsel,1949; libanotica Amsel,1951. Range (as codes): TR IQ Dy Hjo Qg LB SY Ltk IR Elb Th Dam UA Cm AM Cc
- 1169. Dinica endochrysa (Meyrick, 1935) (Tineidae) Synonym(s): endochrysa Meyrick, 1935 Range (as codes): JP 10 Bgd
- 1170.Edosa fuscoviolacella (Ragonot,1895) (Tineidae) Synonym(s): violacella Rebel,1893 (praeocc.); fuscoviolacella Ragonot,1895; luteocapitella Amsel,1935 Range (as codes): CY TR IL Hf Js Pa IQ LB Bsa Bei Cc AZ Nv Ord SY Dms IR Lo Bk
- 1171.Hapsifera luridella Zeller,1847 (Tineidae) Synonym(s): luridella Zeller,1847; eburnea Butler,1881; palaestinensis Rebel,1901; baliopsamma Meyrick,1921; torulosa Turati,1919; cyrenaicensis Turati,1924; pustulatella Lucas,1942 nec Zell.,1852; kerbelella Amsel,1949; asiatica Amsel,1949; susaella Amsel,1959 Range (as codes): MA TN LY Cy EG MK BG GR Nx Cr TR CY LB Bei IL Pa Hf Js JO IQ Kbl Hjo Sqw Bgd SA YE IR Ab Oru Kz Ahz Yas Km Sdt Mak Ak Hz Bu Fa Shr Ss Ke Jrf Kaz Das Snj Kd Es Th Kdj Qz Gh Elb Dam UZ Smk Br TJ PK Krc AF Srb BH Cc GG Lag AM AZ Kir Nv Ord SY Dms
- 1172.Monopis meleodes Meyrick,1917 (Tineidae) Synonym(s): meleodes Meyrick,1917 Range (as codes): TR 10

- 1173.Myrmecozela (Flavida) lutosella (Eversmann,1844) (Tineidae) Synonym(s): lutosella Eversmann,1844; gigantea Christoph,1873; centrogramma Meyrick,1921; insignis Amsel,1935; stichograpta Meyrick,1936 Range (as codes): TR IL Pa 10 Bgd IR Elb Fa Bu Ke RU Ao Or Ur KG CN Ui Ku
- 1174.Niditinea fuscella (Linnaeus,1758) (Tineidae) Synonym(s): fuscella Linnaeus,1758; spretella [Denis & Schiffermüller],1775; crinitella Schrank,1802; fuscipunctella Haworth,[1828]; nubilipennella Clemens,1859; abligatella Walker,1863; eurinella Zagulyaev,1952; distans Gozmany,1959. Range (as codes): AD PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR CY TR Cc IQ Bgd DK NO SE FI EE LV LT RU MD UA BY AF Nu ZA Ec Cto SC
- 1175.Niditinea tugurialis (Meyrick,1932) (Tineidae) Synonym(s): tugurialis Meyrick,1932; baryspilas Meyrick,1937; unipunctella Zagulyaev,1960 Range (as codes): CN Ui Kgs Ch IR Ab Oru Elb Th Kh Msh Bzg Mz IQ BH TR HV CY IL Pa JO SY EG LB TM K-K SA JP
- 1176.Perissomastix (Aphrodoxa) cornuta (G.Petersen,1959) (Tineidae) Synonym(s): cornuta G.Petersen,1959 Range (as codes): 10 Hjo Ry Shq
- 1177.Perissomastix (Aphrodoxa) flava (G.Petersen,1960) (Tineidae) Synonym(s): flava G.Petersen,1960 Range (as codes): IR Kz Sde Bu Fa Elb Th Hz Kh Ss SA SA63 YE BH IQ
- 1178.Perissomastix (s.str.) taeniaecornis (Walsingham,1896) (Tineidae) Synonym(s): taeniaecornis Walsingham,1896; aegyptiella Rebel,1914. Range (as codes): YE Ad EG EG39 SA ET As SD IQ Brs
- 1179. Praelongicera palaestinella Amsel,1956 (Tineidae) Synonym(s): palaestinella Amsel,1956 Range (as codes): IL Pa Js SA YE Ad SY LB Bei JP 10 TR IR Zj
- 1180.Proterospastis irakella (G.Petersen,1959) (Tineidae) Synonym(s): irakella G.Petersen,1959 Range (as codes): 10 Bgd
- 1181.Proterospastis striaticostella (G.Petersen,1959) (Tineidae) Synonym(s): striaticostella G.Petersen,1959 Range (as codes): 10 Bgd
- 1182.Psephologa centrogramma Meyrick,1921 (Tineidae) Synonym(s): centrogramma Meyrick,1921 Range (as codes): 10
- 1183.Rhodobates pallipalpellus Rebel,1901 (Tineidae) Synonym(s): pallipalpellus Rebel,1901; atactopis Meyrick,1937; transjordanus Amsel,1935 Range (as codes): TR JO Amm IQ Hjo Ama Bgd Dk IR By Fa Spd Bu Sde Kz Skh Yas Ke
- 1184.Trichophaga bipartitella (Ragonot,1892) (Tineidae) Synonym(s): abruptella Wollaston,1858 (praeocc.); bipartitella Ragonot,1892; desertella Mabille,1907; amina Meyrick,1925 Range (as codes): MA Cn DZ Ajj TN Gab PT ES Mu FR Sa IT MT RO YU BG GR Cr TR RU TM IR Hz Ss Bu Kz Ke Jrf Ahz SA IQ Bgd IL Pa Hf AE YE EG BH SD

Tortricidae

In this country, 38 species have been recorded so far.

- 1185.Acleris variegana ([Denis & Schiffermüller],1775) (Tortricidae) Synonym(s): variegana [Denis & Schiffermüller],1775; asperana Fabricius,1777; osbeckiana Thunberg,1784; nyctemerana Hübner,[1817]; blandiana Charpentier,1821; blandana Hübner,[1825]; cirrana Curtis,1835; albana Humpreys & Westwood,1845; insignana Herrich-Schäffer, 1851. Range (as codes): MA Rbt DZ Anna PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU B-H MK AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY Cm Da LB Bsa IL Pa Js IQ Shq SY Ltk Hal Cc AM GG IR Es Dam Gls Mz Elb Kdj Th Kh KG Aa TrA T-S TM UZ Br US Cf CA BCo Org AZ Len
- 1186.Aphelia (Zelotherses) ferugana (Hübner,1793) (Tortricidae) Synonym(s): ferugana Hübner,1793; ochreana Hübner,[1799]; shaqlawana Amsel,1955; chretieni Obraztsov,1957; #shaqlavana Razowski,1981 Range (as codes): FR Sa Si IT DE CH AT CZ SK HU RO YU AL BG GR TR IQ Shq SY Hal Cc AM Eri GG IR Qz Th Kdj
- 1187.Aphelia (Zelotherses) peramplana (Hübner,[1825]) (Tortricidae) Synonym(s): amplana Hübner,[1813] nec amplana Hübn.,[1799]; peramplana Hübner,[1825] Range (as codes): DZ MA TN PT ES Sa Si IT MT IR Gls GR Cr IO Cc TR RU Sb
- 1188.Archips rosanus (Linnaeus,1758) (Tortricidae) Synonym(s): rosana Linnaeus,1758; avellana Linnaeus,1758; ameriana Linnaeus,1758; laevigana [Denis & Schiffermüller],1775; oxycanthana Hübner,[1799]; acerana Hübner,[1799]; nebulana Stephens,1834 Range (as codes): PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Da Der MD UA BY IQ Shq Bgd Cc GG AZ Len IR Th Dam Elb Qz Kh Mz Ab Sdt Gh Ak Gls Kd Ar KK
- 1189.Bactra (Chiloides) venosana (Zeller,1847) (Tortricidae) Synonym(s): venosana Zeller,1847; truculenta Meyrick,1909; scythropa Meyrick,1911; geraropa Meyrick,1932; banosii Gozmany,1960 Range (as codes): Md Cn MA DZ Bsk TN Gf PT ES FR Co Sa Si IT MT CH SK GR EG SD IQ SA As TR LB Bei IN NP LK CN TH CMa Int Fn Nna Kao Cbi Knc Tpp Loe ID Ja Tim TW VN Ton JP PH AU Hw FJ Bor Sbh Klt KR
- 1190.Bactra (s.str.) bactrana (Kennel,1901) (Tortricidae) Synonym(s): bactrana Kennel,1901; cyperana Amsel,1951; mediterraneana Agenjo,1952. Range (as codes): Cn MA DZ PT ES FR IT Si MT GR RU EG SA As IQ Bgd IR AF Hr TJ UZ KK TR Cc PK IN

1191.Bactra (s.str.) graminivora Meyrick,1922 (Tortricidae) Synonym(s): graminivora Meyrick,1922; cyperana Amsel,1951; mediterraneana Agenjo,1952 Range (as codes): Cn ES DZ MT MA EG SD GM CG SA IQ Cc AZ TM TJ IR AF PK ZA IN Bi Pus

- 1192.Bactra (s.str.) lancealana (Hübner,[1799]) (Tortricidae) Synonym(s): lancealana Hübner,[1799]; #lanceolana Hübner,[1822]; egestana Haworth,1811; plagana Haworth,1811; dibeliana Hübner,[1819]; rufana Stephens,1834; nigrovittana Stephens,1852; suspensa Diakonoff,1962; mongolica Diakonoff,1972 Range (as codes): DZ Bsk TN Gf PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Rd Cr DK NO SE FI EE LV LT RU MD UA BY TR IL PA LB AZ Len SY Hal Cc AM Eri IQ Bsr Hjo TM Krn PK Krc IN IR Gor Gh Tgo Mz Gls Kh TJ Pm MN CN Ui Kml ID Sum Clb LK KP KR
- Treitschke,1835; subjectana Guenée,1845; minorana Herrich-Schäffer,1851; barbarana Walsingham,1900; kurdistana Amsel,1955; atticana Razowski,1958 Range (as codes): PT ES FR Sa Si? IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR SY Hal DK NO SE FI EE LV LT RU MD UA BY Cc GG IQ Shq
- 1194.Cnephasia (s.str.) nigripunctana Amsel,1959 (Tortricidae) Synonym(s): nigripunctana Amsel,1959 Range (as codes): 10 Hjo
- Alpheraky,1877 Range (as codes): MT RO BG TR SY Dms RU UA Cm CY Cc AM Eri GG KG Uk TM UZ TJ IR Elb Dam Ar Ab Oru Es Gh Km Th IQ AF
- 1196.Cochylidia heydeniana (Herrich-Schäffer,[1851]) (Tortricidae) Synonym(s): heydeniana Herrich-Schäffer,[1851]; pudorana Staudinger,1859; erigenana Walsingham,1891; sabulicola Walsingham,1900; almana Kennel,1919; obraztsovi Amsel,1951; amseli Obraztsov,1956 Range (as codes): MA PT ES FR Co Si IT MT GB BE DE CH AT PL CZ SK HU RO YU AL BG GR TR IQ LB Bei DK NO SE FI LV LT RU Ur Sb Am Us Krl Sh MD UA BY CN Ui KG KP KR JP MN
- 1197.Cochylimorpha chionella (Schawerda,1924) (Tortricidae) Synonym(s): chionella Schawerda,1924 Range (as codes): 10 Mos Shq
- 1198.Cochylimorpha kurdistana (Amsel,1959) (Tortricidae) Synonym(s): kurdistana Amsel,1959 Range (as codes): TR 10 Hjo Shq IR Kd Bne Sqq Lo Th
- 1199.Cochylimorpha meridiolana (Ragonot,1894) (Tortricidae) Synonym(s): meridiolana Ragonot,1894; ochrostriana Kennel,1899; meridiolana Kennel,1900 nec Ragonot,1894; kenneli Razowski,1967. Range (as codes): TR 10 IR Elb Th UZ Fe Smk CN Ui Ku KG TrA Aa
- 1200.Cochylimorpha straminea (Haworth,[1811]) (Tortricidae) Synonym(s): straminea Haworth,[1811]; tischerana Treitschke,1830; sudana Duponchel,1836; substraminea Ragonot,1895; scabiosana Kennel,1900; lentiginosana Kennel,1900; ramessana Rebel,1912; numidana Turati,1924; glaisana Lucas,1942; pallens Lucas,1954. Range (as codes): Cn MA Ifr DZ Bsk Lbs Anna TN Gf Sfx LY Cy PT ES FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR CY IR Elb Mz Kdj Clu Ak Mrd Ar Km DK SE LT RU Pt Ur MD UA BY IL Pa Hf Js LB IQ Shq Hjo SY Dms Cc AM Eri AZ Len TM KG Uk
- 1201.Cochylis posterana Zeller,1847 (Tortricidae) Synonym(s): posterana Zeller,1847; collaterana Seebold,1879; nigrociliana Kennel,1899; cuerana Chrétien,1925 Range (as codes): MA DZ PT ES An Grn FR Sa Si IT BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK SE FI EE LV LT RU MD UA BY LB Say SY Dms Cc AM Eri KK Ik IR KuM Kh Elb Kdv Th Gls Gor Es Se Zj Ha Bk Ab Mak Ar Lo Ak Fa Sse TM Kp IQ Hjo CN Ui Ku Gn
- 1202.Cydia bagdadiana (Amsel,1949) (Tortricidae) Synonym(s): bagdadiana Amsel,1949 Range (as codes): 10 Bgd
- 1203.Cydia blackmoreana (Walsingham,1903) (Tortricidae) Synonym(s): blackmoreana Walsingham,1903 Range (as codes): MA TN PT GR SY Dms IQ
- 1204.Cydia coluteana (Amsel,1959) (Tortricidae) Synonym(s): coluteana Amsel,1959 Range (as codes): 10 Slh
- **1205.Dichrorampha eximia (Danilevsky,1948)** (Tortricidae) Synonym(s): eximia Danilevsky,1948; obraztsovi Amsel,1959 Range (as codes): ES FR IT SK AL RU Da UA Cm TR IQ Er Hjo Cc AM AZ KG DsA TrA
- 1206.Eana (Eutrachia) goiiana (Linnaeus,1761) (Tortricidae) Synonym(s): #argentana Clerck,1759; goiiana Linnaeus,1761; govana Fabricius,1775; argyria Retzius,1783; gerningiana De Villers,1789; margaritalis Hübner,1790; magnana Hübner,[1813]; georgiella Hulst,1887 Range (as codes): ES FR IT GB BE LU DE CH AT PL CZ SK HU RO YU AL BG GR TR NO SE FI EE LV LT RU MD UA BY Cc GG IQ IR Elb Kdv Ha Mz Ch US Cf Col CN Ui Ku
- **1207.Epinotia dalmatana (Rebel,1891)** (Tortricidae) Synonym(s): dalmatana Rebel,1891; luciana Chrétien,1908; psychrodora Meyrick,1936; mesopotamica Obraztsov,1952; obraztsovi Agenjo,1967 Range (as codes): ES FR IT YU HV GR TR RU MD Cc GG AZ AM IR Fa IQ SY Dms Bld LB Bsa Cm
- 1208.Eucosma esmodes Meyrick,1937 (Tortricidae) Synonym(s): esmodes Meyrick,1937 Range (as codes): 10 Dia
- 1209.Eucosma kurdistana (Amsel,1959) (Tortricidae) Synonym(s): kurdistana Amsel,1959 Range (as codes): 10 Hjo
- 1210.Eucosma recentana (Zerny,1933) (Tortricidae) Synonym(s): recentana Zerny,1933; iberica Kuznetzov,1973 Range (as codes): ES LB Bsa Cc GG Mng AM IQ Mos Nw TR

- 1211.Fulvoclysia subdolana (Kennel,1901) (Tortricidae) Synonym(s): subdolana Kennel,1901; subflavana Amsel,1959 Range (as codes): SY TR Cc IQ Hjo IR Kd Bne Ab Oru Ak Qz
- 1212.Gypsonoma aceriana (Duponchel, 1843) (Tortricidae) Synonym(s): aceriana Duponchel, 1843; belgiensis Dufrane,1945 Range (as codes): DZ Cst PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU YU AL BG GR TR DK NO SE IQ RU Ur
- 1213. Gypsonoma euphraticana (Amsel,1935) (Tortricidae) Synonym(s): euphraticana Amsel,1935 Range (as codes): DZ TR IR IQ Bgd Bsr IL Pa Jer KG TM UZ TJ AF PK
- 1214.Hedya dimidioalba (Retzius,1783) (Tortricidae) Synonym(s): dimidioalba Retzius,1783; variegana Hübner,[1799] nec [Denis & Schiff.],1775; nubiferana Haworth,[1811] Range (as codes): PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU Sr Ur MD UA BY Cc GG IQ Shq IR Mz Gls CA
- 1215.Lobesia (s.str.) artemisiana (Zeller,1847) (Tortricidae) Synonym(s): artemisiana Zeller,1847; trifasciana Herrich-Schäffer,1851; amaryllana Millière,1876 Range (as codes): ES FR Sa Si IT NL DE CH AT PL CZ SK HU RO YU BG GR TR EE LT RU MD UA BY IQ Shq IR Cc GG
- **1216.Lobesia (s.str.) vitisana (Jacquin,1788)** (Tortricidae) Synonym(s): #botrana [Denis & Schiffermüller],1775; vitisana Jacquin,1788; rosmarinana Millière,1865 Range (as codes): DZ EG ER ET KE LY PT ES FR Co Sa Si IT MT GB BE DE Bw By CH AT PL CZ SK HU RO BG GR Cr TR DK SE LT RU MD UA BY Cc AZ AM GG IQ Shq Bgd LB Say IL Pa JO IR Ab Oru Mz Gls KG TM UZ TJ JP
- 1217.Olethreutes (Argyroploce) kurdistana Amsel,1959 (Tortricidae) Synonym(s): kurdistana Amsel,1959 Range (as codes): 10 Hjo
- **1218.Oxypteron impar Staudinger,1871** (Tortricidae) Synonym(s): impar Staudinger,1871 Range (as codes): RU Sr TR IO Dv KG
- 1219.Phtheochroa palpana (Ragonot, 1894) (Tortricidae) Synonym(s): palpana Ragonot, 1894 Range (as codes): TR SY Hal IO JO
- 1220.Pseudeulia asinana (Hübner,[1799]) (Tortricidae) Synonym(s): asinana Hübner,[1799]; vermicularis Meyrick, 1935 Range (as codes): IT AT SK HU RO YU BG TR RU MD UA BY 10 Shq Cc GG CN JP
- 1221.Sparganothis pilleriana ([Denis & Schiffermüller],1775) (Tortricidae) Synonym(s): pilleriana [Denis & Schiffermüller],1775 Range (as codes): PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE LT IQ Shq IR Gh Tgo
- 1222.Tortrix viridana (Linnaeus,1758) (Tortricidae) Synonym(s): viridana Linnaeus,1758; suttneriana [Denis & Schiffermüller],1775; flavipes Fourcroy,1785; flavana Zincken,1821 nec Hübn.,[1799]; coeruleana Sorhagen, 1881. Range (as codes): MA DZ Tou TN PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU ME Ctn AL BG GR TR AZ Kir Nv Ord AM Cc GG DK NO SE FI EE LV LT RU Da MD UA Cm BY IQ Hjo IR Fa Elb Kdv By Kz Lo Gls Kh SY Hal

Yponomeutidae

In this country, 2 species have been recorded so far.

- 1223.Plutella (s.str.) xylostella (Linnaeus,1758) (Yponomeutidae) Synonym(s): Linnaeus,1758; cinerea Fourcroy,1785 nec Hufn.,1766; xylostei Fabricius,1798; maculipennis Curtis,1832; niveella Zeller,1839; cruciferarum Zeller,1843; brassicella Fitch,1856; limbipennella Clemens,1860; mollipedella Clemens,1860; cicerella Rondani,1876; dubiosella Beutenmüller,1889; albovenosa Walsingham,1897; megapterella Bentinck,1943; karsholtella Baraniak,2003 Range (as codes): Cn DZ Ajj Gha TN PT ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU ME Ctm AL BG GR Cr TR DK NO SE FI EE LV LT RU MD UA BY Cc AZ Bak TM Krn AF Hr IR Elb Kdv Dam Mz Kh Gls IQ Njf Hjo LB Bsa IL Hf Pa ZA TH MY Cmh IN Hp SA AE YE
- 1224.Ypsolopha indecorella (Rebel,1903) (Yponomeutidae) Synonym(s): indecorella Rebel,1903 Range (as codes): DZ Bsk Hes Ktr Ogl Gha FR IQ Kbl

Zygaenidae

In this country, 12 species have been recorded so far.

- 1225.Adscita (s.str.) obscura (Zeller,1847) (Zygaenidae) Synonym(s): obscura Zeller,1847; anceps Staudinger, 1862. Range (as codes): MK BG GR Rd CY TR RU Da Cc GG SY LB Bsa Pa IL Hf EG IQ IR Fa Sse Gls Kh
- 1226.Jordanita (Lucasiterna) subsolana (Staudinger, 1862) (Zygaenidae) Synonym(s): cognata Rambur, 1858 nec H.-Sch., 1847; subsolana Staudinger, 1862; schuetzei Alberti, 1940; modesta Verity, 1946; venusta Verity,1946 Range (as codes): ES FR Si IT BE DE CH AT CZ SK HU RO YU AL BG GR Rd TR Cc SY IQ Ama RU MD UA Cm At Sb UZ Smk Man Nmg KK Gul

- 1227.Jordanita (Praviela) anatolica (Naufock,1929) (Zygaenidae) Synonym(s): Naufock, 1929; levantina Jordan, 1931; pfeifferi Naufock, 1935; ? christinae Keil, 1998. Range (as codes): TR Cc AZ Nv IR Lo Fa Shr LB Bsa SY CY EG Sn LY JO IQ
- 1228.Jordanita (Tremewania) ambigua (Staudinger,1887) (Zygaenidae) Synonym(s): ambigua Staudinger, 1887 Range (as codes): TJ UZ Fe KK TeA Gul Ax UZ Nmg Man Ik Na AF Kbb Sfk IR Shh IQ Hjo
- 1229.Jordanita (s.str.) chloros (Hübner,[1813]) (Zygaenidae) Synonym(s): chloros Hübner,[1813]; sepium Boisduval,1834; minor Eversmann,1844; haegeri Alberti,1973 Range (as codes): FR IT DE CH AT CZ SK HU RO YU Ko AL MK BG GR TR RU Kis Pja Kis MD UA Cm Cc SY IQ IR
- 1230.Jordanita (s.str.) graeca (Jordan,1907) (Zygaenidae) Synonym(s): graeca Jordan,1907 Range (as codes): SK HU RO YU AT HV AL BG GR Tyg TR RU MD UA Cm AM Eri Cc GG AZ CY IQ IR Elb Th Kdj
- 1231.Zygaena (Mesembrynus) cambysea Lederer, 1870 (Zygaenidae) Synonym(s): Lederer, 1870 Range (as codes): Cc TR AM Eri AZ Ist IR Mz Th Elb Fa Sse Gor IQ
- 1232.Zygaena (Mesembrynus) cuvieri Boisduval, 1828 (Zygaenidae) Synonym(s): cuvieri Boisduval,1828 Range (as codes): TR IR Ab Oru Ha Kd 10 Ama Cc AM Eri SY TM Kp LB Bei Bsa AZ Nv Ord
- 1233.Zygaena (Mesembrynus) manlia Lederer, 1870 (Zygaenidae) Synonym(s): manlia Lederer, 1870 Range (as codes): TR IR Ke Ss Es Fa Bl Mz Kh 10 Cc AM AZ Nv Ord TM Bl Elb TM Kp Kh
- 1234.Zygaena (Mesembrynus) rubricollis Hampson,1900 (Zygaenidae) Synonym(s): rubricollis Hampson, 1900 Range (as codes): PK Nwf Ci Bl Qu IR Fa Ke Kz Ha Ss Cc AM Azb IQ AF
- 1235.Zygaena (Mesembrynus) tamara Christoph,1889 (Zygaenidae) Synonym(s): Christoph, 1889 Range (as codes): TR 10 IR Ak Ab Mha Sdt Krd Kdv Elb Gh Mz Lo Es Km Zj Th Ha Kd Bne Mrv Bjr Qz Cc AM Azb Alg AZ Nv Ord
- 1236.Zygaena (Mesembrynus) turkmenica H.Reiss,1933 (Zygaenidae) Synonym(s): turkmenica H.Reiss,1933 Range (as codes): AF Kbb Pnj BdA TM Kp IR Fa Kh Es Ss TR IQ

Results

Faunistically, 1236 species of the Lepidoptera have been recorded from Iraq so far. Among them, 157 species belong to the butterflies, and the rest of them to the moths. The Iraqi Lepidoptera fauna is represented by 50 families (42 moths, 8 butterflies) for the time being. The five families with the greatest number of species are as follows: Noctuidae (384), Pyralidae (265), Geometridae (109), Lycaenidae (51), Tortricidae (38). Among them Lycaenidae is a butterfly family. The rate of the species of the moths/butterfly is 6.87. This rate is higher in the well studied countries, e.g., 6.20 (Syria), 6.42 (Jordan), 7.61 (Lebanon), 8.57 (Iran), 12.54 (Turkey).

The similarity indexes are relatively higher between Iraq and Iran and Lebanon, than Jordan, Syria, and Turkey. Turkey and Iraq have a common border, but their faunal similarity is represented by a lower rate (28.58%). However, the faunal similarity of the frontial Turkish province alone (Hakkari) and Iraq is rather reasonable (43.25%) (Table 3).

Table 3 - Dice-similarity index among butterflies and moths from some neighbour countries.

| countries + total spp. | Iraq (1236) | Jordan (668) | Syria (735) | Iran (4050) | Turkey (5579) | Hakkari Pr. in Turkey (1002) | Lebanon (1249) |
|------------------------|----------------|-----------------|----------------|----------------|------------------|------------------------------------|-------------------|
| common spp. | - | 302 | 335 | 964 | 974 | 484 | 533 |
| index | - | 31.72% | 33.99% | 36.47% | 28.58% | 43.25% | 42.89% |

Naturally, the present faunal work reflects the temporary results. Potentially, the presented number should be much more. The Lepidoptera fauna of Iraq was rather well studied by Wiltshire in the past. During the last decades, there is almost no contributions to the Lepidoptera fauna of this country, due to the well known negative reasons. Only last small contribution to the butterflies of Erbil was recently published (Othman, Çiftçi & Seven, 2018). Perhaps such sporadic, individual attempts may bring vitality again to the faunal and taxonomic studies in the region.

References

The following selected 808 publications are important for the Lepidoptera of Iraq studies.

- 1.Aarvik, L., 2012, Symmoca sparsella Joannis, 1891 (Gelechioidea, Autostichidae) new to Europe. Nota lepid. 35 (2): 181-
- 2.Ackery, P.R., 1975, A Guide to the genera and species of Parnassiinae (Lepidoptera, Papilionidae). Bull. Br. Mus. (Nat. Hist.) Ent. 31 (4): 71-105, 32 figs., 16 pls.
- 3.Agassiz, J.L.R., 1846-1847, Nomenclator zoologicus, continens nomina systematica generum animalium tam viventium quam fossilium [Lepidoptera: fascicle 9-10 (1846), index universalis (1847)]. Soloduri, Jent and Grassman.
- 4. Agenjo, R., 1958, Tribus y Subtribus de la Subfamilia Phycitinae Cotes, 1899 (Lepidoptera, Phycitidae). Eos 34: 205-208.
- 5.Ahola, M., 1986, Larvae of European Polia Ochsenheimer (Lepidoptera, Noctuidae), with proposals on a subgeneric division and phylogeny. Ent. scand. 17: 55-74, figs.
- 6.Albers, T., 1940, Beiträge zur Kenntnis der Gattung Boarmia Tr. (Geom., Pal.) I. Boarmia correptaria Z. und ihre Stellung im System. Z. Wien. ent. Ver. 25: 65-69, Taf. xii-xiii.
- 7.Albers, T., 1941, Beiträge zur Kenntnis der Gattung Boarmia Tr. (Geom., pal.) II. Die männlichen Genitalarmaturen der europäischen und nordafrikanischen Boarmien. Mitt. münch. ent. Ges. 31: 948-982, 25 Abb.
- 8. Alberti, B., 1954, Über die stammesgeschichtliche Gliederung der Zygaenidae, nebst Revision einiger Gruppen (Insecta, Lepidoptera). Mitt. zool. Mus. Berl. 30: 115-480, 33 figs., 63 pls.
- 9.Alberti, B., 1955, Zur Kenntnis der Gattung Carcharodus Hbn., mit einer Betrachtung zum Art-, und Gattungsbegriff. Z.
- 10.Alberti,B., 1956, Zur Umgrenzung und Gliederung von Zygaena F. Ent. Z., Frankf. a. M. 66: 200-206. 11.Alberti,B., 1981, Über Wesen und Aussagegrenzen der "Phylogenetischen Systematik" von Hennig, untersucht am Beispiel der Zygaenidae. Mitt. münch. ent. Ges. 71: 1-31, 7 figs.
- 12.Amsel, H.G., 1949a, Die Microlepidopteren der Brandt'schen Iran Ausbeute I. Bull. Soc. Fouad I Ent. 33: 227-269, figs.
- 13.Amsel, H.G., 1949b, On the Microlepidoptera collected by E.P. Wiltshire in Iraq and Iran. Bull. Soc. Fouad I Ent. 33: 271-351, 12 Pls.
- 14.Amsel, H.G., 1950, Die Lepidopteren der Brandt'schen Iran Ausbeute II. Ark. Zool. 1 (17): 223-257, figs.
- 15. Amsel, H.G., 1951, Die Microlepidopteren der Brandt'schen Iran Ausbeute III. Ark. Zool. 1 (36): 525-563, figs.
- 16.Amsel, H.G., 1954, Die Microlepidopteren der Brandt'schen Iran Ausbeute IV. Ark. Zool. 6 (16) (29 Dec.1953): 255-326,
- 17.Amsel, H.G., 1955a, Berichtigung Postsalebria nom.nov. für Praesalebria Amsel, 1954. Z. Wien. ent. Ges. 40: 357.
- 18.Amsel, H.G., 1955b, Irakische Kleinschmetterlinge. Beitr. naturk. Forsch. SüdwDtl. 14 (2): 119-129, pl.
- 19. Amsel, H.G., 1959, Irakische Kleinschmetterlinge II. Bull. Soc. ent. Egypte 43: 41-83, Taf.
- 20. Amsel, H.G., 1961, Die Microlepidopteren der Brandt'schen Iran Ausbeute V. Ark. Zool. 13 (17): 323-445, figs.
- 21.Amsel, H.G., 1966, Neue Synonymien und Bemerkungen zu paläarktischen Pyraliden (Lepidoptera, Pyralidae). Z. Wien. ent. Ges. 51: 53-55.
- 22.Amsel,H.G., 1972, Depressarien aus Afghanistan, Iran, Irak und Arabien (Lepidoptera, Oecophoridae). Beitr. naturk. Forsch. SüdwDtl. 31: 133-144, 5 Taf.
- **23.Anonymous,** 2008, Catalogue of L checklist/2008/ [last accessed: 10.xi.2008]. Catalogue of Life: 2008 annual checklist.http://www.catalogueoflife.org/annual-
- 24.Arenberger, E., 1977, Die palaearktischen Agdistis- Arten (Lepidoptera, Pterophoridae). Beitr. naturk. Forsch. SWDtl. 36: 185-226, 1 Abb. 15 Taf.
- Arenberger, E., 1981, Die Pterophorus- Arten West- und Zentralasiens. 1. Beitrag (Lepidoptera, Pterophoridae). Z. ArbGem. öst. Ent. 32 (3/4): 97-110, figs.
- 26.Arenberger, E., 1995, Pterophoridae Teilband I, [In] Amsel, H.G., Reisser, H. & F. Gregor: Microlepidoptera Palaearctica
- 9: xxv + 258 pp. 153 Taf. Karlsruhe. 27. Arenberger, E., 2002, Pterophoridae Teilband II, [In] Gaedike, R., Microlepidoptera Palaearctica 11: 287 pp. 96 Taf.
- Goecke & Evers, Keltern. 28.Arenberger, E., 2005, Pterophoridae Teilband III, [In] Gaedike, R., Microlepidoptera Palaearctica 12: 191 pp. 50 Taf. Goecke & Evers, Keltern.
- 29.Arnscheid, W.R. & M. Weidlich, 2017, Psychidae Microlepidoptera of Europe 8. 360 pp. Pls. Brill.
- 30. Aurivillius, C., 1894, Die palaearktischen Gattungen der Lasiocampiden, Striphropterygiden und Megalopygiden. Dt. ent. Z., Iris 7: 121-192.
- Aussem, B., Freina, J.J.de & T.Witt, 1985, Taxonomische Veränderungen bei den Bombyces und Sphinges Europas und Nordwestafrikas. Zur Situation der Gattung Paidia Hbn. [1819] 1816 in Europa und Nordwestafrika (Lepidoptera, Arctiidae) VII. Atalanta 16: 109-113.
- 32.Back, H.E., 1973, Untersuchungen über die Systematik und Zoogeographie der Gattung Pleurota (Lepidoptera, Oecophoridae). 413 pp., figs. Saarbrücken.
- 33.Back, W. & U. Eitschberger, 1976, Die Unterarten von Euchloe charlonia Donzel, 1842. Atalanta 7 (3): 142-160, pls.
- 34.Back, W., 1991a, Die Präimaginalstadien von Euchloe charlonia (Donzel, 1842) im Vergleich zu Euchloe penia (Freyer,1852) und Euchloe transcaspica ssp. amseli (Gross & Ebert,1975) (Lepidoptera, Pieridae). Atalanta 22 (2/4): 357-
- 35.Back, W., 1991b, Taxonomische Untersuchungen innerhalb der Artengruppe um Euchloe ausonia (Hübner, 1804) (Lepidoptera, Pieridae). Atalanta 21 (3/4) (1990): 187-206, Taf. ii,iii.
- 36.Bacot, A.W., 1895, The genus Smerinthus. Entomologist's Rec. J. Var. 6(8): 173-181.
- 37.Baldizzone, G., 1994, Contribuzioni alla conoscenza dei Coleophoridae LXXV. Coleophoridae dell'Area Irano-Anatolica e regioni limitrofe (Lepidoptera). Assoc. natur. Piemont. Memorie 3: 1-423, 699 figs.

- 38.Baldizzone, G., Wolf, H.van der & J.-F.Landry, 2006, Coleophoridae, Coleophorinae (Lepidoptera). World Catalogue of Insects 8: 1-215. Apollo Books.
- .Balint, Z. & A.Kertesz, 1990, A survey of the subgenus Plebejides (Sauter, 1968) preliminary revision. Linneana Belgica 12 (5): 190-224, figs.
- 40.Balint, Z. & K. Johnson, 1997, Reformation of the Polyommatus section with a taxonomic and biogeographic overview (Lepidoptera, Lycaenidae, Polyommatini). Neue ent. Nachr. 40: 1-68, Pls., figs.
- 41.Balint, Z., 1999, Annotated list of the type specimens of Polyommatus sensu Eliot of the Natural History Museum London (Lepidoptera, Lycaenidae). Neue ent. Nachr. 46: 1-89, 4 Pls.
- 42.Balint,Z., Kertesz,A. & V.A.Lukhtanov, 1992, A survey of the subgenus Plebejides Sauter,1968 (Lepidoptera, Lycaenidae). Ent. Obozr. 71 (4): 863-886, 74 figs.
- 43.Bang-Haas, O., 1926, Katalog der im "Seitz-Werke" nicht erhaltenen und seitdem neu beschriebenen palaearktischen
- Macrolepidopteren 1. Bis zum Jahre 1920. Novit. macrolepid. 1: xx+ 238pp.

 Bang-Haas,O., 1927, Katalog der im "Seitz-Werke" nicht erhaltenen und seitdem neu beschriebenen palaearktischen Macrolepidopteren 2. Vom Jahre 1921 bis 1926. Novit. macrolepid. 2: xxii+ 301pp.
- 45.Bang-Haas, O., 1928, Katalog der im "Seitz-Werke" nicht erhaltenen und seitdem neu beschriebenen palaearktischen Macrolepidopteren 3. Neubeschreibungen des Jahres 1927. Novit. macrolepid. 3: xvi+ 104pp.
- 46.Bang-Haas, O., 1929, Katalog der Neubeschreibungen von palaearktischen Macrolepidopteren 4. Neubeschreibungen des Jahres 1928. Novit. macrolepid. 4: xvi+ 80pp.
- **Bang-Haas,O.**, 1930a, Katalog der Neubeschreibungen von palaearktischen Macrolepidopteren 5. Faunenverzeichnisse der Jahre 1758 bis 1930. Novit. macrolepid. 5: xvi+ 1-152.
- 48.Bang-Haas, O., 1930b, Katalog der Neubeschreibungen von palaearktischen Macrolepidopteren 5. Neubeschreibungen des Jahres 1929. Novit. macrolepid. 5: 153-207.
- 49.Bang-Haas, O., 1930c, Novitates Macrolepidopterologicae Band vi. Neubeschreibungen des Jahres 1929. Faunenverzeichnisse der Jahre 1758 bis 1930. Dresden-Blasewitz.
- 50.Bartel, M., 1899-1902, Nachtfalter. [In] Rühl, F., Die Palaearktischen Gross-Schmetterlinge und ihre Naturgeschichte. Vol.2. (Lief.17-23). 336 pp. Leipzig.
- 51.Bartel, M., 1912, Aegeriidae (Sesiidae). [In] Seitz, A., Die Gross-Schmetterlinge der Erde 2: 375-416, pls. Stuttgart.
- 52.Behounek,G., 1992, Die holarktischen Arten der Gattung Lacanobia Billberg,1820 (Lepidoptera, Noctuidae, Hadeninae). Esperiana 3: 33-65, Abb.
- 53.Behounek, G., Han, H.L. & V.S. Kononenko, 2013, Revision of the Old World genera Panthea Hübner, [1820] 1816 and Pantheana Hreblay,1998 with description two new species from China (Lepidoptera, Noctuidae, Pantheinae). Revision of Pantheinae, contribution ix. Zootaxa 3746 (3): 422-438, figs.
- **54.Beljaev, E.A.**, 2006, A morphological approach to the Ennominae phylogeny (Lepidoptera, Geometridae). Spixiana 29 (3): 215-216, fig.
- 55.Beljaev, E.A., 2008, A new concept of the generic composition of the Geometrid moth tribe Ennomini (Lepidoptera, Geometr, dae) based on functional morphology of the male genitalia. Ent. Obozr. 87(1): 152-165, figs. [Ent. Rev. 88 (1): 50-60, figs.]
- 56.Bengtsson, B.A., 1997, Scythrididae, [in] Huemer, P. Karsholt, O. & L. Lyneborg, Microlepidoptera of Europe 2: 1-301, Pls. [Incomprehensible thing is that numerous species from North Africa and the Middle East are described in an European book!1.
- 57.Bergsträßer, J.A.B., 1779, Nomenclatur und Beschreibung der Insekten in der Grafschaft Hanau Münzenberg, wie auch der Wetterau und der angrenzenden Nachbarschaft dies- und jenseits des Mains 2: 1-79, Pls. 15-48. Hanau.
- 58.Bergsträßer, J.A.B., 1779, Nomenclatur und Beschreibung der Insekten in der Grafschaft Hanau Münzenberg, wie auch der Wetterau und der angrenzenden Nachbarschaft dies- und jenseits des Mains 3: 1-48, Pls. 49-72. Hanau.
- 59.Bergsträßer, J.A.B., 1780, Nomenclatur und Beschreibung der Insekten in der Grafschaft Hanau Münzenberg, wie auch der Wetterau und der angrenzenden Nachbarschaft dies- und jenseits des Mains 4: 1-47, Pls. 73-96. Hanau.
- 60.Berio, E., 1955a, Appunti sul genere Pericyma H.-S. e affini (Lep., Noctuidae). Memorie Soc. ent. ital. 33: 147-154, 17 figs.
- 61.Berio, E., 1955b, Sulla distribuzione geografica della Noctua algira L. e sulle specie affini (Lep., Noctuidae). Boll. Soc. ent. ital. 85(9/10): 140-148, 24 figs.
- 62.Berio, E., 1956, Grammodes geometrica F. e le specie affini (Lep., Noctuidae). Boll. Soc. ent. ital. 86(3/4): 34-43, 12 figs.
- 63.Bernardi, G., 1970a, La Variation géographique de l'Anthocharis grüneri H.S. Lambillionea 70: 1-13, figs.
- 64.Bernardi, G., 1970b, Note sur la Variation géographique d'Allancastria cerisyi Godart (Papilionidae). Lambillionea 70:
- 65.Bethune-Baker, G.T., 1913, Comperative notes on Chilades galba Led. and phiala Gr.-Gr. Trans ent. Soc. London 1913: 201-204, pl.
- **66.Bethune-Baker, G.T.,** 1918, A Revision of the genus Tarucus. Trans. ent. Soc. London (1917) 65 (2/4): 269-296, pls.xiv-
- 67.Beuret, H., 1958, Zur systematischen Stellung einiger wenig bekannten Glaucopsychidi (Lep., Lycaenidae). Mitt. ent. Ges. Basel 8: 61-79, 81-100, pls.
- 68.Bidzilya,O. & O.Karsholt, 2015, Revision of the genus Istrianis Meyrick,1918 (Lepidoptera, Gelechiidae) with special regard to the Palaearctic Region. Zootaxa 4059 (3): 401-445, figs.
- 69.Bidzilya,O., 2005a, A review of the genus Athrips (Lepidoptera, Gelechiidae) in the Palaearctic Region. Dt. ent. Z. 52
- 70.Bidzilya,O., 2005b, A review of the genus Metanarsia Staudinger,1871 (Gelechiidae). Nota lepid. 27 (4): 273-297, figs.
- 71.Billberg, G.J., 1820, Enumeratio insectorum in Museo Billberg, 138 pp., Holmiae.
- 72.Bleszynski, S. & R.J. Collins, 1962, A short catalogue of the world species of the family Crambidae (Lepidoptera). Acta zool. cracov. 7 (12): 197-389.
- 73. Bleszynski, S., 1957, Studies on the Crambidae (Lepidoptera). Part XIV. Revision of the European species of the generic group Crambus (s.l.). Acta zool. cracov. 1: 161-622, pls.27-92.

- **74.Bleszynski,S.,** 1961, Studies on the Crambinae (Lepidoptera). part xxvi. Preliminary study on the genus Euchromius Gn. Acta ent. Mus. natn. Pragae 34: 451-468, 26 figs.
- **75.Bleszynski,S.**, 1965, Crambinae, [In] Amsel,H.G., Reisser,H. & F.Gregor: Microlepidoptera Palaearctica 1: xlvii + 533pp. 133 pls., Wien
- **76.Bleszynski,S.**, 1970, A revision of the world species of Chilo Zincken (Lepidoptera, Pyralidae). Bull. Br. Mus. (Nat. Hist.) Ent. 25: 101-195, 5 pls.
- **77.Bodenheimer,F.S.**, 1951, Citrus Entomology in the Middle East with special references to Egypt Iran Irak Palestina Syria and Turkey. xii + 663 pp., 154 figs. W.Junk, The Hague.
- **78.Boisduval, J.B.A.**, 1828a, Essai sur une Monographie des Zygénides, suivie d'un tableau méthodique de classification des Lépidopteres. xxvi+132 pp. 8 pls. Paris. [issued Nov.1828; vide Bibl. Franc. 1828: 836]
- **79.Boisduval, J.B.A.**, 1828b, Europaeorum Lepidopterorum index methodicus. 103 pp., Paris. [issued Nov.1828; vide Bibl. Franç. 1828: 845]
- **80.Boisduval, J.B.A.**, 1832-[1834], Icones historiques des Lépidoptères nouveaux ou peu connus. Collection, avec figures coloriées, des Papillons d'Europe nouvellement découverts; ouvrage formant le complément de tous les Auteurs iconographes vol.1, 252 pp., 47 pls. Paris.
- **81.Boisduval,J.B.A.**, 1834-[1841], Icones historiques des Lépidoptères nouveaux ou peu connus. Collection, avec figures coloriées, des Papillons d'Europe nouvellement découverts; ouvrage formant le complément de tous les Auteurs iconographes vol.2, 208 pp., 37 pls. Paris.
- **82.Boisduval, J.B.A.**, 1836, Histoire naturelle des Insectes. Spécies général des Lépidopteres vol.1, [4]+ xii + 690 + 6pp., 24 pls. Paris.
- 83.Boisduval, J.B.A., 1840, Genera et Index Methodicus Europaeorum Lepidopterorum, 238 pp. Paris. [out by 9 May; vide Bibl. Francl.
- 84.Bollow, C., 1932, Familie Saturniidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 129-135. Stuttgart.
- 85.Borkhausen, M.B., 1788, Naturgeschichte der europäischen Schmetterlinge nach systematischer Ordnung, Tome 1. 288pp. Frankfurt.
- **86.Borkhausen, M.B.**, 1789, Naturgeschichte der europäischen Schmetterlinge nach systematischer Ordnung, Tome 2. 239pp. pl., Frankfurt.
- **87.Borkhausen, M.B.**, 1790, Naturgeschichte der europäischen Schmetterlinge nach systematischer Ordnung, Tome 3. 476pp. Frankfurt.
- **88.Borkhausen, M.B.**, 1792, Naturgeschichte der europäischen Schmetterlinge nach systematischer Ordnung, Tome 4. 809pp. Frankfurt.
- **89.Borkhausen, M.B.**, 1794, Naturgeschichte der europäischen Schmetterlinge nach systematischer Ordnung, Tome 5. 572pp. Frankfurt.
- **90.Boudinot,J.**, 1986, Description d'un genre nouveau parmi les Limenitini paléarctiques (Lepidoptera, Nymphalidae) Nouv. Rev. Ent. (n.s.) 2 (4): 403-409.
- **91.Boudinot,J.**, 1986, Observations sur le cycle biologiques d'Azuritis reducta (Stgr.) (Lepidoptera, Nymphalidae) Alexanor 14 (7): 315-322, 12 figs.
- 92.Bourgogne, J., 1951, Ordre des Lépidopteres, [in] Grassé, P.P., Traité de Zoologie. 10(1): 174-448, figs. 192-437, pls. Masson et C. Paris.
- 93.Boursin, C., 1936a, Contributions a l'étude des Agrotidae Trifinae XV. Nouvelles Athetis (Caradrina auct.) paléarctiques. Bull. Soc. ent. Fr. 1936 (6): 87-94.
- **94.Boursin,C.,** 1936b, Contributions a l'étude des Agrotidae Trifinae (Lep.) XVI. Nouvelles especes paléarctiques. Bull. Soc. ent. Fr. 1936 (12): 224-226.
- 95. Boursin, C., 1940, Beiträge zur Kenntnis der "Agrotidae-Trifinae" XXIII. Mitt. münch. ent. Ges. 30: 474-543, Taf.viii-xii.
- 96. Boursin, C., 1946, Trois nouveaux genres paléarctiques de la sous-famille des Agrotinae. Revue fr. lépid. 10: 186-192.
- **97.Boursin, C.**, 1962a, Eine neue Aegle Hb. aus Anatolien. Z. wien. ent. Ges. 47: 183-186, Taf. 18, 19.
- **98.Boursin, C.,** 1962b, Lithophane semibrunnea Haw. Eine vorderasiatisch-mediterrane Art mit Beschreibung einer neuen Subspecies. Z. wien. ent. Ges. 47: 92-94, Taf.11.
- 99.Boursin, C., 1964, Eine neue Anamecia Brsn. aus Westpakistan. Z. wien. ent. Ges. 49: 34-35, Taf.3.
- 100.Brandtstetter, C.M., 1981, Über die Verbreitung von Rethera komarovi Christoph (Lepidoptera, Sphingidae). Ent. Nachr. 1: 84-86.
- 101.Bridges, C.A., 1988a, Bibliography (Lepidoptera, Rhopalocera). 587 pp. Urbana Illinois (Sebstverlag).
- 102.Bridges, C.A., 1988b, Catalogue of Hesperioidea (Lepidoptera). 463 pp., Urbana Illinois (Sebstverlag).
- 103.Bridges, C.A., 1988c, Catalogue of Lycaenidae & Riodinidae (Lepidoptera, Rhopalocera). 816 pp. Urbana Illinois (Sebstverlag).
- 104.Bridges, C.A., 1988d, Catalogue of Papilionidae & Pieridae (Lepidoptera, Rhopalocera). 721 pp. Urbana Illinois (Sebstverlag).
- **105.Bridges,C.A.,** 1988e, Catalogue of the family-group genus-group and species-group names (Lepidoptera, Rhopalocera) of the World. 357 pp. Urbana Illinois (Sebstverlag).
- **106.Bridges, C.A.**, 1993, Catalogue of the family group, genus-group and species-group names of the Sphingidae of the World. C.A. Bridges, Urbana, Illinois.
- **107.Brock,J.P.**, [1968], The systematic position of the Choreutinae (Lepidoptera, Glyphipterygidae). Entomologist's mon. Mag. 103: 245-246.
- **108.Brock,J.P.,** 1971, A contribution towards an understanding of the morphology and phylogeny of the ditrysian Lepidoptera. J. nat. Hist. 5: 29-102.
- 109.Brown, J.W., 2005, World Catalogue of Insects. vol. 5 Tortricidae 741 pp. Apollo Books, Kirkeby Sand, Stenstrup Denmark.
- 110.Bryk, F., 1912, Syntomidae. [in] Wagner, H., Lepidopterorum Catalogus Pars 7. 179pp. Dr.W.Junk Berlin.
- 111.Bryk,F., 1934, Lymantriidae, [in] E.Strand, Lepidopterorum Catalogus. Pars 62: 1-441 pp. W.Junk, Berlin.
- 112.Bryk, F., 1936, Zygaenidae II. [in] Bryk, F., Lepidopterorum Catalogus Pars 71. 95-332 pp. Dr.W. Junk 's-Gravenhage.

- 113.Bryk,F., 1937, Arctiidae Subfam. Callimorphinae et Nyctemerinae. [in] Bryk,F., Lepidopterorum Catalogus Pars 82. 105 pp. Dr.W.Junk 's-Gravenhage.
- **114.Butler,A.G.**, 1868, Catalogue of Diurnal Lepidoptera of the family Satyridae in the Collection of the British Museum. 211 pp. 5 Pls. London.
- **115.Butler,A.G.**, 1870, Catalogue of diurnal lepidoptera described by Fabricius in the collection of the British Museum. 303 pp. 2 pls. London.
- 116.Butler, A.G., 1875, Revision of the genus Spilosoma and allied groups of the family Arctiidae. Cist. ent. 2: 21-44.
- 117.Butler, A.G., 1876, Revision of the lepidopterous genus Teracolus with descriptions of the new species. Proc. zool. Soc. Lond. 1876: 126-165, pls.vi,vii.
- **118.Butler,A.G.**, 1891, Revision of the noctuid moths in the Natural History Museum hitherto referred to Eriopus and Callopistria. Ann. Mag. nat. Hist. (6) 8: 70-78, plate ix.
- **119.Butler, A.G.,** 1901, A revision of the butterflies of the genus Precis, wth notes on the seasonal phases of the species. Ann. Mag. nat. Hist. 7 (8): 196-216.
- 120.Buxton, P.A., 1920, A Liparid moth, Ocnerogyia amanda Staud., destructive to figs in Mesopotamia. Bull. ent. Res. 11: 181-186.
- 121.Bytinski-Salz,H., 1939, New Amatidae from Asia. Entomologist's Rec. J. Var. 51: 149-153, pl.x.
- 122.Calle, J.A., 1982, Dysgonia torrida (Guenee, 1852) (Lep., Noctuidae) en Espana. Bol. Asoc. esp. Ent. 6 (1): 125-126, figs.
- **123.Canterer,L.P.**, 1834-[1835], Histoire naturelle des Lepidopteres Rhopaloceres ou Papillons diurness,des Departments des Haut et Bas-Rhin, de la Moselle, de la Meurthe et des Vosges. 166 pp., 39 pls. Paris.
- 124.Carter, D., 1992, Butterflies and Moths. 304pp., figs. Dorling Kindersley, London
- 125. Chainey, J.E., 2005, The species of Papilionidae and Pieridae (Lepidoptera) described by Cramer and Stoll and their putative type material in the Natural History Museum in London. Zool. J. Linn. Soc. 145: 283-337, 43 figs.
- **126.Chapman, T.A.**, 1910, On Zizeeria Chapman, Zizera Moore. A Group of Lycaenid Butterflies. Trans. ent. Soc. Lond. 1910 (4): 479-497, pl.51-60, 4 text figs.
- 127.Chapman, T.A., 1913, On the shedding of the cornuti in Pyrausta aurata, Sc. Entomologist's Rec. J. Var. 25: 106-108, 4 pls.
- **128.**Choi,S.-W., 1998, Systematics of the genus Cidaria Treitschke (Lepidoptera, Geometridae, Larentiinae). Zool. J.linn. Soc. 122: 555-580, 29 figs.
- **129.Choi,S.-W.**, 2000, A cladistic analysis of the Therini: A new synonym of the Cidariini (Lepidoptera, Geometridae, Larentiinae). Amer. Mus. Novit. 3295: 1-25, 61 figs., 3 tab.
- **130.Choi,S.-W.**, 2001, Phylogeny of Eulithis Hübner and related genera (Lepidoptera, Geometridae) with an implication of wing pattern evolution. Amer. Mus. Novit. 3318: 1-37, 24 figs., 2 Tab.
- **131.Clarke, C.A.** & **T.B.Larsen**, 1986, Speciation problem in the Papilio machaon group of butterflies (Lepidoptera, Papilionidae). Syst. Ent. 11: 175-181, 3 figs. 2 Tab.
- **132.Clerck,C.,** 1759-[1764], Icones Insectorum Rariorum cum Nominibus eorum Trivialibus, Locisque e C.Linnae. Sectio Primo: 1-12 pls. (1759); Sectio Secundo: 13-55 Pls. Holmiae.
- 133.Coenen, F. & A.Olivier, 1989, Au sujet du statut taxonomique d'Euchloe belemia moslemi Seyer, 1988 (Lepidoptera, Pieridae). Phegea 17 (1): 19-25, 2 Pls.
- **134.Coenen,F.,** 1990, Révision du statut taxonomique de quelques populations de Pieris napi (Linnaeus,1758) du sud-est de l'Europe et du Proche-Orient (Lepidoptera, Pieridae). Phegea 18 (2): 89-124, 38 figs.
- 135.Collenette, C.L., 1938, New Palaearctic and Indo-Australian Lymantriidae in the British Museum Collection. Ann. Mag. nat. Hist. (11) 2: 368-387, Pl.xiv.
- **136.Cook,M.A. & M.J.Scoble,** 1992, Tympanal organs of geometrid moths: a review of their morphology, function, and systematic importance. Syst. Ent. 17: 219-232, figs.
- 137.Corley, M.F.V., 2001, Pseudosophronia, a new genus of Gelechiidae (Lepidoptera). Entomologist's Gaz. 52: 213-225, figs.
- **138.Cowan, C.F.,** 1985, The type-species of Hipparchia Fabricius, 1807 (Lepidoptera, Satyridae). Entomologist's Gaz. 36: 284.
- 139.Curtis, J., 1823-1840, British Entomology, being illustrations and descriptions of the genera of insects found in Great Britain and Ireland; containing col. figs. from nature of the most rare and beautiful species, and ...16 vols. 770 pls. London.
- 140.D'Abrera, B., 1980, Butterflies on the Afrotropical Region. 593 pp., Pls. Lansdowne Ed., Melbourne.
- 141.D'Abrera, B., [1987], Sphingidae Mundi: Hawk Moths of the World. x+226pp., Faringdon.
- 142.Dalla Torre, K.W.v., 1914, Thyrididae. [in] Wagner, H., Lepidopterorum Catalogus Pars 20. 55pp. Dr. W. Junk Berlin.
- 143. Dalla Torre, K.W.v., 1923, Cossidae. [in] Strand, E., Lepidopterorum Catalogus Pars 29. 63pp. Dr.W.Junk Berlin.
- 144.Dang, P.T., 1993, Vesicas of selected tortricid and small lepidopterous species, with descriptions of new techniques of vesica eversion (Lepidoptera, Tortricidae, Oecophorida, Gelechiidae, and Nepticulidae). Can. Ent. 125 (5): 785-799, figs.
- 145. Daniel, F., 1938, Neuheiten aus Vorderasien (Lepidoptera). Mitt. münch. ent. Ges. 28 (1): 2-6, pl.
- **146.Daniel,F.,** 1959, Monographie der palaearktischen Cossidae III. Daa Genus Holcocerus Stgr. Mitt. münch. ent. Ges. 49: 102-160, Taf.ii-v.
- **147.Daniel,F.,** 1960, Monographie der palaearktischen Cossidae IV. Die Genera Cossulinus Kby., Dyspessacossus Dan. und Isoceras Tti. (Lep.). Mitt. münch. ent. Ges. 50: 93-118, Taf. xiv, xv.
- **148.Daniel,F.,** 1962, Monographie der palaearktischen Cossidae VI. Genus Dyspessa Hbn. Erster Teil. Mitt. münch. ent. Ges. 52: 1-38, Taf.I,II.
- 149.Daniel, F., 1965, Monographie der palaearktischen Cossidae VIII. Nachträge und Register zur Subfamilie Cossinae. Mitt. münch. ent. Ges. 55: 77-114, Taf.II, III.
- 150.Davenport,D., 1941, The butterflies of satyrid genus Coenonympha. Bull. Mus. comp. Zool. Harv. 87 (4): 214-349, 10
- 151.Desmarest, E., 1857, Papillons, Nocturnes. [In] Chenu, J.C., Encyclopédie d'Histoire naturelle. iv+312pp., 40 pls. Paris.

- **152.Diakonoff,A.**, 1986, Glyphipterigidae auctorum sensu lato, [in] Amsel,H.G. et al., Microlepidoptera Palaearctica vol. 7. Text & Taf. G.Braun Druckerei, Karlsruhe.
- 153. Dietrich, K., 1862, Zur Systematik der Schmetterlinge. Stettin ent. Ztg. 23: 466-479.
- **154.Dietze,C.**, 1872-1878, Beiträge zur Kenntnis der Arten der Gattung Eupithecia Curt. Stettin ent. Ztg. 33: 184-204; 35: 209-221, 270-277; 36: 69-76, 236-256; 38: 98-100
- 155.Dietze, C., 1910-1913, Biologie der Eupithecien (Tafeln & Text). 1.Teil (Abbildungen): 82 Tafeln und Erklärungen der Tafeln, 1910; 2.Teil (Text): 172 pp. Pls.83-86, 1913. Berlin.
- 156.Diskus, A. & R.Puplesis, 2003, Catalogue of the World Nepticuloidea & Tischerioidea, [in] Puplesis & Diskus, the Nepticuloidea & Tischerioidea (Lepidoptera) a global review, with strategic regional revision, 318-436pp. Lutute, Kaunas.
- **157.Dorp, K.van**, 2004, Molecular systematics of Lycaena F.,1807 (Lepidoptera, Lycaenidae) some preliminary results. Proc. neth. ent. Soc. 15: 65-70, 2 figs.
- **158.Douglas,J.W.**, 1849-1850, On the British species of the genus Gelechia of Zeller. Trans. ent. Soc. London (1) 5: 173-179, 195-201; (2) 1: 60-68, 101-108, 241-251.
- 159.Draudt, M., 1931, Familie Arctiidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 61-94. Stuttgart.
- **160.Draudt,M.**, 1933-1934, Nachträge und Berichtigungen zum Supplementband 2. Familie Syntomidae, Arctiidae. In Seitz,A., Gross-Schmett. Erde, Suppl. 2: 278-281. Stuttgart.
- 161.Drury, D., 1773-1782], Illustrations of Natural History. 3 vols. London.
- **162.Dubatolov,V.V. & V.V.Zolotuhin**, 2011, Does Eilema Hübner,[1819] (Lepidoptera, Arctiidae, Lithosiinae) present one or several genera? Eur. Ent. J. 10 (3): 367-380, pl.vii.
- 163. Dubatolov, V.V., 1989, A revision of the genus Axiopoena (Lepidoptera, Arctiidae). Vestn. Zool. 1989 (1): 8-13, figs.
- **164.Dubatolov, V.V.**, 1996, Three contributions to the knowledge of palaearctic Arctiinae (Lepidoptera, Arctiidae) I. A list of the Arctiinae of the territory of the former U.S.S.R. (Lepidoptera, Arctiidae). Neue ent. Nachr. 37: 39-89, figs.
- **165.Dubatolov,V.V.**, 2008, Analysis of Insect distribution in the northern Hemisphere by the example of the subfamily Arctiinae (Lepidoptera, Arctiidae) I. Genus level. Contemporary Problems of Ecology 1 (2): 183-193, figs.
- 166. Dubatolov, V.V., 2010, Tiger-moths of Eurasia (Lepidoptera, Arctiidae). Neue ent. Nachr. 65: 1-106.
- 167. Dufay, C., 1958, Révision des Nycteola Hübner (Sarrothripus Curtis) Paléarct Ques (Lepidoptera, Noctuidae, Nycteolinae). Annls Soc. ent. Fr. 27: 107-132, Pl.ii,iii, A, B.
- **168.Dumont,D.**, 2004, Révision du genre Iolana Bethune-Baker,1914 (Lepidoptera, Lycaenidae). Description d'une nouvelle espèce: kermani n.sp. Linneana Belg. 19 (8):
- 169. Dyar, H.G., 1894, A classification of lepidopterous larvae. Ann. N.Y. Acad. Sci. 8: 194-232, 5 figs.
- 170. Dyar, H.G., 1899, The phylogeny of the lasiocampids. Entomologist's Rec. J. Var. 11: 141-142, Pl.ii.
- 171.Dyar, H.G., 1905, A descriptive list of a collection of early stages of Japanese Lepidoptera. Proc. U.S. natn. Mus. 28 (1412): 937-956, 23 figs.
- 172.Ebert,G., 1968, Revision der Gattung Gnophosema (Lepidoptera, Geometridae). Ark. Zool. (Ser.2) 22(6): 163-199, 20 figs. 1 Pl.
- 173. Ebert, G., 1971, Drei neue Macrolepidoptera-Arten aus Iran. Beitr. naturk. Forsch. SWDtl. 30: 65-71, 1 Taf., 9 Abb.
- 174.Eckweiler, W. & C.L.Häuser, 1997, An illustrated checklist of Agrodiaetus Hübner, 1822, a subgenus of Polyommatus Latreille, 1804 (Lepidoptera, Lycaenidae). Nachr ent. Ver. Apollo (N.F.), Suppl. 16: 113-168, figs.
- 175. Eecke, v.R., 1925, Cochlidionidae (Limacodidae), [in] Strand, E., Lepidopterorum Catalogus 32: 1-79. W. Junk, Berlin.
- 176.Efetov,K.A. & G.M.Tarmann, 1995, An annotated check-list of the Palaearctic Procrinae (Lepidoptera, Zygaenidae), with description of new taxa. Entomologist's Gaz. 46: 63-103, 23 figs.
- 177.Efetov,K.A. & G.M.Tarmann, 1999, Forester Moths. 192 pp., Apollo Books. [see review: Koçak,A.Ö., 2000, Cent. ent. Stud., Misc. Pap. 64: 7-8].
- 178.Efetov,K.A., 2001, An annotated check-list of Forester moths (Lepidoptera, Zygaenidae, Procrinae). Entomologist's Gaz. 52: 153-162, figs.
- **179.Ehrlich,P.R.**, 1958, The comparative morphology, philogeny and higher classification of the butterflies (Lepidoptera, Papilionoidea). Univ. Kans. Sci. Bull. 39 (8): 305-370.
- **180.Eisner, C.,** 1966, Parnassiidae-Typen in der Sammlung J.C.Eisner. Zool. Verh., Leiden 81: 1-190, 84 Pls.
- **181.Eitschberger, U.,** [1984], Systematische Untersuchungen am Pieris napi-bryoniae-Komplex (s.l.) (Lepidoptera, Pieridae). Herbipoliana 1 (1): xxii+504pp., 1(2): 601pp. Marktleuthen.
- **182.Eitschberger, U.**, 2002a, Revidierte Checkliste der Gattungen Amorpha Hübner, [1819], Laothoe Fabricius, 1807, Pachysphinx Rothschild & Jordan, 1903 und Phyllosphingia Swinhoe, 1897, mit den Abbildungen der Genitalstrukturen einiger Arten (Sphingidae). Neue ent Nachr. 23: 151-195, figs.
- 183.Eitschberger, U., 2002b, Revidierte Checkliste der Gattungen Paonias Hübner, [1819], sowie Smerinthus Latreille, [1802], mit der Beschreibung neuer Paonias-Arten (Lepidoptera, Sphingidae). Neue ent Nachr. 23: 85-149, figs.
- **184.Elekçioğlu,N.Z. & N.Uygun,** 2006, The Parasitoid complex of the Citrus Leafminer, Phyllocnistis citrella Stainton (Lepidoptera, Gracillariidae) in the East Mediterranean region of Turkey and their role in biological control. Turk. J. Zool. 30: 155-160.
- **185. Eliot, J.N.**, 1973, The higher classification of the Lycaenidae (Lepidopera): A tentative arrangement. Bull. Br. Mus. (Nat. Hist.) Ent. 28 (6): 373-505, figs., 6 Pls.
- 186.Eller, K., 1936, Die Rassen von Papilio machaon L. Abh. bayer. Acad. Wiss. (N.F.) 36: xiv+96 pp.
- 187.Eller, K., 1938, Zur Rassen- und Artfrage, untersucht an dem Formenkreis von Papilio machaon L. (Lep., Rhopalocera). Z. angew. Ent. 24: 145-149, 2 Abb.
- **188.Eller,K.**, 1939, Fragen und Probleme zur Zoogeographie und zur Rassen- und Artbildung in der Papilio machaon-Gruppe. Verh. VII. Int. Kongr. Ent. 1938 (1):74-101,Pls.
- **189.Evans, W.H.**, 1949, A Catalogue of the Hesperiidae from Europe, Asia and Australia in the British Museum (Natural History). London.
- 190.Fabricius, J.C., [1776], Genera Insectorum. Chilonii.

- 191.Fabricius, J.C., 1775, Systema Entomologiae sistens Insectorum classes, ordines, genera, species, adjectis synonymis, locis, descriptionibus, observationibus. 832 pp. Flensburgi et Lipsiae.
- 192.Farren, W., 1893, On the variation of Papilio machaon. Entomologist's Rec. J. Var. 4: 100-108.
- 193. Fazekas, I., 1991, Agriphila tolli beieri Bleszynski, 1955 status novus (Lepidoptera, Crambidae). Annln naturh. Mus. Wien 92 (B): 113-119, 11 Abb.
- 194. Fazekas, I., 1993, Eine Revision der westpaläarktischen Unterarten von Crambus perlellus Scopoli, 1763 (Lepidoptera, Crambinae). Annln naturh. Mus. Wien 94/95B: 595-502, figs.
- 195.Fernald, C.H., 1908, The genera of the Tortricidae and their types. 6pp. Amerst, Mass.
- 196. Fibiger, M. & J.D. Lafontaine, 2005, A review of higher classification of the Noctuoidea (Lepidoptera) with special reference to the Holarctic fauna. Esperiana 11: 7-92.
- 197. Fibiger, M. & O. Karsholt, 1998, First records of Nola harouni from Europe and comments on the taxonomic status of N. centonalis holsatica (Nolidae). Nota lepid. 21: 194-205, figs.
- 198.Fibiger, M., 1990, Noctuidae Europaeae vol.1 Noctuinae I. 208 pp., 16 Pls., text-figs. Entomological Press, Soro.
- 199. Fibiger, M., 1993, Noctuidae Europaeae vol. 2 Noctuinae II. 230 pp., 11 Pls., text-figs. Entomological Press, Soro.
- 200.Fletcher, D.S. & I.W.B.Nye, 1982, Bombycoidea, Castnioidea, Cossoidea, Mimallonoidea, Sesioidea, Sphingoidea, Zygaenoidea. [In] Nye, I.W.B., The Generic Names of Moths of the World vol.4. xiv+192 pp., 1 frontispiece, London.
- 201.Fletcher, D.S. & I.W.B.Nye, 1984, Pyraloidea. [In] Nye, I.W.B., The Generic Names of Moths of the World. vol.5. xv+185pp., London.
- 202.Fletcher, D.S., 1979, Geometridae. [In] Nye, I.W.B. The Generic Names of Moths of the World. vol. 3, xx+243 pp. 2 frontispieces, London.
- 203.Fletcher, T.B., 1929, A list of the generic names used for Microlepidoptera. Mem. Dep. Agric. India ent. Ser. 11: ix +
- 204.Ford, E.B., 1944, Studies on the chemistry of pigments in the Lepidoptera with reference to their bearing on systematics 3. The red pigments of Papilionidae. Proc. R. ent. Soc. Lond. (A) 19: 92-106.
- 205.Forster, W., 1938a, Das System der palaearktischen Polyommatini (Lep., Lycaen.). Mitt. münch. ent. Ges. 28: 97-118,
- 206.Forster, W., 1938b, Die Lycaena pylaon-Gruppe. Ent. Rdsch. 55: 213-219, 236-239, 334-337, 361-364, 417-420, 485-490, 4 Pls.
- 207.Forster, W., 1956, Bausteine zur Kenntnis der Gattung Agrodiaetus Scudd. (Lep., Lycaen.) I. Z. wien. ent. Ges. 41: 42-61, 70-89, 118-127, Taf. 8-13.
- 208.Forster, W., 1960-1961, Bausteine zur Kenntnis der Gattung Agrodiaetus Scudd. (Lep., Lycaen.) II. Z. wien. ent. Ges. 45: 105-142; 46: 8-13, 38-47, 74-79, 88-94, 110-116, Taf. 10-15.
- 209.Fracker, S.B., 1915, The Classification of lepidopterous larvae. Illinois biol. Monogr. 2: 1-169, 112 figs.
- 210.Freina, J.J.de & M.Geck, 2003, Studien zur Ökologie, Biologie, Verbreitung und geographischen Variabilität von Akbesia davidi (Oberthür, 1884) (Lepidoptera, Sphingidae). Nachr. ent. Ver. Apollo (N.F.) 23 (4): 167-180, figs.
- .Freina, J.J. de & T.J. Witt, 1986, Die Bombyces und Sphinges der Westpalaearktis (Insecta, Lepidoptera) Band 1. 708 S., 46 Pls. München.
- 212.Freina, J.J.de & T.J.Witt, 1990, Die Bombyces und Sphinges der Westpalaearktis (Insecta, Lepidoptera) Band 2. 142 S., 10 Pls. München.
- 213.Freina, J.J.de & T.J.Witt, 1997, Die Bombyces und Sphinges der Westpalaearktis (Insecta, Lepidoptera) Band 4. 432 S., 32 Pls. München.
- 214.Freina, J.J.de & T.J.Witt, 1999, Die Bombyces und Sphinges der Westpalaearktis (Insecta, Lepidoptera) Band 3. München.
- 215.Freina, J.J.de, 1985, Revision der Gattung Archon Hübner, 1822 mit Angaben zur Biologie, Verbreitung, Morphologie und Systematik von Archon apollinus (Herbst,1798) und Archon apollinaris Staudinger,1892 (stat.nov.) (Lepidoptera, Papilionidae). Nota lepid. 8 (2): 97-128, figs.
- 216.Freyer, C.F., 1828-1830, Beiträge zur Geschichte europäischer Schmetterlinge mit Abbildungen nach der Natur. 3 vols. 1 (1828): 164pp., 48 Tab.; 2 (1829): 166pp., 48 Tab.; 3 (1830): 168pp., 48 Tab. Nürnberg.
- 217.Freyer, C.F., 1831-1858, Neuere Beiträge zur Schmetterlingskunde mit Abbildungen nach der Natur. 7 vols. 700 pls.
- 218.Fröhlich, F., 1828, Enumeratio Tortricum Würtembergiae. Dissert. Inaug. 102pp. Tübingae.
- 219.Fuessly, J.C., 1781-1786, Archiv der Insektengeschichte. Heft 1-8, 50 Tafeln. Zürich u. Winterthur.
- 220.Gaede, M., 1931, Drepanidae. [in] Strand, E., Lepidopterorum Catalogus Pars 49. 60pp. Dr.W.Junk Berlin.
- 221.Gaede, M., 1932a, Familie Lasiocampidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 109-125. Stuttgart.
- 222.Gaede, M., 1932b, Familie Lymantriidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 95-106. Stuttgart.
- 223.Gaede, M., 1932c, Familie Thaumetopoeidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 107-108. Stuttgart.
- 224.Gaede, M., 1933, Familie Notodontidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 173-186. Stuttgart.
- 225.Gaede, M., 1937, Gelechiidae [in] Bryk, F., Lepidopterorum Catalogus. Pars 79, 630pp.
- 226.Gaede, M., 1938-1939, Oecophoridae [in] Bryk, F., Lepidopterorum Catalogus. Pars 92, 209-476pp.
- 227.Gaedike, R., 1966, Eine neue Art der Gattung Epermenia Hb. aus dem Orient (Lepidoptera, Epermeniidae). Reichenbachia 6 (20): 151-154, 5 figs.
- 228.Gaedike, R., 1967, Ergebnisse einer österreichischen lepidopterologischen Sammelreise nach Syrien und dem Libanon Teil V. Epermeniidae. Z. wien. ent. Ges. 52: 85-87.
- 229.Gaedike, R., 1971, Die Epermeniidae und Acrolepiidae des Vorderen und Mittleren Orients. Beitr. Ent. 21 (1/2): 43-54, 13 figs.
- 230.Ganev, J., 1985, Agriphila beieri josifovi n.ssp. aus der Türkei (Lepidoptera, Crambidae). NachrBl. bayer. Ent. 34(4): 139-141, figs.
- 231.Gehlen, B., 1932, Familie Sphingidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 137-166. Stuttgart.
- 232.Geiger, H.-J. & A.Scholl, 1982, Pontia daplidice (Lepidoptera, Pieridae) in Südeuropa- eine Gruppe von zwei Arten. Mitt. schweiz. ent. Ges. 55: 107-114.

- **233.Geoffroy,E.L.**, 1785, Lepidoptera. [In] Fourcroy,A.F., Entomologia parisiensis, sive catalogus Insectorum, quae in agro parisiensi reperiuntur; secundum methodum Geoffraeanam in sectiones, genera et species distributus; cui...species I: 1-231; II: 233-544. Paris.
- **234.Gershenson,Z.S. & S.A.Ulenberg,** 1998, The Yponomeutinae (Lepidoptera) of the World exclusive of the Americas. Kon. Ned. Akad. Weten. Verh. Afd. Naturk. 1998: 1-202.
- **235.Geyer,C.** [in] Hübner,J., [1819]-[1832], Sammlung exotischer Schmetterlinge 2: [5] pp., [225] Pls. Augsburg.
- 236.Gielis, C., 1993, Generic revision of the superfamily Pterophoroidea (Lepidoptera). Zool. Verh. 290: 1-139, 239 figs.
- 237.Gielis, C., 2003, Pterophoroidea and Alucitoidea (Lepidoptera). World Catalogue of Insects 4, 198pp. Apollo Books, Stenstrup.
- **238.Gilbert,P.,** 1978, A compendium of the biographical literature on deceased entomologists. xiv + 455pp., 27 figs. British Museum (Natural History) London.
- **239.Gilligan, T.M.** & **D.J.Wright**, 2013, Revised world catalogue of Eucopina, Eucosma, Pelochrista, and Phaneta (Lepidoptera, Tortricidae, Eucosmini). Zootaxa 3746 (2): 301-337.
- 240.Godart, J.B., 1819-[1824], Papillons [in] Encyclopédie méthodique. vol.9. pp. 1-318 (1819), pp. 329-828 [1824]. Paris.
- 241.Goeze, J.A.E., 1781, Entomologische Beytraege zu des Ritter Linné zwölften Ausgabe des Natursystems 3: 1-439.
- **242.Gozmany,L.,** 1978, Lecithoceridae, [in] Amsel,H.G., Gregor,F. & H.Reisser, Microlepidoptera Palaearctica vol.5 (text & plates), xxviii + 1-306 pp. Verlag Georg Fromme & Co. Wien.
- **243.Gozmany,L.A.**, 1963, The family Symmocidae and the description of new taxa mainly from Near East (Lepidoptera). Acta zool. hung. 9: 67-134, 71 figs.
- 244.Gozmany, L.A., 1965, On the genus Apiletria Lederer, 1855 (Lepidoptera, Symmocidae). Acta zool. Acad. Sci. Hung. 11 (1/2): 101-120, 16 figs.
- **245.Grieshuber,J. & G.Lamas**, 2007, A synonymic list of the genus Colias Fabricius,1807 (Lepidoptera, Pieridae). Mitt. münch. ent. Ges. 97: 131-171.
- 246.Gross, F.J., 1978, Beitrag zur Systematik von Pseudochazara-Arten (Lep., Satyridae). Atalanta 9(1): 41-103, figs.
- **247.Guenée,A.,** 1845, Essai sur une nouvelle classification des Microlépidoptères et catalogue des espèces européenes connues jusqu'a jour. Annls Soc. ent. Fr. (2) 3: 105-192, 207-344
- 248.Guenée, A., 1846, Europaeorum Microlepidopterorum Index Methodicus.
- **249.Guenée, A.**, 1852a, Noctuélites I. [In] Boisduval, J.A. & A.Guenée, Histoire naturelle des Insectes. Species général des Lépidopteres 5. xcvi + 407 pp. Paris.
- **250.Guenée, A.**, 1852b, Noctuélites II. [In] Boisduval, J.A. & A.Guenée, Histoire naturelle des Insectes. Species général des Lépidopteres 6. xcvi + 407 pp. Paris.
- **251.Guenée, A.**, 1852c, Noctuélites III. [In] Boisduval, J.A. & A.Guenée, Histoire naturelle des Insectes. Species général des Lépidopteres 7. 442 pp. Paris.
- **252.Guenée, A.**, 1854, Deltoides et Pyralites. [In] Boisduval, J.A. & A.Guenée, Histoire naturelle des Insectes. Species général des Lépidopteres 8. 448 + 6 pp., 10 Pls. Paris.
- **253.Gyulai,P.**, 2002, Four new Hadula Staudinger,1889 taxa from Asia (Lepidoptera, Noctuidae). Esperiana 9: 231-236, Pls.18,20.
- **254.Hacker,H. & A.Moberg,** 1989, Zwei neue Agrochola Hübner,[1821] Arten (Lepidoptera, Noctuidae, Cuculliinae) aus der Türkei und aus Griechenland. Nota lepid. 12 (2): 121-132, 4 figs.
- **255.Hacker,H.**, 1989, Die Noctuidae Griechenlands, mit einer Übersicht über die Fauna des Balkanraumes. Herbipoliana 2: 1-590, Taf.
- 256.Hacker, H., 1990, Die Noctuidae Vorderasiens (Lepidoptera). Neue ent. Nachr. 27: 1-707, 16 Taf.
- **257.Hacker,H.,** 1998, Revision der Gattungen Hadula Stgr.,1889 (=Discestra Hmps.,1905;Aglossestra Hmps.,1905;Cardiestra Brsn.,1963), Anartomorpha Alph.,1892, Trichanarta Hmps.,1895, Anarta Ochs.,1816 und Cardepia Hmps.,1905 mit Beschreibung einer neuen Gattung Hadumorpha g.n. Esperiana 6: 577-843, Taf., figs.
- **258.Hacker,H.**, 2004, Revision of the genus Caradrina Ochsenheimer,1816, with notes on oher genera of the tribe Caradrini (Lepidoptera, Noctuidae). Esperiana 10: 7-690, 27 Pls.
- **259.**Hacker, H., Legrain, A. & M. Fibiger, 2008, Revision of the genus Acontia Ochenheimer, 1816 and the tribus Acontiini Guenée, 1841 (Old World) (Lepidoptera, Noctuidae, Acontiinae). Esperiana 14: 7-533, figs.
- 260. Hagen, H.T., 1862, Bibliotheca Entomologica 2 Vols. Leipzig.
- **261.Hampson,G.F.,** 1892 [1893], Moths. [in] Blanford,W.T., The Fauna of British India, including Ceylon and Burma. Vol. 1: xxiii+ 527pp., 333 figs. Taylor & Francis, London.
- **262.Hampson**, G.F., 1894, Moths. [in] Blanford, W.T., The Fauna of British India, including Ceylon and Burma. Vol. 2: xxii+609pp., 287 figs. Taylor & Francis, London.
- **263.**Hampson,G.F., 1895, Moths. [in] Blanford,W.T., The Fauna of British India, including Ceylon and Burma. Vol. 3. Taylor & Francis, London.
- **264. Hampson,G.F.**, 1896a, Moths. [in] Blanford,W.T., The Fauna of British India, including Ceylon and Burma. Vol. 4: xxviii+ 449pp., 239 figs. Taylor & Francis, London.
- **265.Hampson,G.F.**, 1896b, On the classification of three subfamilies of moths of the family Pyralidae: the Epipaschiinae, Endotrichinae, and Pyralinae. Trans. ent. Soc. London 1896 (4): 451-550, figs.
- **266.Hampson,G.F.**, 1897a, On the classification of the Thyrididae- a family of the Lepidoptera Phalaenae. Proc. zool. Soc. Lond. 1897: 603-633, figs.
- **267.Hampson,G.F.,** 1897b, On the classification of two subfamilies of moths of the family Pyralidae: the Hydrocampinae and Scoparianae. Trans. ent. Soc. London 1897 (2): 127-240, figs.
- **268.** Hampson, G.F., 1898, A revision of the moths of the subfamily Pyraustinae and family Pyralidae, Part 1. Proc. zool. Soc. London 1898: 590-761, Pls. 49,50.
- **269. Hampson, G.F.**, 1899, A revision of the moths of the subfamily Pyraustinae and family Pyralidae, Part 2. Proc. zool. Soc. London 1899: 172-291.

- **270.Hampson,G.F.**, 1912-1913, Descriptions of new species of Pyralidae of the subfamily Pyraustinae. Ann. Mag. Nat. Hist. (8) 9: 149-174, 242-269, 321-336, 433-444, 625-633; (8) 10: 1-20, 557-573; (8) 11: 322-342, 509-530; (8) 12: 1-38, 299-310
- 271. Handlirsch, A., 1924, Ordnung Lepidoptera (Schmetterlinge), [in] Schröder, Handb. Ent. 3: 852-941, figs. 747-840.
- 272.Hardwick, D.F., 1950, Preparation of slide mounts of Lepidopterous genitalia. Can. Ent. 82 (11): 231-235.
- **273.Hartig,F.G.**, 1963, Beitrag zur Kenntnis der Gattung Ocneria Hbn. II. Die Genitalapparaturen einiger Ocneria-Arten und Versuch einer Revision der Arten (Lepidoptera, Lymantriidae). Mitt. münch. ent. Ges. 53: 57-69, 12 Abb.
- 274.Häuser, C.L. & W.Eckweiler, 1997, A catalogue of the species-group taxa in Agrodiaetus Hübner, 1822, a subgenus of Polyommatus Latreille, 1804 (Lep., Lycaenidae), [in] Eckweiler & Häuser, Contributions to the systematics and biology of the Polyommatus (Agrodiaetus) species-group (Lep.). Nachr. Ent. Ver. Apollo, Suppl. 16: 53-112.
- 275.Hausmann,A. & A.Seguna, 2005, Lithostege fissurata Mabille,1888 from Malta, new for the fauna of Europe (Geometridae, Larentiinae). Nota lepid. 28 (1): 11-15, figs.
- 276. Hausmann, A. & J. Viidalepp, 2012, The Geometrid Moths of Europe. 3. volume, Apollo Books, Stenstrup.
- **277.Hausmann,A.,** 1994a, Morphology and taxonomy of the species belonging to the genus Myinodes Meyrick,1892 (Lepidoptera, Geometridae). Nota lepid. 17 (1/2): 31-43, 17 figs.
- **278.Hausmann,A.**, 1994b, Revision der altweltlichen Arten der Gattung Microloxia Warren,1893 (Lepidoptera, Geometridae, Geometrinae): Atalanta 25 (3/4): 571-608, figs.
- **279.Hausmann,A.,** 1996, Systematic list of the geometrid moths of the Levant and neighbouring countries. Part I. Orthostixinae and Geometrinae. Nota lepid. 19 (1/2): 91-106.
- **280.Haworth,A.H.,** 1803-1828, Lepidoptera Britannica, sistens digestimen novam lepidopterorum quae in Magna Britannica reperiunter...Pt.1 (1803): 1-136; Pt.2 ([1809]): 137-376; Pt.3 ([1811]): 377-512; Pt.4 (1828): 513-609. London.
- 281.Hemming, A.F., 1929a, A new subspecies of Zegris eupheme Esper. Proc. ent. Soc. London 4: 26-29, 2 figs.
- **282.Hemming,A.F.**, 1929b, Notes on the generic names of the Holarctic Lycaenidae (Lep., Rhop.). Ann. Mag. nat. Hist. (10) 3: 217-245.
- **283.Hemming,A.F.**, 1932, Supplementary notes on the collections of butterflies made in Greece, T. vicrama astabene nom. nov. Entomologist 65: 179-183.
- 284. Hemming, A.F., 1934, The generic names of the Holarctic butterflies. vol.1: 1758-1863. 184pp.
- **285.Hemming,A.F.,** 1967, The Generic names of the butterflies and their type-species (Lepidoptera, Rhopalocera). Bull. Br. Mus. (Nat. Hist.) Ent., Suppl. 9: 1-509.
- **286.Heppner, J.B. & W.D.Duckworth,** 1981, Classification of the superfamily Sesioidea (Lepidoptera, Ditrysia). Smiths. Contr. Zool. 314: 1-144, figs.
- **287.Heppner, J.B.**, 1977, The status of the Glyphipterigidae and a reassessment of relationships in Yponomeutoid families and Ditrisian superfamilies. J. Lepid. Soc. 31(2): 124-134.
- 288.Heppner, J.B., 1979, Brachodidae, a new family name for Atychidae (Lep., Sesioidea). Ent. Ber., Amst. 39 (8): 127-128.
- **289.Heppner, J.B.**, 1982, A world catalog of genera associated with the Glyphipterigidae auctorum (Lepidoptera). N.Y. ent. Soc. 89 (4): 220-294.
- 290.Heppner, J.B., 1982, Dates of selected Lepidoptera literature for the western hemisphere fauna. J. Lepid. Soc. 36 (2): 87-111.
- **291.Hering,E.,** 1891, Nachwort. Stettin ent. Ztg. 52(4/6): 116-128.
- **292.Herrich-Schäffer,G.A.W.**, 1843-[1856], Systematische Bearbeitung der Schmetterlinge von Europa, zugleich als Text, Revision und Supplement zu Jacob Hübner's Sammlung europäischer Schmetterlinge. 6 vols. Regensburg.
- **293.Herrich-Schäffer,G.A.W.**, 1856-1861, Neue Schmetterlinge aus Europa und den angrenzenden Ländern. Heft I [1856]: 1-8, 9 pls.; Heft 2 [1860]: 9-20, 9 pls.; Heft 3 [1861]: 21-32, 8 pls. Regensburg.
- **294.Hesselbarth,G.,** 1983, Beitrag zur Biologie von Ypthima asterope Klug (Lepidoptera, Satyridae). Nachr. ent. Ver. Apollo (N.F.) 4 (1): 7-14, 5 figs.
- **295.Heydemann,F. & A.Schulte,** 1963, Beitrag zur Macrolepidopterenfauna des Irak. Mitt. münch. ent. Ges. 53:80-107, Taf.vii, 2Abb.
- **296.Heyne,A.**, 1893]-1895, [in] Rühl,F., Die palaearktischen Grossschmetterlinge und ihre Naturgeschichte. Erster Band: Tagfalter. 385-857S. Leipzig.
- **297.Higgins, L.G.,** 1941, An illustrated catalogue of the Palaearctic Melitaea (Lep., Rhopalocera). Trans. R. ent. Soc. Lond. 91 (7): 175-354, 16 Pls, 214 figs., 7 maps.
- **298.Higgins,L.G.**, 1950, A descriptive catalogue of the Palaearctic Euphydryas (Lepidoptera, Rhopalocera). Trans. R. ent. Soc. Lond. 101 (12): 435-489, 7 maps, 44 figs.
- 299.Higgins, L.G., 1955, A descriptive catalogue of the genus Mellicta Billberg (Lepidoptera, Nymphalidae) and its species, with supplementary notes on the genera Melitaea and Euphydryas. Trans. R. ent. Soc. Lond. 106 (1): 1-131, 2 Pls., 4 maps, 88 figs.
- 300.Higgins, L.G., 1958, Butterflies in Kurdistan. Entomologist 91: 38-45.
- 301. Higgins, L.G., 1964, Butterflies of Lebanon. Entomologist 97: 193-200, Pl.viii.
- 302.Higgins, L.G., 1965, Boisduval, Europaeorum Lepidopterorum index methodicus. Entomologist 98: 241-242.
- 303.Higgins, L.G., 1969, A New Genus of European Butterflies (Lycaenidae). Entomologist 102: 67.
- **304.Hofmann,A. & W.G.Tremewan,** 1996, A systematic catalogue of the Zygaeninae (Lepidoptera, Zygaenidae). 251pp. Colchester.
- **305.Hofmann,A. & W.G.Tremewan**, 2010, A revised check-list of the genus Zygaena Fabricius,1775 (Lepidoptera, Zygaenidae, Zygaeninae), based on the biospecies concept. Entomologist's Gaz. 61: 119-131.
- 306.Holik,O. & L. Sheljuzhko, 1953, Über die Zygaenen-Fauna Osteuropas, Kleinasiens, Irans, Zentralasiens und Sibiriens. Mitt. münch. ent. Ges. 43: 102-226.
- **307.Holik,O. & L. Sheljuzhko**, 1955, Über die Zygaenen-Fauna Osteuropas, Kleinasiens, Irans, Zentralasiens und Sibiriens. Mitt. münch. ent. Ges. 44/45: 26-158.
- **308.Holik,O. & L. Sheljuzhko**, 1956, Über die Zygaenen-Fauna Osteuropas, Kleinasiens, Irans, Zentralasiens und Sibiriens. Mitt. münch. ent. Ges. 46: 93-239.

- **309.Holik,O. & L. Sheljuzhko,** 1957, Über die Zygaenen-Fauna Osteuropas, Kleinasiens, Irans, Zentralasiens und Sibiriens. Mitt. münch. ent. Ges. 47: 143-185.
- **310.Holik,O. & L. Sheljuzhko**, 1958, Über die Zygaenen-Fauna Osteuropas, Kleinasiens, Irans, Zentralasiens und Sibiriens. Mitt. münch. ent. Ges. 48: 166-285.
- 311.Holik,O., 1938, "Lavanduloide" Zygaenen. Ent. Rdsch. 55: 320-323, 331-333.
- **312.Holloway,J.D. S.E.Miller**, 2003, The composition generic placement and host-plant repaltionships of the joviana-group in the Parallelia generic complex (Lepidoptera, Noctuidae, Catocalinae). Invertebrate Syst. 17: 111-118, figs.
- 313.Hreblay, M., 1992, Revision der Gattung Valerietta Draudt, 1938. Esperiana 3: 235-241, 14 Abb.
- **314.Hreblay,M.**, 1996, Revision der Mythimna consanguis-, languida-, madensis-, natalensis-Artengruppe (Morphopoliana sugben.n.). (Lepidoptera, Noctuidae). Esperiana 4: 133-158, 83 figs., 2 Pls.
- 315. Hufnagel, 1766a, Dritte Tabelle von den Nachtvögeln (Bombyx) der Gegend um Berlin. Berl. Mag. 2: 391-437.
- 316. Hufnagel, 1766b, Tabelle von den Tagvögeln der Gegend um Berlin. Berl. Mag. 2: 54-90.
- 317.Hufnagel, 1767, Vierte Tabelle von den Nachtvögeln (Noctua) der Gegend um Berlin. Berl. Mag. 3: 202-215, 279-309, 393-426.
- 318. Hufnagel, 1768, Fortsetzung der Tabelle von den Nachtvögeln (Geometra). Berl. Mag. 4: 504-527, 599-626.
- **319.Hundsdörfer**, **A.K.**, **Kitching,I. & M.Wink**, 2005, A molecular phylogeny of the Hawkmoth genus Hyles (Lepidoptera, Sphingidae, Macroglossinae). Mol. Phylog. Evol. 35: 442-458, figs.
- 320.Hübner, J., 1790, Beiträge zur Geschichte der Schmetterlinge [134 pp.], 16 pls. Augsburg.
- 321.Hübner, J., 1796-[1833], Sammlung europäischer Schmetterlinge. vol. 7, Tortrices: 53 Pls., Augsburg.
- 322.Hübner, J., 1796-[1833], Sammlung europäischer Schmetterlinge. vol. 6, Pyralides: 32 Pls., Augsburg.
- 323. Hübner, J., 1796-[1836], Sammlung europäischer Schmetterlinge. vol. 8, Tineae: 71 Pls., Augsburg.
- 324.Hübner,J., 1796-[1838], Sammlung europäischer Schmetterlinge. vol. 2, Sphinges: 38 Pls., Augsburg.
- 325.Hübner, J., 1796-[1838], Sammlung europäischer Schmetterlinge. vol. 5, Geometrae: 113 Pls., Augsburg.
- 326.Hübner, J., 1799-[1838], Sammlung europäischer Schmetterlinge. vol. 1, Papilios: 207 Pls., Augsburg.
- 327.Hübner, J., 1800-[1836], Sammlung europäischer Schmetterlinge. vol. 4, Noctuae: 181 Pls., Augsburg.
- 328.Hübner, J., 1800-[1836], Sammlung europäischer Schmetterlinge. vol. 9, Alucitae: 7 Pls., Augsburg.
- 329. Hübner, J., 1800-[1838], Sammlung europäischer Schmetterlinge. vol. 3, Bombyces: 83 Pls., Augsburg.
- 330.Hübner, J., 1816-[1826], Verzeichnis bekannter Schmetterlinge. 431 pp., Augsburg.
- 331.Hübner,J., 1822, Systematisch -alphabetisches Verzeichniss aller bisher bei den Fürbildungen zur Sammlung europäischer Schmetterlinge ausgegebenen Benennungen mit Vormerkung auch Augsburgscher Gattungen. 81 pp. Augsburg.
- **332.Igarashi,S.,** 1971, Protapatura iwasei; a new Nymphalid butterfly from Kurdistan, the Northern Iraq (Nymphalidae). Tyo to Ga 22 (1/2): 14-17, 6 figs.
- **333.Igarashi,S.,** 1984, The classification of the Papilionidae mainly based on the morphology of their immature stages. Tyo to Ga 34 (29): 41-96.
- **334.Ignatyev,N.N. & T.J.Witt,** 2007, A review of Eilema Hübner,1819 of Russia and adjacent territories, Part 1. The Eilema griseola (Hübner,1803) species group (Arctiidae, Lithosiinae). Nota lepid. 30 (1): 25-43, figs.
- **335.Jong,R.de**, 1972, Systematics and geographic history of the genus Pyrgus in the Palaearctic Region (Lepidoptera, Hesperiidae). Tijdschr. Ent. 115 (1): 1-121, 60 textfigs., 6 Pls.
- **336.Jong,R.de**, 1974, Systematic and evolution of the Palaearctic Spialia species (Lepidoptera, Hesperiidae). Tijdschr. Ent. 117 (6): 225-271, 37 figs.
- 337.Jordan, K., 1909, Familie: Zygaenidae, Widderchen. [in] Seitz, A., Die Gross-Schmett. Erde 2: 3-34, pls., Stuttgart.
- **338.Jordan,K.**, 1939, On the constancy and variability of the differences between the Old World species of Utetheisa (Lepid., Arctiidae). Novit. zool. 41: 251-291, 30 figs.
- **339.Karsholt,O. & C.Gielis**, 1995, The Pterophoridae described by J. C. Fabricius, with remarks on type material of Fabrician Lepidoptera. Steenstrupia 21: 31-35.
- **340.Karsholt,O. & E.S.Nielsen,** 1976, Notes on some Lepidoptera described by Linnaeus, Fabricius, and Ström. Ent. scand. 7: 241-251.
- 341.Karsholt, O. & E.S.Nielsen, 1986, The Lepidoptera described by C.P.Thunberg. Ent. scand. 16: 433-463.
- **342.Karsholt,O. & T.Rutten**, 2005, The genus Bryotropha Heinemann in the Western Palaearctic (Lepidoptera, Gelechiidae). Tijdschr. Ent. 148: 77-207, 422 figs.
- **343.Karsholt,O., Mutanen,M. Lee,S. & L.Kaila,** 2013, A molecular analysis of the Gelechiidae (Lepidoptera, Gelechioidea) with an interpretative grouping of its taxa. Syst. Ent. 38: 334-348, figs.
- **344.Kasy,F.**, 1969, Vorläufige Revision der Gattung Ascalenia Wocke (Lepidoptera, Walshiidae). Annln naturh. Mus. Wien 73: 339-375, figs.
- **345.Kemal,M. & A.Ö.Koçak**, 2007, Chapter 9: List of the Lepidoptera recorded in Iraq, [in] Koçak,A.Ö. & M.Kemal, Results of the International Project of the CESA on the Lepidoptera of the World-I. Cent. ent. Stud., Memoirs 3-4: 1718-1739.
- **346.Kemal,M. & A.Ö.Koçak**, 2011, A synonymical and distributional checklist of the Papilionoidea and Hesperioidea of East Mediterranean countries, including Turkey (Lepidoptera). Cent. ent. Stud., Priamus (Suppl.) 25: 1-162, 42 pls.
- **347.Kemal,M. & A.Ö.Koçak**, 2016, New faunistical records of Stygia mosulensis Daniel in Turkey and nomenclatural comment on the subfamily Stygiinae (Lepidoptera, Cossidae). Cesa News 121: 1-3, 2 figs.
- **348.Kemal,M. & A.Ö.Koçak**, 2017, Notes on Muschampia proteides (Wagner) (Lepidoptera, Hesperiidae). Cesa News 140: 1-6, 14 figs.
- **349.Kemal,M. & A.Ö.Koçak**, 2018, First faunistic results of the Lepidoptera of Zap Valley in Hakkari Province (SE Turkey). Priamus 16 (4): 119-199, 8 figs.
- **350.Kemal,M., Kızıldağ,S. & A.Ö.Koçak**, 2018a, New faunistic records and confirmation of the status of Sitochroa verticalis ssp. albalis from SE Turkey (Lepidoptera, Pyraloidea). Misc. Pap. 173: 1-4, 1 fig., 1 map.
- **351.Kemal,M., Kızıldağ,S. & A.Ö.Koçak**, 2018b, Some molecular phylogenetic and taxonomical remarks on the Gnophini of Turkey, with faunistical notes (Lepidoptera, Geometridae, Ennominae). Misc. Pap. 172: 1-15, 1 fig.

- **352.Kemal,M., Koçak,A.Ö. & H.Uçak**, 2018, List of the Lepidoptera species of Dağlıca (Hakkari Province, SE Turkey). Cesa News 159: 1-21, 22 figs. 1 map.
- 353.Kennel, J. & F. Eggers, 1933, Die Abdominalen Tympanalorgane der Lepidopteren. Zool. Jb. (Anat.) 57: 1-104, figs.
- 354.Kennel, J., 1912, Über Tympanalorgane im Abdomen der Spanner und Zünsler. Zool. Anz. 39: 163-170.
- 355.Kirby, W.F., 1871, A synonymic catalogue of the diurnal Lepidoptera. viii+690pp. John van Voorst, London.
- **356.Kirby,W.F.,** 1877, A synonymic catalogue of the diurnal Lepidoptera. Supplement March 1871-June 1877. vii+691-883pp. John van Voorst, London.
- **357.Kirby,W.F.,** 1892, A Synonymic Catalogue of Lepidoptera Heterocera (Moths) I. Sphinges and Bombyces. xii + 951 pp., London.
- 358.Kirby, W.F.G., 1903, The butterflies and moths of Europe. 432 pp., 55 col. pls.; Cassell & Co., London.
- **359.Kiriakoff,S.G.,** 1948, A classification of the Lepidoptera and related groups with some remarks on taxonomy. Biol. Jb. 15: [118]-143.
- **360.Kitching,I,J. & J-M.Cadiou**, 2000, Hawkmoths of the World. An annotated and illustrated revisionary checklist (Lepidoptera, Sphingidae). x+226pp., 8 Pls. Natural History Museum, London.
- **361.Kitching,I.J. & J.E.Rawlins**, 1999, The Noctuoidea, [in] N.P.Kristensen, Lepidoptera Moths and Butterflies, volume 1: Evolution, Systematics and Biogeography, [in] M.Fischer, Arthropoda: Insecta, 35: Volume IV: 355-401. Walter de Gruyter, Berlin & New York.
- **362.Kitching,I.J. & R.Zahiri**, 2007, Taxonomic notes and new records of the genus Sphingonaepiopsis Wallengren,1858 (Lepidoptera, Sphingidae) in Iran. Zootaxa 1610: 41-52, 10 pls.
- **363.Kitching,I.J.**, 1984, An historical review of the higher classification of Noctuidae (Lepidoptera). Bull. Br. Mus. (Nat. Hist.) Ent. 49 (3): 153-234.
- **364.Klemstein,J.**, 1966, Gefriertrocknung eine neue Methode zur Praeparation der Raupen. Ent. Z., Frankf. a.M. 76: 17-21.
- **365.Klima,A.**, 1937, Pyralidae: Subfam. Scopariinae et Nymphulinae. [in] Bryk,F. (ed.), Lepidopterorum Catalogus Pars.84. 226pp. W.Junk, Berlin & The Hague
- **366.Klima,A.**, 1939a, Pyralidae: Subfam. Pyraustinae I. [in] Bryk,F. (ed.), Lepidopterorum Catalogus Pars.89. 1-224pp. W.Junk, Berlin & The Hague
- **367.Klima,A.**, 1939b, Pyralidae: Subfam. Pyraustinae II. [in] Bryk,F. (ed.), Lepidopterorum Catalogus Pars.94. 225-384pp. W.Junk, Berlin & The Hague
- 368.Klots, A.B., 1930, A generic revision of the Euchloini. Bull. Brooklyn ent. Soc. 25: 80-95, 1 pl.
- 369.Klots, A.B., 1933, A generic revision of the Pieridae. Entomologica am. (N.S.) 12: 139-242.
- **370.Klots,A.B.,** 1970, Lepidoptera. [İn] Tuxen,S.L. (Ed.), Taxonomist's glossary of genitalia in Insects. 115-130 pp., Munksgaard, Copenhagen (Edn. 2).
- **371.Klug, F.**, 1829-1845, Insecta [in] Ehrenberg, C.G., Symbole Physicae, seu icones et descriptiones corporum naturalium novarum aut minus cognitorum [183] pp., 50 Pls. Berolini.
- **372.Koçak,A.Ö. & M.Kemal,** 2001, Corrections and additions to the work entitled "Geometrid Moths of the World", edited by M.J.Scoble (Lepidoptera) I. Cent. ent. Stud., Misc. Pap. 77: 1-8.
- 373.Koçak,A.Ö. & M.Kemal, 2001, Lepidoptera coğrapiyesi üstide tetqiqatlar 3. İraq képinekliri üstide zoocoğrapiyelik hatiriler (Lepidoptera, Papilionoidea, Hesperioidea). Cent. ent. Stud., Priamus 10 (3/4): 164-173 [in Uighur language].
- 374.Koçak,A.Ö. & M.Kemal, 2002a, Bazı taksonomik ve zoocoğrafik notlarla birlikte Hyponephele Muschamp cinsinin kataloğu (Lepidoptera, Satyridae). Cent. ent. Stud., Misc. Pap. 80/81: 1-15, 1 Tab.
- 375.Koçak, A.Ö. & M.Kemal, 2002b, Türkiye'de bir Karakuşaklı Güzel Colobochyla platyzona (Lederer, 1870) (Noctuidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 86: 2-5, figs.
- 376.Koçak, A.Ö. & M.Kemal, 2007a, Annotated List of the Lycaena Fabr. (Lycaenidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 135: 1-8.
- **377.Koçak,A.Ö. & M.Kemal**, 2007b, Chapter 4: Bibliography of the Lepidoptera (BL), [in] Koçak,A.Ö. & M.Kemal, Results of the International Project of the CESA on the Lepidoptera of the World-I. Cent. ent. Stud., Memoirs 3-4: 1117-1267.
- 378.Koçak,A.Ö. & M.Kemal, 2007c, Preliminary checklist of Loxostege Hbn., with some taxonomical and geographical notes (Lepidoptera, Pyralidae). Cent. ent. Stud., Misc. Pap. 136: 2-8.
- **379.Koçak, A.Ö. & M.Kemal,** 2010a, Evaluation of the lepidopterological bibliography based upon the info-system of the Cesa. Cent. ent. Stud., Priamus (Suppl.) 21: 1-1185, 39 figs. 3 graphs.
- **38o.Koçak, A.Ö. & M.Kemal**, 2010b, Synonymic and distributional list of the pterygot insects of Middle East (Results of the Entomofauna of the World based upon info-system of the Cesa) 88, Part 2: List of the valid names of the order Lepidoptera. Cent. ent. Stud., Priamus (Suppl.) 18: 3077-3186.
- **381.Koçak,A.Ö. & M.Kemal**, 2015, Annotated list of the lepidopterological taxa in the info-system of the Cesa Part I. Cent. ent. Stud., Memoirs 7: 1-4792.
- **382.Koçak, A.Ö. & M.Kemal,** 2017, Geographical codes used in the publications of the Cesa. Cesa News 135: 1-40.
- **383.Koçak,A.Ö. & S.Seven**, 1997, Palaearktik Noctuid'lerin taksonomisi ve nomenklatürü üzerine notlar VI. Avrupa Noctuid'lerinin familya grubu taksonlarının nomenklatürü hakkında. Cent. ent. Stud., Misc. Pap. 37: 3-8.
- **384.Koçak, A.Ö.**, 1981a, Nomenclatural note on the genus Petersenia Gozmany,1960 (Tineidae). Cent. ent. Stud., Priamus 1 (2): 45.
- **385.Koçak,A.Ö.**, 1981b, On the nomenclature of some genera of Lepidoptera. Cent. ent. Stud., Priamus 1(1): 18-23; 1(3): 97-109, 112-122.
- **386.Koçak,A.Ö.**, 1981c, On the nomenclature of some genera of the family Psychidae (Lepidoptera). Cent. ent. Stud., Priamus 1 (1): 7-10; 1(3): 122-123.
- **387.Koçak,A.Ö.**, 1981d, On the status of the family names Nymphalidae and Heliconiidae described by Swainson. Cent. ent. Stud., Priamus 1 (2): 93-96.
- **388.Koçak, A.Ö.**, 1981-1984, Critical Check-list of European Papilionoidea (Lepidoptera). Cent. ent. Stud., Priamus 1 (2): 46-90; 1 (4): 155-167; 2 (2): 69-92; 3 (1): 11-37.

- **389.Koçak, A.Ö.**, 1982, Notes on Archon apollinus (Herbst,1798) (Papilionidae, Lepidoptera). Cent. ent. Stud., Priamus 2 (1): 44-63, figs., map.
- **390.Koçak, A.Ö.**, 1982-1987, On the validity of the species group names proposed by Denis & Schiffermüller,1775 in "Ankündung (sic!) eines systematischen Werkes von den Schmetterlingen der Wiener Gegend". Cent. ent. Stud., Priamus 2 (1): 4-42; 3 (3): 98-130; 3 (4): 133-154; 4 (1/2): 22-36; 4 (3): 81-86.
- **391.Koçak,A.Ö.**, 1983a, On the nomenclature of the genus Hipparchia Fabricius,1807 (Lepidoptera, Satyridae). Cent. ent. Stud., Priamus 2 (4): 166-169.
- **392.Koçak,A.Ö.,** 1983b, On the nomenclature of Thersamonia thersamon (Esper,1784) from the West Palaearctic Region (Lycaenidae, Lepidoptera). Cent. ent. Stud., Priamus 3 (1): 3-5.
- **393.Koçak, A.Ö.**, 1986, On the paper "Lepidoptera names of Denis & Schiffermüller A case for stability" by K.Sattler & W.G. Tremewan in 1984. Cent. ent. Stud., Priamus 4 (1): 3-12.
- **394.Koçak, A.Ö.**, 1987, Sultania lophotalis (Hampson) Koçak in Turkey, with a description of a new genus (Lepidoptera, Pyralidae). Cent. ent. Stud., Priamus 4 (3): 117-120, figs.
- **395.Koçak, A.Ö.**, 1989a, Description of the genus Adoritis (gen.n.) with notes on other closely related groups in Parnassiinae (Papilionidae, Lepidoptera). Cent. ent. Stud., Priamus 4 (4): 163-170, figs.
- **396.Koçak, A.Ö.**, 1989b, On the authorship of the family name Lemoniidae with some nomenclatural notes on other related groups (Lepidoptera). Cent. ent. Stud., Priamus 4 (4): 147-149.
- **397.Koçak,A.Ö.**, 1989c, Provision of a valid name for the type-species of the genus Sideridis Hübner, 1821 (Noctuidae, Lepidoptera). Cent. ent. Stud., Priamus 5 (1/2): 1-2.
- **398.Koçak, A.Ö.**, 1990a, Notes on the taxonomy and nomenclature of the Palaearctic Noctuidae (Lepidoptera) -II. Cent. ent. Stud., Misc. Pap. 5: 4.
- **399.Koçak, A.Ö.**, 1990b, Notes on the taxonomy and nomenclature of the Palaearctic Noctuidae (Lepidoptera) -III. Cent. ent. Stud., Misc. Pap. 7: 7.
- 400.Koçak, A.Ö., 1991, Introductions and Remarks, [in] Seven, S. & S.Bulguer, A Bibliographical list of the homonymous generic names in Zoology based on S.A. Neave's Nomenclator Zoologicus (Vols. I-VII). Cent. ent. Stud., Memoirs 1: v-x, 82-83. Ankara.
- 401.Koçak, A.Ö., 1995, Lepidoptera palaeo-tropica araştırma programı hakkında (LPT). Cent. ent. Stud., Misc. Pap. 22: 1-5.
- **402.Koçak,A.Ö.,** 1996, Güney Batı Asya Polyommatinae taksonlarının listesi ve bazı nomenklatür notları (Lepidoptera, Lycaenidae). Cent. ent. Stud., Misc. Pap. 30/33: 1-32.
- **403.Kodandaramaiah,U. & N.Wahlberg,** 2009, Phylogeny and biogeography of Coenonympha butterflies (Nymphalidae, Satyrinae)- patterns of colonization in the Holarctic. Syst. Ent. 34: 315-323.
- 404.Koster, J.C. & S.Y.Sinev, 2003, Microlepidoptera of Europe volume 5. Momphidae, Batrachedridae, Stathmopodidae, Agonoxenidae, Cosmopterigidae, Chrysopeleiidae. Apollo Books, Stenstrup.
- **405.Kostrowicki,A.S.**, 1961, Studies on the Palaearctic species of the subfamily Plusiinae (Lepidoptera). Acta zool. cracov. 6: 367-472, pls.
- 406.Kostrowicki, A.S., 1969, Geography of the Palaearctic Papilionoidea (Lepidoptera). 380 pp., 125 figs. Panstowe Wyd. Nauk., Warschaw.
- **407.Kristensen,N.P., Scoble,M.J. & O.Karsholt,** 2007, Lepidoptera phylogeny and systematics: the state of inventorying moth and butterfly diversity [in] Zhang,Z.Q. & W.A.Shear (eds), Linnaeus Tercentenary: Progress in Invertebrate Taxonomy. Zootaxa 1668: 699-747, figs.
- **408.Kudrna,O.,** 1974, Artogeia Verity, 1947, gen.rev. for Papilio napi Linnaeus (Lepidoptera, Pieridae). Entomologist's Gaz. 25: 9-12, 7 figs.
- 409.Kudrna,O., 1975a, A revision of the genus Gonepteryx Leach (Lep., Pieridae). Entomologist's Gaz. 26: 3-37, 50 figs.
- 410.Kudrna,O., 1975b, On a hitherto undescribed European species of the genus Hipparchia Fabricius (Lep., Satyridae). Entomologist's Gaz. 26: 197-207, 15 figs.
- **411.Kudrna,O.**, 1977a, A revision of the genus Hipparchia Fabricius. Classey.
- **412.Kudrna,O.**, 1977b, On the nomenclature of some taxa of the genus Artogeia Verity (Lep., Pieridae). Z. ArbGem. Öst. Ent. 29(1/2): 63-64.
- 413.Kudrna,O., 1982, On the nomenclature of Colias alfacariensis Berger, 1948 (Lepidoptera, Pieridae). J. Res. Lepid. 20: 103-110.
- **414.Kudrna,O.**, 1983, An Annotated Catalogue of the Butterflies (Lepidoptera, Papilionoidea) named by Roger Verity. J. Res. Lepid. 21: 1-106.
- **415.Kun,A.**, 2007, Studies on Palaearctic Ethmia Hübner,1819 (Lepidoptera, Elachistidae). Annls hist.-nat. Mus. natn. hung. 99: 101-114, figs. [incomplete references!]
- **416.Kuznetsov, V.I. & S.V.Baryshnikova**, 2001, Review of the Palaearctic genera of the family Gracillariidae (Lepidoptera) with description of a new subfamily Ornixolinae Kuznetsov & Baryshnikova, subfam.n. Ent. Obozr. 80 (1): 96-120, figs.
- **417.Kühne,L. & W.Speidel**, 2004, The system of the Catocaline a historical survey (Lepidoptera, Noctuidae). Beitr. Ent. 54 (1): 147-184.
- 418. Kyrki, J., 1990, Tentative reclassification of holarctic Yponomeutoidea (Lepidoptera). Nota lepid. 13 (1): 28-42.
- **419.Lajonquiére, Y.de**, 1977, Essai sur les genres Beralade Walker, Sena Walker, Chilena Walker, Ergolea Dumont. 20.Contribution a l'etude des Lasiocampidae (Lepidoptera). Annls Soc. ent. Fr. (N.S.) 13 (2): 243-295, 60 figs., 5 Pls.
- **420.Lamas,G.,** 2005, A bibliography of the zoological publications of Hans Fruhstorfer (1866-1922). Entomofauna 26 (6): 57-100.
- **421.Larsen, T.B.**, 1982, Gegenes pumilio Hoffmannsegg, 1804; a review with cytological evidence that two species are involved (Hesperiidae). Nota lepid. 5 (2/3): 103-110, 1 fig.
- **422.Laszlo,G.M.**, Ronkay,G., Ronkay,L. & T.Witt, 2007, The Thyatiridae of Eurasia including the Sundaland and New Guinea (Lepidoptera). Esperiana 13: 1-683, figs.
- 423. Lattin, G.de, 1952, Zur Evolution der westpaläarktischen Lepidopterenfauna. Decheniana 105/106: 115-164.

- **424.Lattin, G.de**, 1967, Grundriss der Zoogeographie. [In] Borriss, H. & Gersch, M., Hochschullehrbücher für Biologie, Band 12. 602 S. 170 Abb. 25 Tab. VEB Gustav Fischer Verlag, Jena.
- **425.Lattin,G.de**, **Becker,M. & R.-U.Roesler**, 1974, Zwei neue Subspecies aus dem Cerura vinula-Kreis (Lepidoptera, Notodontidae). Ent. Z., Frankf. a. M. 84(9): 85-93, 12 Abb.
- 426.Leach, W.E., [1815], Entomology [In] Brewster, D., Edinburgh Encyclopaedie 9.vol., pt.1. 57-172 pp., Edinburgh.
- **427.Leach,W.E.,** 1817, The zoological Miscellany. 3.vol. 151 pp., 5 Pls. London.
- **428.Lederer,J.**, 1853, Die Spanner. Versuch die europäischen Lepidopteren in möglichst natürliche Reihenfolge zu stellen. Verh. zool.- bot. Ver. Wien 3: 165-269, pls.
- 429.Lederer, J., 1857a, Die körperlichen Auszeichnungen der europäischen Hesperiden. Wien. ent. Monatschr. 1: 75-80.
- **430.Lederer,J.**, 1857b, Die Noctuinen Europas, mit Zuziehung einiger bisher meist dazu gezählten Arten des asiatischen Russlands, Kleinasiens, Syriens und Labradors. 16+252pp., 4 Pls. Wien.
- 431.Lederer, J., 1857c, Über die Lycaeniden-Gattungen der europäischen Fauna. Wien. ent. Monatschr. 1: 25-32.
- **432.Lederer,J.**, 1863, Beitrag zur Kenntniss der Pyralidinen. Wien. ent. Monatschr. 7 (8): 243-280, 7(10): 331-378, 7(11): 380-426, 7(12): 427-502, Taf. 2-18.
- 433.Lee,S. & R.L.Brown, 2008, Revision of Holarctic Teleiodini (Lepidoptera, Gelechiidae). Zootaxa 1818: 1-55, figs.
- 434.Lefèbvre, M.A., 1927, Description de divers insectes inédits recueillis en Sicile. Mém. Soc. linn. Paris 6: 94-108, pl.5.
- **435.Legrain,A., Yela,J.L. & M.Fibiger,** 1988, Evisa schawerdai Reisser,1930 espece nouvelle pour la faune de la Peninsule Ibérique (Noctuidae, Cuculliinae). Nota lepid. 11 (4): 265-273, figs.
- **436.Leraut,P.**, 1984, Contribution a l'etude des Scopariinae 4. Revision des types decrits de la region palearctique occidentale, description de dix nouveaux taxa et ebauche d'une liste des especes de cette region (Lep., Crambidae). Alexanor 13 (4): 157-192, 37 figs.
- 437.Leraut, P., 2012, Moths of Europe. Volume 3 Zygaenids, Pyralids 1. 599pp. 201 text-figs., 112 pls. N.A.P. ed., Verrières-le-Buisson.
- 438.Leraut, P., 2014, Moths of Europe. Volume 4 Pyralids 2. 441pp. 190 text-figs., 69 pls. N.A.P. ed., Verrières-le-Buisson.
- **439.Lesse,H.de**, 1951, Divisions génériques et subgénériques des anciens genres Satyrus et Eumenis (sensu lato). Revue fr. lépid. 13 (3/4): 39-43.
- **440.Lesse,H.de**, 1960, Spéciation et variation chromosomique chez le Lépidoptères Rhopalocères. Annls. Sci. nat. (2.ser) Zool. 2: 1-223, 222 figs.
- **441.Lewvanich,A.**, 1981, A revision of the Old World species of Scirpophaga (Lepidoptera, Pyralidae). Bull. Br. Mus. (Nat. Hist.) Ent. 42: 185-298, 188 figs.
- **442.Linnaeus, C.**, 1758, Systema Naturae per regna tria naturae secundum classes, ordines, genera, species cum characteribus, differentiis, synonymis, locis. ed. decima reformata. Tom.1, 823 pp. Holmiae.
- **443.Linnaeus, C.**, 1761, Fauna Suecica sistens animalia Sueciae regni: quadrupedia, aves, amphibia, pisces, insecta, vermes, distributa per classes, et ordines, genera et species, cum differentiis specierum, synonymis autorum, nominibus incolarum, ... 578pp. Stockholmiae.
- **444.Linnaeus,C.,** 1764, Museum S.R.M. Ludovicae Ulricae Reginae etc. in quo animalia rariora, exotica, inprimis insecta et conchilia describuntur et determinantur, prodromi instar editum. 720pp., Holmiae.
- **445.Linnaeus, C.**, 1767, Systema Naturae per regna tria naturae secumdum classes, ordinus, genera, species, cum characteribus, differentiis, synonymis, locis. editio duodecima reformata. Tom. 1, P.2: 553-1327 pp. Holmiae.
- 446.Lovtrup, S., 1975, On the Phylogenetic Classification. Acta zool. cracov. 20 (14): 499-524, 2 text-figs.
- 447.Lödl,M. & B.Mayerl, 1998, Revision der Gattung Zekelita Walker,1863 (=Rhynchodontodes Warren,1913) (Lepidoptera, Noctuidae, Hypeninae). Quadrifina 1: 115-230, figs.
- **448.Lödl,M.**, 1994a, Remarks on the classification of the genera Hypena Schrank,1802, Dichromia Guenée,1854, und Harita Moore,1882 (Lepidoptera, Noctuidae). Nota lepid. 16(3/4): 241-250, figs.
- **449.Lödl,M.**, 1994b, Revision der Gattung Hypena Schrank,1802 s.l., der äthiopischen und madagassischen Region, Teil 1 (Insecta: Lepidoptera, Noctuidae, Hypeninae). Annln naturh. Mus. Wien 96B: 373-590, 400 Abb.
- **450.Lödl,M.**, 1994c, Zur Wiederauffindung der Type von Rhynchina obliqualis (Kollar,1844) [Hypena] Comb.Nov. im Naturhistorischen Museum Wien, nebst Bemerkungen zur Synonymie (Lepidoptera: Noctuidae). Annln naturh. Mus. Wien 96B: 369-372.
- **451.Lödl,M.,** 1995, Revision der Gattung Hypena Schrank,1802 s.l., der äthiopischen und madagassischen Region, Teil 2 (Insecta: Lepidoptera, Noctuidae, Hypeninae). Annln naturh. Mus. Wien 97B: 255-393, 533 Abb.
- **452.Lödl,M.,** 1996, A note on the Vartian collection at the Museum of Natural History in Vienna a milestone on Lepidoptera of the Near and Middle East (Insecta). J. Nat. Hist. 30 (9): 1421-1422.
- **453.Lödl,M., Kerbaci,R. & S.Gaal**, 1996, Die Sammlung Vartian am Naturhistorischen Museum Wien ein Meilenstein in der Erforschung der Grossschmetterlingsfauna des Mittleren Ostens (Insecta, Lepidoptera). Ent. NachrBl. 3 (2/3) (N.F.): 1-5, 3 Abb.
- **454.Lukhtanov,V.A.**, 1991, Karyotype evolution and systematics of higher taxa of Pieridae (Lepidoptera) of the World. Ent. Obozr. 70(3): 619-636, 3 figs.
- **455.Mabille,M.P.,** 1876, Sur la classification des Hespériens avec la description de plusieurs especes nouvelles. Annls Soc. ent. Fr. (5)6: 251-274.
- **456.Mabille,M.P.,** 1909, Hesperiidae, [in] Seitz,A., Die Gross-Schmetterlinge der Erde, vol. 1: 330-354S., Taf. 84-89. Alfred Kerner Verlag. Stuttgart.
- **457.Mabille,P.**, 1888, Descriptions d'especes nouvelles de Lépidopteres de Tunisie et d'Algérie. Bull. Soc. ent. Fr. 1888: 42-43, 51-52, 58-59.
- **458.Maes,K.**, 1984, Some remarks on the genus Euproctis Hübner,[1819] 1816 (Lepidoptera, Lymantriidae). Nota lepid. 7: 55-58, figs.
- **459.Maes,K.**, 1985, A comparative study of the abdominal tympanal organs in Pyralidae (Lepidoptera) I. Description, terminology, preparation technique. Nota lepid. 8 (4): 341-350, figs.
- 460.Maes, K.V.N., 1998, On the morphology of the gnathos in the Pyraloidea (Lepidoptera). Ent. scand. 28: 381-390, figs.

- **461.Maes,K.V.N.**, 2002, On the systematic position of some Palaearctic Pyraustinae (Pyraloidea, Crambidae). Nota lepid. 24 (4) (2001): 51-58, 2 Pls.
- **462.Mayerl,B. & M.Lödl**, 1999, Revision der Gattung Rhynchina Guenée,1854 (Lepidoptera, Noctuidae, Hypeninae). Quadrifina 2: 1-124, figs.
- **463.Mehrnejad,M.R. & W.Speidel**, 2011, The Pistachio Fruit Hull Borer Moth Arimania komaroffi Ragonot,1888 (Lepidoptera, Pyralidae). Entomofauna 32 (2): 17-28, figs.
- 464.Mey,W. & W.Speidel, 2008, Global diversity of butterflies (Lepidoptera) in freshwater. Hydrobiologia 595: 521-528, figs.
- 465.Meyrick, E., 1890, On the classification of the Pyralidina of the European fauna. Trans. ent. Soc. London 1890 (3): 429-492, Pl.xv
- 466.Meyrick, E., 1892a, Classification by structure of imago. Entomologist's Rec. J. Var. 3: 104-106.
- 467.Meyrick, E., 1892b, On the classification of the Geometrina of the European fauna. Trans. ent. Soc. London 1892: 53-140, Tab.iii.
- **468.Meyrick, E.,** 1912, Adelidae, Micropterygidae, Gracilariadae. [in] Wagner, H., Lepidopterorum Catalogus Pars 6. 68pp. Dr.W. Junk Berlin.
- **469.Meyrick, E.**, 1913, Carposinidae, Heliodinidae, Glyphipterygidae. [in] Wagner, H., Lepidopterorum Catalogus Pars 13. 53pp. Dr.W.Junk Berlin.
- 470.Meyrick, E., 1925, Lepidoptera Heterocera Fam. Gelechiadae, [in] Wytsman, P., Genera Insectorum 184: 1-290, 5 pls.
- 471.Meyrick, E., 1936-1937, Exotic Microlepidoptera, vol. 5. 160pp.
- **472.Michener, C.D.**, 1952, The Saturniidae (Lepidoptera) of the Western Hemisphere: morphology, phylogeny, and classification. Bull. Am. Mus. Nat. Hist. 98: 335-502, 5 Pls.
- 473.Mikkola,K. & M.R.Honey, 1993, The Noctuoidea (Lepidoptera) described by Linnaeus. Zool. J. Linn. Soc. 108: 103-169, 23 figs.
- 474.Miller, J.S., 1987, Phylogenetic studies in the Papilioninae (Lepidoptera). Bull. Am. Mus. Nat. Hist. 186 (4): 365-512.
- **475.Minet,J. & A.Surlykke**, 2003, Auditory and sound producing organs. [in] Kristensen,N.P. (Ed.). Lepidoptera, moths and butterflies, vol.2: Morphology, physiology and development: 289-323. Walter de Gruyter, Berlin & New York.
- 476.Minet,J., 1986, Ebauche d'une classification moderne de l'ordre des Lépidopteres. Alexanor 14: 291-313.
- **477.Minet,J.**, 1990, Remaniement partiel de la classification des Gelechioidea, essentiellement en fonction de caractères pré-imaginaux (Lepidoptera, Ditrysia). Alexanor 16 (4) (1989): 239-255, figs.
- 478.Minet, J., 1991, Tentative reconstruction of the ditrysian phylogeny (Lepidoptera: Glossata). Ent. scand. 22: 69-95.
- 479.Mitter, C. & E.Silverfine, 1987, On the systematic position of Catocala Schrank (Noctuidae). Syst. Ent. 13: 67-84, figs.
- **480.Mosher, E.**, 1916, A Classification of the Lepidoptera based on characters of the pupa. Bull. Ill. St. Lab. nat. Hist. 12: 1-158, figs.
- **481.Moucha, J.**, 1967, Geographische Verbreitung und Variabilität von Pandoriana pandora (Denis & Schiffermüller],1775). Acta ent. Mus. natn. Pragae 37: 239-249.
- 482.Munroe, E., 1961, The classification of the Papilionidae (Lepidoptera). Can. Ent. Suppl. 17: 1-51.
- **483.Naumann, C.M. & W.G.Tremewan**, 1984, Das Biospecies-Konzept in seiner Anwendung auf die Gattung Zygaena Fabricius,1775 (Insecta, Lepidoptera, Zygaenidae). Spixiana 7 (2): 161-193, 24 figs.
- **484.Nekrutenko, Y.P.**, 1983, Neolysandra alticola (Christoph,1893) comb. et stat.n. = Albulina alexander Higgins,1981, syn.n. Vestn. Zool. 1983 (1): 52.
- 485.Nekrutenko, Y.P., 1987, Esperella Nekrutenko, nom n. pro Esperia Nekrutenko. Vestn. Zool. 1987 (3): 62.
- **486.Nekrutenko, Y.P.**, 2000, A catalogue of the type specimens of Palaearctic Riodinidae and Lycaenidae (Lepidoptera) deposited in the collection of the Museum für Naturkunde der Humboldt Universität zu Berlin. Nota lepid. 23 (3/4): 192-352.
- **487.Nieukerken, E.J.v.**, 1986, Systematics and philogeny of Holarctic genera of Nepticulidae (Lepidoptera, Heteroneura, Monotrysia). Zool. Verh. 236: 1-93, figs.
- **488.Nieukerken, E.J.van, Doorenweerd, C., Hoare, R.J.B. & D.R.Davis**, 2016, Revised classification and catalogue of global Nepticulidae and Opostegidae (Lepidoptera, Nepticuloidea). Zookeys 628: 65-246, figs.
- 489.Nuss, M., et al., 2003-2016, Global information System on Pyraloidea. www.pyraloidea.org. [last access 26 Dec., 2015]
- **490.Nuss,M., Sobczyk,T. & R.Bläsius**, 2006, The taxonomy and life history of Epimetasia monotona (Amsel,1953) (comb.n.) from Northwest Africa (Pyraloidea, Crambidae, Odontiinae, Odontiini). Nota lepid. 29 (1/2): 37-47, figs.
- 491.Nye,I.W.B. & D.S.Fletcher, 1986, Microlepidoptera, [in] Nye,I.W.B., The generic names of Moths of the World. vol.6.
- **492.Nye,I.W.B.**, 1975, The Generic Names of the World vol.1 Noctuoidea (part): Noctuidae, Agaristidae, and Nolidae. 568pp. British Museum (Natural History) London.
- 493.Obraztsov, N.S., 1952, Neue palaearktische Eucosmini-Arten (Lepidoptera, Tortricidae). Z. wien. ent. Ges. 37: 122-129, 5 Abb.
- **494.Obraztsov,N.S.,** 1958, Die Gattungen der palaearktischen Tortricidae. II. Die Unterfamilie Olethreutinae. Tijdschr. Ent. 101 (3/4): 229-261, 1-24 Abb.
- **495.Obraztsov, N.S.**, 1959, Die Gattungen der palaearktischen Tortricidae. II. Die Unterfamilie Olethreutinae 2.Theil. Tijdschr. Ent. 102 (2): 175-216, 25-63 Abb., 4 Taf.
- **496.Obraztsov,N.S.**, 1960, Die Gattungen der palaearktischen Tortricidae. II. Die Unterfamilie Olethreutinae 3.Theil. Tijdschr. Ent. 103 (1/2): 111-143, 64-106 Abb., 3 Taf.
- **497.Obraztsov,N.S.**, 1961a, Die Gattungen der palaearktischen Tortricidae. II. Die Unterfamilie Olethreutinae 4.Theil. Tijdschr. Ent. 104 (5): 51-70, 107-126 Abb.
- 498.Obraztsov, N.S., 1961b, Die Gattungen der palaearktischen Tortricidae. III. Addenda und corrigenda 1. Theil. Tijdschr. Ent. 104 (10): 232-240.
- 499.Obraztsov, N.S., 1964, Die Gattungen der palaearktischen Tortricidae. II. Die Unterfamilie Olethreutinae 5.Theil. Tijdschr. Ent. 107 (1): 1-48, 127-177 Abb., 8 Taf.

- **500.Obraztsov,N.S.**, 1965a, Die Gattungen der palaearktischen Tortricidae. III. Addenda und corrigenda, 2.Teil. Tijdschr. Ent. 108 (1): 1-40, 1-6 Abb., 4 Taf.
- **501.Obraztsov, N.S.**, 1965b, Die Gattungen der palaearktischen Tortricidae. II. Die Unterfamilie Olethreutinae 6.Teil. Tijdschr. Ent. 108 (12): 365-387, 178-191 Abb., 7 Taf.
- 502.Obraztsov, N.S., 1966, Die palaearktischen Amata-Arten (Lepidoptera, Ctenuchidae). Veröff. zool. Stsamml. München 10: 1-383, Taf.
- **503.Obraztsov,N.S.**, 1967a, Die Gattungen der palaearktischen Tortricidae. III. Addenda und corrigenda 2.Teil. Notes on the Palaearctic Laspeyresiini. Tijdschr. Ent. 110 (2): 13-36, figs. 2 Pls.
- **504.Obraztsov,N.S.**, 1967b, Die Gattungen der palaearktischen Tortricidae. II. Die Unterfamilie Olethreutinae. 7. Teil. Tribus Eucosmini (Hein. 1923) Fortsetzung. Tijdschr. Ent. 110 (4): 65-88, 1-24 Abb., 3-10 Taf.
- **505.Obraztsov,N.S.**, 1968, Die Gattungen der palaearktischen Tortricidae. II. Die Unterfamilie Olethreutinae. 8.Teil und Schluss. Tijdschr. Ent. 111 (2): 1-48, 1-5 Abb, 1-11 Taf.
- **506.Olivier, A. & Y.P. Nekrutenko**, 2000, The butterflies described by Johann Christoph Friedrich Klug (1775-1856) in his Symbolae Physicae, Insecta (Lep., Pieridae, Lycaenidae, Nymphalidae): An annotated review, with catalogue of the existing types. Dt. ent. Z. 47: 95-104.
- **507.Oorschot,H.v. & H.v.d.Brink**, 1994, Rhopalocera of Turkey 12. On the geographical variation of Melitaea collina Lederer,1861 with description of Melitaea collina lokmani n.ssp. from South East Turkey (Lepidoptera, Nymphalidae). Phegea 22(2): 53-60, 2 pls., 5 figs.
- **508.Oorschot,H.v. & J.G.Coutsis**, 2014, The genus Melitaea Fabricius,1807. Taxonomy and systematics with species reference to the male genitalia (Lepidoptera, Nymphalidae). 360pp., 24 Pls. Tshikolovets Publ. [Plate explanations were placed far from the related figures. This causes discomfort].
- **509.Othman,H.D., Çiftçi,M.C. & E.Seven**, 2018, Studies on the fauna of Papilionoidea and Hesperioidea (Lepidoptera) in Erbil Province (Northern Iraq). Turk. J. Agric. Res. 5 (2): 120-124.
- **510.Ounap,E., Viidalepp,J. & U.Saarma,** 2008, Systematic position of Lythriini revised: transferred from Larentiinae to Sterrhinae (Lepidoptera, Geometridae). Zool. Scripta 37 (4): 405-413, 1 fig. 4 Table.
- **511.Pagenstecher,A.**, 1911, Libytheidae. [in] Aurivillius,C. & H.Wagner, Lepidopterorum Catalogus Pars 3. 12pp. Dr.W.Junk Berlin.
- **512.Passerin d'Entrèves,P. & A.Roggero**, 2007, Fascicle 44 Scythrididae [in] Heppner,J.B., Lepidopterorum Catalogus (New Series), 85pp. Scientific Publishers, Gainesville &e.
- **513.Passerin d'Entrèves,P. & A.Roggero**, 2011, Four new species of Scythrididae (Lepidoptera, Gelechioidea) from Irano-Turanian area, with notes on taxonomy and distribution. Ent. Sci. 14 (2): 203-209, figs.
- **514.Peile, H.D.**, 1921, The Butterflies of Mesopotamia. J. Bomb. nat. Hist. Soc. 28: 50-70, 345-369, Pl.
- 515.Peks, H., 1990, Das Noctuidae Typenmaterial der Sammlung Peks (Lepidoptera). Esperiana 1: 421-426.
- 516.Petersen, G., 1959, Tineidae [in] Amsel, H.G., Irakische Kleinschmetterlinge II. Bull. Soc. ent. Egypte 43: 70-73, Taf.ix.
- **517.Petersen,G.,** 1963, Revision der paläarktischen Arten der Gattung Catabola Durr. (Lepidoptera, Tineidae). Beitr. Ent. 13 (1/2): 168-173, 2 Taf.
- **518.Petersen,G.**, 1964, Tineiden von Karatschi (Pakistan), Fars (SW-Iran) und den Bahrein-Inseln (Lepidoptera,, Tineidae). Beitr. naturk. Forsch. SWDtl. 23(2): 111-122, 11Abb.
- **519.Petersen,G.,** 1965, Revision der Gattungen Rhodobates Ragonot und Pachyarthra Amsel (Lepidoptera, Tineidae). Beitr. Ent. 15 (1/2): 87-100, 23 figs.
- **520.Petersen,G.**, 1991, Zur Taxonomie und Verbreitung der Hapsiferinae (Lepidoptera, Tineidae). Dt. ent. Z. (n.f.) 38 (1/3): 27-33, figs.
- 521.Pfeiffer, E., 1938, Notizen über persische Lycaenidae (Lepid.). Mitt. münch. ent. Ges. 28: 188-195, 395, Taf.iv.
- **522.Pitkin,B. & P.Jenkins (compilers)**, 2008, Butterflies and moths of the world. Generic names and their type species. http://www.nhm.ac.uk/jdsml/research-curation/projects/butmoth/index.dsml [last accessed: 22.xi.2008].
- **523.Pitkin,L.M.**, **Han,H. & S.James**, 2007, Moths of the tribe Pseudoterpnini (Geometridae, Geometrinae): a review of the genera. Zool. J. Linn. Soc. 150: 343-412, figs.
- **524. Pittaway, A.R.**, 1983, An Annotated Checklist of the Western Palaearctic Sphingidae (Lepidoptera). Entomologist's Gaz. 34: 67-85, 39 maps, figs.
- 525. Pittaway, A.R., 1993, The Hawkmoths of the Western Palaearctic. 240 pp. 20 pls. 60 figs., 58 maps. Harley Books, London.
- **526.Pittaway,A.R.**, 1995, Sphingidae of the western Palaearctic; their ecology and biogeography. London, UK; PhD Thesis, Imperial College of Science, Technology & Medicine.
- **527.Pogue,M.G. & P.W.Schaeffer,** 2007, A review of selected species of Lymantria Hübner,[1819] (Lepidoptera, Noctuidae, Lymantriinae) from subtropical and temperate regions of Asia, including the descriptions of three new species, some potentially invasive to North America. 232 pp. FHTET.
- **528.Ponomarenko, M.G.,** 1997, Catalogue of the subfamily Dichomeridinae (Lepidoptera, Gelechiidae) of the Asia. Far Eastern Ent. 50: 1-67.
- **529.Poole,R.W.,** 1989, Noctuidae (Parts 1-3) [in] Heppner,J.B., Lepidopterorum Catalogus (New Series). Fascicle 118. xii + 1314 pp. E.J.Brill / Flora & Fauna Publications, Leiden. New York. Kobenhavn. Köln.
- **530.Popescu-Gorj,A. & A.Constantinescu,** 1977, Revision of the Genus Euclasta Lederer (Lepidoptera, Pyraustinae) A Taxonomic and Zoogeographic Study. Trav. Mus. Hist. nat. "Gr.Antipa" 18: 157-245, 97 figs.
- **531.Povolny,D. & Z.Sustek**, 1988, Versuch einer numerisch-taxonomischen Lösung der phylogenetischen Beziechungen im Rahmen des Gelechioiden Tribus Gnorimoschemini (Lepidoptera). Stapfia 16: 209-247.
- 532.Povolny,D., 1956, Die äusseren Genitalien der Lepidopteren und ihre taxonomische Bedeutung. Pr. brn. Zakl. csl. Akad. Ved. 28: 315-345, 4 figs.
- **533.Povolny,D.,** 1964, Gnorimoschemini trib. nov. eine neue Tribus der Familie Gelechiidae nebst Bemerkungen zu ihrer Taxonomie (Lepidoptera). Acta ent. bohemoslov. 61: 330-359, 3 pls.
- **534.Povolny,D.**, 1966, Die taxonomisch geklärten palaearktischen Gnorimoschema-Arten (Lep. Gel.) nebst Beschreibung einer neuen Art. Arkiv Zool. (2) 18 (15): 393-404, 11 Taf.

- **535.Povolny,D.**, 1967, Die Stammgeschichtlichen Beziehungen der Tribus Gnorimoschemini im Weltrahmen (Lepidoptera, Gelechiidae). Acta ent. Mus. Nat. Pragae 37: 161-232, figs.
- **536.Povolny,D.**, 1991a, Morphologie, Systematik und Phylogenie der Tribus Gnorimoschemini (Lepidoptera, Gelechiidae). Acta Sci. Natur. Acad. Sci. Bohemoslov. Brno (N.S.) 25: 1-61.
- **537.Povolny,D.**, 1991b, Zur heutigen Kenntnis von Nahrungspflanzen der Tribus Gnorimoschemini (Lepidoptera, Gelechiidae). Acta Univ. Agric. (Brno) 38: 191-204.
- **538.Prins, W.de & J. de Prins, 2**005, World Catalogue of Insects. vol. 6 Gracillariidae 502 pp. Apollo Books, Kirkeby Sand, Stenstrup Denmark.
- 539. Prout, L.B., 1921, Moths of Mesopotamia and N.W. Persia, Pt. III. Geometridae. J. Bombay nat. Hist. Soc. 28 (1): 187-191.
- **540.Prout,L.B.**, 1934-1935, Geometridae, Subfamilia Sterrhinae I,II,III, [in] Strand,E., Lepidopterorum Catalogus. Pars 61, 63, 68: 1-486, W.Junk, Berlin.
- **541.Pugaev,S.N. & V.V.Zolotuhin,** 2006, Geometrid moths of the genus Dyscia Hübner,[1825] (Lepidoptera, Geometridae) from the Lower and Middle Volga. Eversmannia 6: 3-12, figs.
- **542.Pühringer,F. & A.Kallies**, 2004, Provisional checklist of the Sesiidae of the world (Lepidoptera, Ditrysia). Mitt. Ent. ArbGem. Salzkammergut 4: 1-85 [Among valid specific names, numerous contradictions with updated results of the Global Lepidoptera Names Index by Natural History Museum, London]. See for updated list: http://www.sesiidae.net/Checklst.htm
- **543.Ragonot, E.L. & G.F. Hampson**, 1901, Monographie des Phycitinae et Galleriinae II. [in] Romanoff, N.M., Mém. lépid. 8: xiv + 602 pp. 31 Taf. St. Petersburg.
- **544.Ragonot, E.L.**, 1893, Monographie des Phycitinae et Galleriinae I. [in] Romanoff, N.M., Mém. lépid. 7: lvi + 658 pp. 26 Taf. St. Petersburg.
- **545.Raineri,V.,** 1994, Some considerations on the genus Thetidia and description oof a new genus Antonechloris gen.nov. (Lepidoptera, Geometridae). Atalanta 25 (1/2): 365-372, 13 figs.
- **546.Rajaei,H., Stüning,D. & J.Viidalepp**, 2011, A review of the species of Lithostege Hübner,[1825] 1816 (Lepidoptera, Geometridae, Larentiinae), occurring in Iran and adjacent countries, with description of two new speces from Iran and Pakistan. Zootaxa 3105: 1-46, figs.
- **547.Rajaei,H., Stüning,D. & R.Trusch,** 2012, Taxonomic revision and zoogeographical patterns of the species of Gnopharmia Staudinger,1892 (Geometridae, Ennominae). Zootaxa 3360: 1-52, figs. [with numerous mis-spellings on Turkish localities]
- **548.Rambur, J.P.**, 1832, Catalogue des Lépidoptères de l'ile de Corse, avec la description et la figure des espèces inédites. Annls Soc. ent. Fr. 1: 245-295; 2: 5-59, pls.
- **549.Rambur,J.P.,** 1836, Notice sur plusieurs Lépidoptères du midi de l'Espagne parmi lesqueis se trouve le Pap. eupheme d'Esper. Annls Soc. ent. Fr. 5: 573-588.
- 550.Razowski, J., 1959, Some remarks on Phaloniidae (Lepidoptera). Polski Pismo ent. 29: 437-446, figs.
- **551.Razowski,J.**, 1960, Studies on the Cochylidae (Lepidoptera) Part II. The genera of the Palaearctic Cochylidae. Polski Pismo ent. 30: 281-356, figs.
- **552.Razowski,J.**, 1961, Studies on Cochylidae (Lepidoptera) Part VI. Remarks on types of some Cochylidae. Polski Pismo ent. 31: 301-319, figs.
- 553.Razowski, J., 1965, The Palaearctic Cnephasiini (Lepidoptera, Tortricidae). Acta zool. cracov. 10 (3): 199-343, pls. 12-
- **554.Razowski,J.**, 1966, World fauna of the Tortricini (Lepidoptera, Tortricidae). Panstwowe Wydawnictwo Naukowe, Krakowie
- **555.Razowski,J.**, 1968a, Revision of the generic group Agapeta Hübner (Lepidoptera, Cochylidae). Acta zool. cracov. 13: 73-102, figs.
- **556.Razowski,J.**, 1968b, Revision of the generic group Cochylidia Obraztsov (Lepidoptera, Cochylidae). Polski Pismo ent. 38: 3-8, figs.
- **557.Razowski,J.**, 1968c, Revision of the generic group Cochylis Treitschke (Lepidoptera, Cochylidae). Acta zool. cracov. 13: 131-148, figs.
- **558.Razowski, J.**, 1968d, Revision of the generic group Eupoecilia Stephens (Lepidoptera, Cochylidae). Acta zool. cracov. 13: 103-130, figs.
- 559.Razowski, J., 1970a, A short catalogue of the Palaearctic Cochylidae (Lepidoptera). Acta zool. cracov. 15: 341-400.
- **560.Razowski, J.**, 1970b, Cochylidae, [in] Amsel, H.E. et al., Microlepidoptera Palaearctica 3: xiv + 529 pp., 161 Taf., Wien.
- 561.Razowski, J., 1974, Phylogeny and classification of Lepidoptera. Acta zool. cracov. 19(1): 1-18, 1 fig.
- **562.Razowski,J.**, 1977a, Catalogue of the generic names used in Tortricidae (Lepidoptera). Acta zool. cracov. 22 (6): 207-296.
- **563.Razowski,J.,** 1977b, Monograph of the genus Archips Hübner (Lepidoptera, Tortricidae). Acta zool. cracov. 22 (5): 55-206, 223 text-figs.
- **564.Razowski,J.**, 1981, Revision of the genus Aphelia Hübner (Lepidoptera, Tortricidae). Acta zool. cracov. 25 (15): 341-388, 84 figs.
- 565.Razowski, J., 1984, Tortricini, [in] Amsel, H.E. et al., Microlepidoptera Palaearctica 6: xvi + 376 pp., 101 Taf., Wien.
- **566.Razowski,J.**, 1987, The genera of Tortricidae (Lepidoptera), Part I. Palaearctic Chlidanotinae and Tortricinae. Acta zool. cracov. 30 (11): 141-355.
- 567.Razowski, J., 1989, The genera of Tortricidae Part II. Palaearctic Olethreutinae. Acta zool. cracov. 32 (7): 107-328.
- **568.Razowski, J.**, 1991, The catalogue of the species of Tortricidae (Lepidoptera), Part I. Palaearctic Chlidanotinae and Tortricinae: Cochylini, Tortricini, Ceracini, Cnephasiini. Acta zool. cracov. 34 (1): 99-162.
- **569.Razowski,J.**, 1993, The catalogue of the species of Tortricidae (Lepidoptera), Part II. Palaearctic Sparganothini Euliini Ramapesiini and Archipini. Acta zool. cracov. 35 (3): 665-703.
- **570.Razowski,J.**, 1995, The catalogue of the species of Tortricidae (Lepidoptera), Part IV. Palaearctic Olethreutinae: Microcorsini, Bactrini, Endotheniini and Olethreutini. Acta zool. cracov. 38 (2): 285-324.

- **571.Razowski,J.**, 1999, Catalogue of the species of Tortricidae Part V. Palaearctic Eucosmina and Enarmoniina (Insecta, Lepidoptera). Shilap Revta lepid. 27 (108): 437-506.
- 572.Razowski, J., 2009, Tortricidae of the Palaearctic Region volume 2 Cochylini. 195 pp. 57 pls. Krakow- Bratislawa.
- 573.Razowski, J., 2015, Diagnoses and remarks on the genera of Tortricidae (Lepidoptera), Part 3. Archipini. Acta zool. cracov. 58 (2): 195-252.
- **574.Rebel, H.,** 1891, Meyrick's Pyralidinen Classification. Stettin ent. Ztg. 52 (4/6): 103-116.
- 575.Rebel, H., 1892, Zwei Geometriden Classificationen. Stettin ent. Ztg. 53: 247-268.
- **576.Rebel,H.,** 1901, II.Theil: Famil. Pyralidae-Micropterygidae. [in] Staudinger,O. & H.Rebel, Catalog der Lepidopteren des palaearctischen Faunengebietes. 368 S. Berlin.
- 577.Reh,L., 1925, Handbuch der Pflanzenkrankheiten. Vierter Band Tierische Schädlinge an Nutzpflanzen. Erster Teil, Vierte Auflage. 483 S., 218 Abb. Berlin.
- **578.Reiss,H. & G.Reiss**, 1973, On the Zygaena Fauna of the Neighbourhood of Lake Van in Asia Minor (Lep., Zygaenidae). Entomologist's Rec. J. Var. 85: 191-196, pls.14-15.
- **579.Reiss,H. & W.G.Tremewan**, 1967, A Systematic Catalogue of the genus Zygaena Fabricius (Lepidoptera, Zygaenidae). [In] Schimitschek, E., Series Entomologica vol. 2, xvi+329 pp. Dr. W. Junk-Den Haag.
- 580.Reisser, H., 1930, Eine neue europäische Noctuide. Z. öst. Ent. Ver. 15 (1): 1-6, Taf. 1.
- **581.Reisser, H.**, 1962, Weitere neue Heteroceren aus Kreta. Z. wien. ent. Ges. 47 (12): 193-216, Taf. 20-23, figs.
- **582.Reissinger,E.,** [1990], Checkliste Pieridae Duponchel,1835 (Lepidoptera) der Westpalaearktis (Europa, Nordwestafrika, Kaukasus, Kleinasien). Atalanta 20 (1989): 149-185.
- 583.Reverdin, J.L., 1909, Pieris rapae, L., and P. manni, Mayer. Entomologist's Rec. J. Var. 21: 149-150, Pl.xiii.
- 584.Reverdin, J.L., 1916, Adopea nova, mihi, species nov. Bull. Soc. lépid. Genève 3: 122-128, pl.7,8.
- **585.Riedl,T.**, 1969, Matériaux pour la connaissance des Momphidae paléarctiques (Lep.). Partie ix. Revue des Momphidae européens, ya compris quelques especies d'Afrique du Nord et du Proche-Orient. Polskie pismo Ent. 39 (4): 635-919, 414 figs.
- **586.Riley, N.D.**, 1921, Some undescribed Rhopalocera from Mesopotamia and N.W.Persia; and other notes. Ann. Mag. nat. Hist. (9) 8: 590-600.
- 587.Riley, N.D., 1925, The species usually referred to the genus Cigaritis Boisd. Novit. zool. 32: 70-95, figs.
- **588.Robinson,G.S. & K.R.Tuck,** 1997, Phylogeny and composition of the Hieroxestinae (Lepidoptera, Tineidae). Syst. Ent. 22: 363-396, figs.
- **589.Robinson,G.S.**, 1985, The white Tineidae of North Africa and the Middle East: A revision of the Episcardia lardatella-complex (Lepidoptera). Entomologist's Gaz. 36: 269-281, figs.
- **590.Robinson,G.S.**, 1986, Fungus moths: a review of the Scardiinae (Lepidoptera, Tineidae). Bull. Br. Mus. nat. Hist. (Ent.) 52 (2): 37-181, figs.
- **591.Robinson,G.S., Ackery,P.R., Kitching,I.J., Beccaloni,G.W. & L.M.Hernandez,** 2005, Hosts a database of hostplants of the World's Lepidoptera (http://intern.nhm.ac.uk/jdsml/research-curation/projects/hostplants/index.dsml Natural History Museum, London.
- **592.Roesler,R.-U.**, 1973, Trifine Acrobasiina (1. Teilband der Phycitinae). [in] Amsel,H.G. et al., Microlepidoptera Palaearctica vol.4. Textband, xvi + 752 S., 145 Abb.; Tafelband 137 S., 37 Abb., 38 Farbtaf., 121 SW-Taf., 11 Verbreitungstab. Verlag G. Fromme Co. Wien.
- **593.Roesler,R.-U.,** 1988a, Die Gattung Myelois Hübner [1825] 1816 (Lepidoptera, Pyraloidea, Phycitinae) in der Paläarktis Taxonomische Neuorientierung und Beschreibung neuer Taxa. Ent. Z., Frankf. a. M. 98 (13): 177-192, 10 Abb.
- **594.Roesler,R.-U.,** 1988b, Untersuchungen zur Taxonomie paläarktischer Phycitinae (Lepidoptera, Pyraloidea). Beitr. Ent. 38: 65-73, figs.
- **595.Roesler,R.-**U., 1993, Quadrifine Acrobasiina Erster Teil (2. Teilband der Phycitinae). [in] Amsel,H.G., Microlepidoptera Palaearctica vol.8 (Text & Tafeln). Verlag G.Braun, Karlsruhe.
- **596.Rogenhofer,A.**, 1891, Beschreibungen neuer Varietäten von Spinner-Arten aus Syrien. Verh. zool.- bot. Ges. Wien 41 (Sitzungb.): 85-86.
- **597.Ronkay,L.,** 1984, Notes on the genus Agrochola Hübner,1821 (Lepidoptera, Noctuidae). Part II. Acta zool. hung. 30 (1/2): 179-187, 9 figs.
- **598.Rothschild, N.C.**, 1921, Moths of Mesopotamia and N. W. Persia Part I. Noctuidae, Lemoniidae and Pyralidae. J. Bomb. nat. Hist. Soc. 28: 170-183.
- 599. Rothschild, W., 1895, A revision of the Papilios of the eastern Hemisphere, exclusive of Africa. Novit. zool. 2: 167-463.
- 600. Röber, J., 1907, 2. Familie Pieridae Weisslinge, [in] Seitz, A., Die Gross-Schmetterlinge der Erde 1: 39-74, Taf.
- **601.Rühl,F.**, 1892-[1893], Die palaearktischen Grossschmetterlinge und ihre Naturgeschichte. Erster Band: Tagfalter. 1-384S. Leipzig.
- **602.Sattler, K. & W.G.Tremewan,** 1984, The Lepidoptera names of Denis & Schiffermüller- a case for stability. Nota lepid. 7 (3): 282-285.
- **603.Sattler,K.,** 1967, Ethmiidae, [in] Amsel,H.G., Gregor,F. H.Reisser (Ed.), Microlepidoptera Palaearctica vol. 2 (Text & Tafeln). Verlag Georg Fromme & Co. Wien.
- 604.Sattler, K., 1968, Die systematische Stellung einiger Gelechiidae (Lep.). Dt. ent. Z. (N.F.) 15: 111-131, figs.
- **605.Sattler,K.**, 1972, Anmerkungen zu Razowski, 1970, Cochylidae, Microlepidoptera Palaearctica, Band 3. Dt. ent. Z. N.F. 19 (4/5): 287-299.
- **606.Sattler,K.,** 1973, A Catalogue of the family-group and genus-group names of the Gelechiidae, Holcopogonidae, Lecithoceridae and Symmocidae (Lepidoptera). Bull. Br. Mus. nat. Hist. (Ent.) 28 (4): 155-282.
- **607.Sattler,K.,** 1982, A review of the western palaearctic Gelechiidae (Lepidoptera) associated with Pistacia, Rhus and Cotinus (Anacardiaceae). Entomologist's Gaz. 33: 13-32, 3 figs.
- 608.Sattler, K., 1999, The systematic position of the genus Bagdadia (Gelechiidae). Nota lepid. 22 (4): 234-240, figs.
- **609.Sauter, W. & P. Hättenschwiler**, 1991, Zum System der palaearktischen Psychiden (Lep., Psychidae). I. Teil: Liste der palaearktischen Arten. Nota lepid. 14 (1): 69-89.

- **610.Sauter, W. & P. Hättenschwiler,** 1999, Zum System der palaearktischen Psychiden (Lep., Psychidae). 2.Teil.: Bestimmungsschlüssel für die Gattungen. Nota lepid. 22 (4): 262-295, figs.
- **611.Sauter, W.**, 1968, Hilfstabellen zur Bestimmung europäischer Lycaeniden (Lep., Lycaenidae). Mitt. ent. Ges. Basel (N.F.) 18: 1-18, figs.
- 612.Sauter, W., 1987, Zum System der westpalaearktischen Gracillariidae. Mitt. schweiz. ent. Ges. 60: 307-314.
- 613.Sauter, W., 1990, Zur Systematik der Gnophos-Gruppe (Lepidoptera, Geometridae). Nota lepid. 12 (4): 328-343, 6 Abb.
- **614.Schaffer,J.C.**, 1974, A synonymic catalogue of the genera of Anerastiinae (auctorum) and Peoriinae of the world (Lepidoptera, Pyralidae). Proc. ent. Soc. Wash. 76: 467-475.
- 615.Schawerda, K., 1924, Neue Arten und Formen aus Mesopotamien. Ver. zool.-bot. Ges. Wien 73 (1923): (158)-(164), 25 figs.
- **616.Schawerda,K.**, 1932, Phlyctaenodes osthelderi species nova. Mitt. münch. ent. Ges. 22: 12-13; Z. öst. EntVer. 17: Taf.III fig.16 [recte 15].
- 617.Schawerda, K., 1940, Lepidopteren aus Mosul (Mesopotamien). Ent. Z., Frankf. a. M. 54: 113-115.
- **618.Schintlmeister,A.**, 1989, Zoogeographie der palaearktischen Notodontidae (Lepidoptera). Neue ent Nachr. 25: 1-117, 20 Abb.
- **619.Schintlmeister,A.**, 1998, Notes on some asiatic Furcula Lamarck,1816 (Lepidoptera, Notodontidae). Entomofauna 19 (2): 77-108, 4 Pls., textfigs., 4 maps.
- **620.Schintlmeister,A.,** 2004, The Taxonomy of the genus Lymantria Hübner,[1819] (Lepidoptera, Lymantriidae). Quadrifina 7: 1-248, figs.
- 621.Schintlmeister, A., 2008, Palaearctic Macrolepidoptera Vol. 1 Notodontidae. 480pp. 40 Pls. Apollo Books.
- **622.Schintlmeister,A.**, 2013, World Catalogue of Insects vol.11. Notodontidae & Oenosandridae (Lepidoptera). 608pp. Brill.
- **623.Schoorl,J.W.**, 1990, A phylogenetic study on Cossidae (Lepidoptera, Ditrysia) based on external adult morphology. Zool. Verh. 263: 1-295,138 figs., 1 pl., 33 tab.
- **624.Schoorl,J.W.**, 2001, On the distinction between Eremocossus and Dyspessa, with notes on the former (Lepidoptera, Cossidae). Nachr. ent. Ver. Apollo (N.F.) 22 (2): 88.
- **625.Schouten,R.T.A.**, 1988, Revision of the species of the genus Euchromius Guenée,1845 (Lepidoptera, Pyralidae, Crambinae) occuring in the Afrotropical Region. Zool. Verh. 244: 1-64, 91 figs.
- **626.Schouten, R.T.A.**, 1992, Revision of the genera Euchromius Guenée and Miyakea Marumo (Lepidoptera, Crambidae, Crambinae). Tijdschr. Ent. 135: 191-274, 198 figs.
- **627.Schurian, K.G. & P.Hofmann**, 1982, Die Thersamonia-Gruppe (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo, Suppl. 2: 1-59, 8 Abb. 2 Taf.
- **628.Schurian, K.G.**, 1988, Neueinteilung des Subgenus Lysandra der Gattung Polyommatus Latreille (Lepidoptera, Lycaenidae). Ent. Z., Frankf. a. M. 98 (10): 129-144.
- **629.Schurian, K.G.**, 1989, Revision der Lysandra-Gruppe des Genus Polyommatus Latr. (Lepidoptera, Lycaenidae). Neue ent. Nachr. 24: 1-181, 29 Taf.
- **630.Schüssler,H.**, 1933, Saturniidae: 1.Subfam. Attacinae. [in] Strand,E., Lepidopterorum Catalogus Pars 55. 81pp. Dr.W.Junk Berlin.
- **631.Scoble,M.J. & M.Krüger**, 2002, A review of the genera of Macariini with a revised classification of the tribe. Zool. J. Linn. Soc. Lond. 134 (3): 257-315, figs.
- **632.Scoble,M.J., Pitkin,L.M., Parsons,M., Honey,M.R. & B.R.Pitkin,** 1999, Geometrid Moths of the World. 1400 pp. CSIRO Publishing, Collingwood & Apollo Books, Stenstrup.
- **633.Scopoli, J.A.**, 1763, Entomologia Carniolica exhibens insecta Carnioliae indigena et distributa in ordines, genera, species, varietates, methodo Linn. xxxvi+420 pp., 37 pls., Vindobonae, Trattner.
- **634.Scudder,S.H.,** 1875, Historical sketch of the generic names proposed for butterflies: a contribution to systematic nomenclature. Proc. am. Acad. Arts Sci., Boston 10: 91-293.
- 635.Seitz, A., 1909, Familie: Syntomidae, [in] Seitz, A., Die Gross-Schmett. Erde 2: 37-42, pls., Stuttgart.
- **636.Seitz,A.,** 1910, Familie: Arctiidae, [in] Seitz,A., Die Gross-Schmett. Erde 2: 43-108, pls., Stuttgart.
- **637.Seyer,H.**, 1988, Euchloe belemia moslemi ssp.n. de l'Iraq (Lepidoptera, Pieridae). Linneana Belgica 11: 329-332, figs.
- **638.Shirozu,T. & H.Yamamoto,** 1956, A generic revision and philogeny of the tribe Theclini (Lepidoptera, Lycaenidae). Sieboldia 4: 329-421, 35-85 Pls.
- 639.Shirozu,T. & T.Saigusa, 1971, A New Genus of the Subfamily Apaturinae (Nymphalidae). Butterfl. Moths 22 (1/2): 7-
- **640.Sibatani,A.**, 1974, A new genus for two species of Lycaeninae (s.str.) (Lepidoptera, Lycaenidae). from Papua New Guinea. J. Aust. ent. Soc. 13: 95-110, 23 figs.
- **641.Sihvonen,P.,** 2005, Phylogeny and classification of the Scopulini moths (Lepidoptera, Geometridae, Sterrhinae). Zool. J. Linn. Soc. 143: 473-530, 135 figs.
- **642.Sinev,S.Y.**, 2002, World Catalogue of cosmopterigid moths (Lepidoptera, Cosmopterigidae). Proc. zool. Inst., St. Petersburg 293: 1-182.
- **643.Skou,P. & P.Sihvonen**, 2015, Subfamily Ennominae I, [in] Hausmann,A. (ed.), The geometrid moths of Europe 5: 1-657. Brill & Leiden.
- **644.Solis,M.A.**, 1992, Checklist of the old world Epipaschiinae and related new world genera Macalla and Epipaschia (Pyralidae). J. Lep. Soc. 46 (4): 280-297.
- **645.Solis,M.A.**, 2007, Phylogenetic studies and modern classification of the Pyraloidea (Lepidoptera). Revta Colomb. Ent. 33 (1): 1-9, figs.
- **646.Spatenka,K., Gorbunov,O.G., Lastuvka,Z., Tosevki,I. & Y.Arita**, 1996, Die Futterpflanzen der paläarktischen Glasflügler (Lepidoptera, Sesiidae). Nachr. ent. Ver. Apollo (N.F.) Suppl. 17 (1): 1-20.
- **647.Spatenka,K., Gorbunov,O.G., Lastuvka,Z., Tosevski,I. & Y.Arita**, 1999, Sesiidae Clearwings, [in] de Jong, et al. (ed.). Handbook of Palaearctic Macrolepidoptera, vol.1, xvi+569 pp. 504 figs. & maps. Gem Publishing, England.

- **648.Spatenka,K., Lastuvka,Z., Gorbunov,O.G., Tosevski,I. & Y.Arita,** 1993, Die Systematik und Synonymie der paläarktischen Glasflügler-Arten (Lepidoptera, Sesiidae). Nachr. ent. Ver. Apollo (N.F.) 14 (2): 81-114.
- **649.Speidel,W. & L.Aarvik**, 2002, Synonyms of European Tortricidae and Noctuidae, with special reference to the publications of Hübner, Geyer & Fröhlich. Nota lepid. 25 (1): 17-22.
- **650.Speidel,W., Fänger,H. & C.M.Naumann**, 1996, The phylogeny of the Noctuidae (Lepidoptera). Syst. Ent. 21: 219-251, figs.
- **651.Stainton,H.T.**, 1856, Descriptions of three species of Indian Microlepidoptera. Trans. ent. Soc. Lond. (n.s.) (2) 3 (8): 301-304.
- 652.Standfuss, M., 1892, Lepidopterologisches [in] Romanoff, N.M., Mém. Lépid. 6: 659-669, Pl.
- **653.Staudinger,O. & H.Rebel**, 1901, I.Theil: Famil. Papilionidae-Hepialidae. [in] Staudinger,O. & H.Rebel, Catalog der Lepidopteren des palaearctischen Faunengebietes. xxxii+411S. Berlin.
- **654. Staudinger, O.**, 1901, I.Theil: Famil. Papilionidae-Hepialidae. [in] Staudinger, O. & H.Rebel, Catalog der Lepidopteren des palaearctischen Faunengebietes. xxx+[2]+411S. Berlin.
- **655.Stephens,J.F.**, 1827-1835, Illustrations of British entomology; or, a synopsis of indigenous insects...Haustellata. 1 (1827-1828): 152pp., pls.1-12; 2 (1828-1829): 203pp., pls.13-24; 3 (1829-1831): 337pp., pls.25-32; 4 (1831-1835): 436 pp., pls. 33-41. Baldwin & Cradock, London.
- **656.Sterneck,J.**, 1940, Versuch einer Darstellung der systematischen Beziehungen bei den palaearktischen Sterrhinae (Acidaliinae), Studien über Acidaliinae (Sterrhinae) VII, I.Teil: Der Gattung Sterrha und deren nächste Verwandte. Z. Wien. Ent.-Ver. 25: 6-17, 25-36, 56-59, 77-79, 98-107, 126-128, 136-142, 152-159, 161-176, pl.1-10.
- **657.Sterneck,J.**, 1940-1941, Versuch einer Darstellung der systematischen Beziehungen bei den palaearktischen Sterrhinae (Acidaliinae), Studien über Acidaliinae (Sterrhinae) VIII, II.Teil: Der Gattung Scopula und deren nahe Verwandte. Z. Wien. Ent.-Ver. 25 (1940): 200-208, 214-218, pl.23-28; ibid. 26 (1941): 17-31, 41-55, 88-96, 105-116.
- **658.Sterneck,J.**, 1941, Versuch einer Darstellung der systematischen Beziehungen bei den palaearktischen Sterrhinae (Acidaliinae), Studien über Acidaliinae (Sterrhinae) IX, III-VI.Teil. Z. Wien. Ent.-Ver. 26: 150-159, 176-183, 191-198, 211-216, 217-222, 222-230, 248-262, pls.12-25.
- **659.Stoll,C.,** 1780-[1782], [in] Cramer,P., Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America 4 (part): 29-252 pp., 305-400 Pls. Amsterdam & Utrecht.
- **660.Stoll,C.,** 1787-[1790] Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America [supplement] viii+ [184] pp., 4 Pls. Amsterdam.
- 661.Strand, E., 1910, Familie: Lymantriidae, [in] Seitz, A., Die Gross-Schmett. Erde 2: 109-141, pls., Stuttgart.
- 662.Strand, E., 1911, Familie: Thaumetopoeidae, [in] Seitz, A., Die Gross-Schmett. Erde 2: 143-145, pls., Stuttgart.
- **663.Strand,E.**, 1919, Arctiidae: Subfam. Arctiinae, [in] Wagner,F., Lepidopterorum Catalogus Pars 22. 1-416 s. W.Junk, Berlin.
- **664.Strand,E.,** 1922, Arctiidae: Subfam. Lithosiinae, [in] Wagner,F., Lepidopterorum Catalogus Pars 26. 501-899 s. W.Junk, Berlin.
- **665.Stübner,A.,** 2007, Taxonomische Revision der Coleophora frischella-Artengruppe (Coleophoridae). Nota lepid. 30: 121-172, figs.
- **666.Svendsen,P.,** 1992, Polymixis bischoffi (Herrich-Schaeffer,1850) a species new to Europe (Lepidoptera, Noctuidae). Nota lepid. 14 (3) [31.xii.1991]: 244-254, figs.
- 667.Swainson, W., 1827, A sketch of natural affinities of the Lepidoptera Diurna of Latreille. Phil. Mag. (n.s.) 1(1): 180-188.
- **668.Tabell,J. & G.Baldizzone**, 2014, Coleophora mareki Tabell & Baldizzone, sp.n., a new coleophorid moth of serpylletorum species-group (Lepidoptera, Coleophoridae). Shilap Revta lepid. 42 (167): 399-408, figs.
- 669.Talbot,G., 1939, Revisional notes on the genus Colotis Hübn. (Lepid., Pieridae) with a systematic list. Trans. R. ent. Soc. Lond. 88: 173-233.
- **670.Talbot,G.,** 1943, Revisional notes on Anaphaeis Hübn. and Belenois Hübn., with descriptions of some new forms (Lep., Rhop., Pieridae). Ann. Mag. nat. Hist. (11) 10: 305-336.
- **671.Tams,W.H.T. & J.Bowden**, 1953, A revision of the African species of Sesamia Guenée and related genera (Agrotidae, Lepidoptera). Bull. ent. Res. 43: 645-678, 6 Pls.
- **672.Tarmann,G.**, 1980, Zur Biologie und Zucht von Procris (Lucasiterna) subsolana (Staudinger,1862) (Lepidoptera, Zygaenidae). Z. ArbGem. öst. Ent. 31 (3/4): 81-91, figs.
- 673.Tauber, A.F., 1970, Glaziale Reliktformen der Gattung Maniola (Lep. Satyridae) in Vorderasien. Z. ArbGem. öst. Ent. 22(4): 101-119, 13 Abb.
- **674.Thomas,W.**, 1988, Callimorpha splendidior Tams eine eigene Art (Lepidoptera, Arctiidae). Nachr. ent. Ver. Apollo (N.F.) 9 (3): 177-186, 4 Abb.
- **675.Toll,S.**, 1959, Coleophoriden aus Iran und Iraq der Ausbeute E.P.Wiltshire (Lepidoptera, Coleophoridae). Bull. Soc. ent. Egypte 43: 331-346, 53 Abb.
- 676.Tolman,T. & R.Lewington, 1997, Butterflies of Britain and Europe. 320pp., 104 pls., 429 maps. Harper Collins Publ. London.
- **677.Toth,J.P.,** 2012, Taxonomy, distribution and ecology of Melitaea ornata (Lepidoptera, Nymphalidae). PhD Thesis, 117pp. Debrecen. [access 20 9 2014].
- **678.Tränkner,A., Li,H. & M.Nuss,** 2009, On the systematics of Anania Hübner,1823 (Pyraloidea, Crambidae, Pyraustinae). Nota lepid. 32 (1): 63-60, figs.
- **679.Tremewan,W.G.**, 1961, The subgenera of the genus Zygaena Fabricius, Lepidoptera: Zygaenidae. Entomologist's Rec. J. Var. 73: 200-203.
- **680.Tremewan, W.G.**, 1973, A catalogue of the genus-group names of the Zygaenidae (Lepidoptera). Bull. Br. Mus. (Nat. Hist.) Ent. 28 (3): 111-151.
- **681.Tremewan, W.G.,** 1988, A bibliography of the Zygaeninae (Lepidoptera, Zygaenidae). 188pp. Colchester.
- **682.Trusch,R. & S.Erlacher**, [2003], Taxonomic changes in the geometrid moths taxon Dyscia Hübner,[1825] (Lepidoptera, Geometridae, Ennominae). Eur. J. Ent. 99 (4): 529-541.

- 683.Trusch,R. & S.Erlacher, 2001, Zur Morphologie, Verbreitung, Bionomie und Identifikation der Dyscia-Arten. Bonner zool. Monogr. 49: 1-116, 12 Pls.
- 684. Tshikolovets, V., Naderi, A. & W. Eckweiler, 2014, The butterflies of Iran and Iraq. 440pp. 72 pls.
- 685.Tutt, J.W., 1892a, [Reply to "Classification by structure of imago by E.Meyrick"]. Entomologist's Rec. J. Var. 3: 106-111.
- 686.Tutt, J.W., 1892b, Classification by neuration. Entomologist's Rec. J. Var. 3: 50-51.
- **687.Tutt,J.W.**, 1894, The life-history of a lepidopterous Insect, comparising some account of its morphology and physiology. I. Classification. Entomologist's Rec. J. Var. 5: 65-68, 89-92.
- **688.Ustjuzhanin, P.Y.**, 2001, New species, distribution records and synonymies of Plume Moths (Lepidoptera, Pterophoridae) from the Palaearctic Region. Nota lepid. 24 (3): 11-32.
- **689.Uygun,N.**, et al., 1995, A serious citrus pest: Citrus leafminer, Phyllocnistis citrella Stainton (Lepidoptera, Gracillariidae). Turk. J. Ent. 19: 247-252.
- **690.Uygun,N., et al.,** 1997, Studies on biological control of Phyllocnistis citrella Stainton (Lepidoptera, Gracillariidae) in Turkey. Integrated Control in Citrus Fruit Crops, IOBC wprs Bulletin 20: 96-101.
- **691.Vane-Wright,R.I. & P.R.Ackery**, 1984, The Biology of Butterflies. 429 pp. 34 figs. Princeton University Press, New Jersey.
- **692.Varga,Z.,** 1975, Zoogeographische Gliederung der palaearktischen Orealfauna. Verh. des Sechsten Int. Symp. über Entomofaunistik in Mitteleuropa: pp. 263-284, 6 Abb. Junk & The Hague.
- **693.Varga,Z.**, 1977, Das Prinzip der areal-analytischen Methode in der Zoogeographie und die Faunenelemente-Einleitung der europäischen Tagschmetterlinge (Lepidoptera, Diurna). Acta univ. debrecen (Ser.2) Biologica 14: 223-285, 33 Abb.
- 694. Verity, R., 1905-1911, Rhopalocera palaearctica. Papilionidae et Pieridae. 86+368 pp. 2+12+72 pls. Firenze.
- 695. Verity, R., 1914, Dates of Publication of "Rhopalocera Palaearctica". Novit. zool. 21: 426.
- **696.Verity,R.,** 1929, The asiatic origins of the Western palaearctic Rhopalocera examplified by Melitaea didyma Esp. Entomologist's Rec. J. Var. 41: 31-34, 39-43, 63-67, 72-76, 89-91, 111-118, 127-132.
- **697.Verity,R.,** 1939, Race persane du Palaeoloweia tityrus Poda,1761 =dorilas Hufnagel,1766=dorilis (par lapsus) Stdgr.,1861. Lambillionea 39: 183-186.
- 698.Viidalepp,J., 2011, A morphological review of tribes in Larentiinae (Lepidoptera, Geometridae). Zootaxa 3136: 1-44, figs.
- 699.Villers, C.de, 1789, Caroli Linnaei entomologia faunae Suecicae descriptionibus aucta. Tomus secundus. 16 + 656 pp., Lugduni.
- **700.Vives Moreno,A.**, 1988, Catalogo Mundial Sistematico y de Distribucion de la Familia Coleophoridae Hübner, [1825] (Insecta, Lepidoptera). Bol. San. Veg. 12: 1-196.
- **701.Wagener,S.**, 1988, Wer hat als Autor des Gattungsnamens Parnassius (Lepidoptera, Papilionidae) zu gelten? Nota lepid. 11 (3): 237-238.
- 702. Wagener, S., 1990, 10 Thesen zum Arten- und Biotopschutz der Schmetterlinge. Atalanta 20 (1989): 131-133.
- **703.Wagner,H. & R.Pfitzner**, 1911, Hepialidae. [in] Aurivillius,C. & H.Wagner, Lepidopterorum Catalogus Pars 4. 26pp. Dr.W.Junk Berlin.
- **704.Wagner, H.**, 1913-1919, Sphingidae, [in] Wagner, H., Lepid. Cat., Pars 12 (1913), Pars 18 (1914), Pars 21 (1915), Pars 23 (1919). 440 pp., Berlin.
- **705.Wahlberg,N.**, 2000, The ecology and evolution of Melitaeine butterflies. PhD Thesis. Univ. Helsinki, Finland. [access 20 9 2014].
- **706.Walker, F.**, [1863], List of the specimens of lepidopterous insects in the collection of the British Museum. Geometrides. 26: 1479-1796. London.
- 707.Walker,F., 1854a, List of the specimens of lepidopterous insects in the collection of the British Museum 1: 1-278. London.
- 708.Walker,F., 1854b, List of the specimens of lepidopterous insects in the collection of the British Museum 2: 279-582. London.
- **709.Walker,F.**, 1855a, List of the specimens of lepidopterous insects in the collection of the British Museum 3: 583-775. London.
- **710.Walker,F.,** 1855b, List of the specimens of lepidopterous insects in the collection of the British Museum 4: 776-976. London.
- 711.Walker, F., 1855c, List of the specimens of lepidopterous insects in the collection of the British Museum 5/6: 977-1508. London.
- **712.Walker,F.,** 1856a, List of the specimens of lepidopterous insects in the collection of the British Museum 7: 1509-1808. London.
- 713.Walker,F., 1856b, List of the specimens of lepidopterous insects in the collection of the British Museum 8: 1-271. London.
- 714.Walker,F., 1856c, List of the specimens of lepidopterous insects in the collection of the British Museum 9: 1-257. London.
- **715.Walker,F.,** [1857a], List of the specimens of lepidopterous insects in the collection of the British Museum 10: 258-491. London.
- 716.Walker, F., 1857b, List of the specimens of lepidopterous insects in the collection of the British Museum 11: 493-764. London.
- 717. Walker, F., 1857c, List of the specimens of lepidopterous insects in the collection of the British Museum 12: 765-982.
- **718.Walker,F.,** 1857d, List of the specimens of lepidopterous insects in the collection of the British Museum 13: 983-1236. London.
- 719. Walker, F., 1858a, List of the specimens of lepidopterous insects in the collection of the British Museum. Noctuidae 14: 1237-1520. London.
- **720.Walker,F.,** 1858b, List of the specimens of lepidopterous insects in the collection of the British Museum. Noctuidae 15: 1521-1888. London.

- **721.Walker,F.,** [1859a], List of the specimens of lepidopterous insects in the collection of the British Museum. Deltoides 16: 1-253. London.
- **722.Walker,F.,** 1859b, List of the specimens of lepidopterous insects in the collection of the British Museum 17: 255-508. London.
- **723.Walker,F.,** 1859c, List of the specimens of lepidopterous insects in the collection of the British Museum 18: 509-798. London.
- **724.Walker,F.,** 1859d, List of the specimens of lepidopterous insects in the collection of the British Museum 19: 799-1036.
- **725.Walker,F.,** 1860a, List of the specimens of lepidopterous insects in the collection of the British Museum 20: 1-276. London.
- **726.Walker,F.,** 1860b, List of the specimens of lepidopterous insects in the collection of the British Museum 21: 277-498. London.
- **727.Walker,F.,** 1861a, List of the specimens of lepidopterous insects in the collection of the British Museum 22: 499-755. London.
- **728.Walker,F.,** 1861b, List of the specimens of lepidopterous insects in the collection of the British Museum 23: 757-1020. London.
- **729.Walker,F.**, 1862a, List of the specimens of lepidopterous insects in the collection of the British Museum. Geometrides. 24: 1021-1280. London.
- **730.Walker,F.,** 1862b, List of the specimens of lepidopterous insects in the collection of the British Museum. Geometrides. 25: 1281-1478. London.
- 731. Walker, F., 1863, List of the specimens of lepidopterous insects in the collection of the British Museum. Crambites & Tortricites 27: 1-286. London.
- **732.Walker,F.,** 1864a, List of the specimens of lepidopterous insects in the collection of the British Museum. Crambites & Tortricites 28: 287-561. London.
- 733.Walker,F., 1864b, List of the specimens of lepidopterous insects in the collection of the British Museum. Tineites 29: iv+563-835. London.
- 734.Walker,F., 1864c, List of the specimens of lepidopterous insects in the collection of the British Museum Tineites 30: iv+837-1096. London.
- **735.Walker,F.**, 1865a, List of the specimens of lepidopterous insects in the collection of the British Museum. Supplement 31: 1-322. London.
- **736.Walker,F.**, 1865b, List of the specimens of lepidopterous insects in the collection of the British Museum. Supplement 32: 323-706. London.
- **737.Walker,F.,** 1865c, List of the specimens of lepidopterous insects in the collection of the British Museum. Supplement 33: 707-1120. London.
- 738. Walker, F., [1866a], List of the specimens of lepidopterous insects in the collection of the British Museum. Supplement 34: 1121-1534. London.
- 739.Walker,F., 1866b, List of the specimens of lepidopterous insects in the collection of the British Museum 35: 1535-2040. London.
- 740. Walsingham, R.H. & J.H. Durrant, 1898, Note on Goeze's Beiträge. Entomologist's mon. Mag. 34: 180.
- 741.Warren, B.C.S., 1942, Genus Pandoriana gen. nov. A preliminary description. Entomologist 75: 245-246.
- 742.Warren, W., 1909-1913, Familia Noctuidae, [in] Seitz, A., Die Gross-Schmett. Erde 3: pp. 9-444, Taf., Stuttgart.
- 743. Warren, W., 1912, Familia Cymatophoridae, [in] Seitz, A., Die Gross-Schmett. Erde 2: pp. 321-333, Taf., Stuttgart.
- **744.Watkins, H.T.G.**, 1921, Moths of Mesopotamia and N. W. Persia Part II. Sphinges & Bombyces. J. Bomb. nat. Hist. Soc. 28: 184-186.
- **745.Watson,A., Fletcher,D.S. & I.W.B.Nye,** 1980, Noctuoidea (part), [in] Nye, I.W.B., The Generic Names of Moths of the World vol.2. London.
- **746.Watson,E.Y.**, 1893, A proposed classification of the Hesperiidae, with a revision of the genera. Proc. zool. Soc. Lond. 1893: 3-132, 3 Pls.
- **747.Watson,J.**, 1895, On the rearrangement of the Fabrician genus Colias, and the proposal of a new genus of Pierinae. Entomologist 28: 166-168.
- **748.Watson,L. & M.J.Dallwitz**, 2007, British insects the genera of Lepidoptera Geometridae. http://delta-intkey.com/ [access 1 10 2010]
- 749. Watson, L. & M.J.Dallwitz, 2007, British insects the genera of Lepidoptera Noctuidae. http://delta-intkey.com/laccess1102010
- **750.Weber,P.,** 1957, Schneideraria pistaciella gen. spec. nov. (Lepidoptera, Gelechiidae), ein Schädling an Pistazien. Mitt. schweiz. ent. Ges. 30: 68-72, 5 figs.
- **751.Wehrli, E.**, 1938, Nachtrag zu meiner Arbeit in Nr.31 d. J. Seite 354. Ent. Rdsch. 55: 433-435.
- 752.Wehrli, E., 1938, Neue Gattungen, Untergattungen, Arten und Rassen von Geometriden (Lep.). Ent. Rdsch. 55: 354-360.
- **753.Wehrli,E.**, 1939, Einige neue Arten und Rassen aus dem südwestlichen Iran und aus dem Irak, sowie ein neues Subgenus aus dem letzteren (Lepidoptera, Geometridae). Mitt. münch. ent. Ges. 29 (1): 69-77.
- 754.Wehrli, E., 1939-1954, Subfamilie: Geometrinae. [In] Seitz, A., Die Gross-Schmetterlinge der Erde (Suppl.) 4: 254-685, Pls. Stuttgart.
- 755.Wehrli, E., 1950, Die Einteilung der Gattung Dyscia Hbn. Ent. Ber., Amst. 13: 77-80, 6 figs.
- **756.Wei,C.-H., Kun,A. & S.-H.Yen,** 2007, A preliminary analyses [sic!] of the phylogeny of the Ethmiinae moths (Lepidoptera, Gelechioidea) with special reference to the evolutionary patterns of host use. Acta zool. hung. 53 (Suppl.1): 61-100, figs.
- **757.Weiss, J.-C.**, 1991-1992, The Parnassiinae of the World. 2 pts. 48pp + 87pp. Pls.
- 758.Westwood, J.O., 1838-1840, An Introduction to the modern classification of Insects; founded on natural habits and corresponding organization of different families. 2 vols. Logman. London.

- **759.Whalley,P.E.S.**, 1963, A Revision of the World species of the genus Endotricha Zeller (Lepidoptera, Pyralidae). Bull. Br. Mus. (Nat. Hist.) Ent. 13 (11): 395-454, 37 Pls., 314 figs.
- **760.Whalley,P.E.S.**, 1964, Catalogue of the Gallerinae (Lepidoptera, Pyralidae) with descriptions of new genera and species. Acta zool. cracov. 9 (10): 561-618, figs.
- **761.Whalley,P.E.S.**, 1970, A synonymic catalogue of the genera of Phycitinae (Lepidoptera, Pyralidae). Bull. Br. Mus. nat. Hist. (Ent.) 25: 31-72. London.
- **762.Whalley,P.E.S.**, 1973, The genus Etiella Zeller (Lepidoptera, Pyralidae): A zoogeographic and taxonomic study. Bull. Br. Mus. (Nat. Hist.) Ent. 28 (1): 1-21, 1 textfig., 7 maps, 15 Pls.
- **763.Willmott,K.R.**, 2003, Cladistic analysis of the Neotropical butterfly genus Adelpha (Lepidoptera, Nymphalidae), wit comments on the subtribal classification of Limenitini. Syst. Ent. 28: 279-322, figs.
- 764. Wiltshire, E.P., 1936, A new species of Earias Hb. (Lepidoptera, Noctuidae). Entomologist 69: 239-240.
- **765.Wiltshire, E.P.**, 1937, Autumnal Lepidoptera in Kurdistan. Preliminary notes on some excursions in the Rowanduz Chai Valley, Iraq. Entomologist's Rec. J. Var. 49: 91-94, 107-109, pl.vii.
- **766.Wiltshire, E.P.**, 1938, Notes on the winter flight; in mild climates, of vernal and autumnal moths. Entomologist's Rec. J. Var. 50: 144-146.
- **767.Wiltshire,E.P.,** 1939a, A third contribution to the knowledge of the early stages of Oriental Lepidoptera. Mitt. münch. ent. Ges. 29: 4-12, pl.1.
- **768.Wiltshire, E.P.,** 1939b, Lepidoptera of a Bagdad Orchard. Entomologist's Rec. J. Var. 51: 13-17.
- **769.Wiltshire,E.P.**, 1939c, More notes on Kurdish Lepidoptera, with description of a new race and comparisons with Luristan and Alvand, Iran. Entomologist's Rec. J. Var. 51: 97-103, 133-138.
- 770. Wiltshire, E.P., 1940a, Early stages of oriental palaearctic Lepidoptera, IV. Entomologist's Rec. J. Var. 52: 69-74, pl.iv.
- 771. Wiltshire, E.P., 1940b, Insect biotops in Syria, Iraq, and Iran. Ecological first impressions. Entomologist's Rec. J. Var. 52: 43-52.
- 772. Wiltshire, E.P., 1940c, Some notes on migrant Lepidoptera in Syria, Iraq and Iran. Entomologist 73: 231-234.
- 773. Wiltshire, E.P., 1941a, Mesopotamian Desert Lepidoptera. J. Bomb. Nat. Hist. Soc. 42 (4): 826-842.
- 774. Wiltshire, E.P., 1941b, The phenological classification of Palaearctic Lepidoptera. A preliminary essay. Entomologist's Rec. J. Var. 53: 101-106.
- 775. Wiltshire, E.P., 1941c, The summer flight; in cold climates of vernal and autumnal Lepidoptera. Entomologist's Rec. J. Var. 53: 4-7.
- 776.Wiltshire, E.P., 1943a, Early stages of Oriental Palaearctic Lepidoptera V. J. Bomb. nat. Hist. Soc. 43 (4): 621-634, 2 pls.
- 777. Wiltshire, E.P., 1943b, Substitute food-plants. Entomologist's Rec. J. Var. 55: 79-85.
- 778. Wiltshire, E.P., 1944a, The butterflies and moths (Lepidoptera) of Iraq. Baghdad.
- 779. Wiltshire, E.P., 1944b, Two visit to the Hammar lake, with a discussion of S. Iraqian marsh fauna. Entomologist's Rec. J. Var. 56: 14-16.
- 780. Wiltshire, E.P., 1946, Middle East Lepidoptera: New forms and species, vii. Entomologist's Rec. J. Var. 58: 25-31, Pls.
- **781.Wiltshire**, E.P., 1947, Middle East Lepidoptera, VII. Some more new species and forms from Iran. Entomologist's Rec. J. Var. 59: 109-111, 125-127, pl.v.
- **782.Wiltshire,E.P.,** 1949a, Middle East Lepidoptera,IX [X]. New species and forms from Arabia and Persia, with a description of the genus Tamsola from Iraq. Bull. Soc. Fouad I Ent. 33: 353-372, Pls., figs.
- **783.Wiltshire, E.P.,** 1949b, Some more new records of Lepidoptera from Cyprus, Iraq and Iran. Entomologist's Rec. J. Var. 61: 73-76
- **784. Wiltshire, E.P.**, 1951, A year on a Tigris Island. J. Bomb. nat. Hist. Soc. 49 (4): 637-660, 3 pls., figs. map.
- 785. Wiltshire, E.P., 1957a, Erste Stände palaearktischer Lepidopteren. XI. Z. wien. ent. Ges. 42: 149-155, Taf.12.
- 786.Wiltshire, E.P., 1957b, The Lepidoptera of Iraq. Nicholas Kaye Ltd. London.
- **787.Wiltshire, E.P.**, 1958, New species and forms of Lepidoptera from Afghanistan and Iraq. J. Bomb. nat. Hist. Soc. 55 (2): 228-237, 1 Pl., figs.
- 788.Wiltshire, E.P., 1962, Early stages of old world Lepidoptera- XII. J. Bomb. nat. Hist. Soc. 59 (3): 778-799, 4 pls.
- **789.Wiltshire, E.P.**, 1966, Österreichische entomologische Iran-Afghanistan Expeditionen. Beiträge zur Lepidopterenfauna, Teil 9. Subfamilie Sterrhinae (Lep., Geometridae). Middle East Lepidoptera XXII. Z. wien. ent. Ges. 51: 113-138, 4 Taf., 32 figs.
- **790.Wiltshire, E.P.,** 1970, A review of the genus Pericyma Herrich-Schäffer and neighbouring genera (Noctuidae). Veröff. zool. St. Samml. München 14: 92-111, figs.
- **791.Wiltshire,E.P.,** 1976, Middle East Lepidoptera, xxxiii. Some new Lasiocampidae, Noctuidae, Geometridae and Limacodidae. Z. ArbGem. öst. Ent. (1975) 27 (3/4): 73-84, 7 figs. 2 Pls.
- **792.Wiltshire**, E.P., 1977, Middle East Lepidoptera, XXXVII. Notes on the Spodoptera litura (F.)- Group (Noctuidae-Trifinae). Proc. Br. ent. Nat. Hist. Soc. 1977: 92-96, 7 figs.
- **793.Wiltshire, E.P.**, 1979, A revision of the Armadini (Lep., Noctuidae). Entomonograph 2: 1-78, 20 text-figs. 198 plate-figs. Denmark.
- **794.Wiltshire**, E.P., 1985, Middle East Lepidoptera xliv. Eupithecia penultimaria sp.n. (Geometridae) from central Iraq. Entomologist's Gaz. 36: 263-267, Pl.9, 6 figs.
- **795.Wiltshire**, E.P., 1993, Middle East Lepidoptera 50: Notes on some hitherto misunderstood forms near Polymixis bischoffii (Herrich-Schäffer, 1850) (Noctuidae). Nota lepid. 15 (3/4): 257-267, 13 figs.
- 796.Witt,T., 1974, Peridea korbi Rebel, bona species, und ihre Rassen (Lep., Notodontidae). Z. ArbGem. öst. Ent. 24(3): 89-102, 2 Taf.
- 797.Witt,T., 1982, Die Verbreitung von Lasiocampa grandis (Rogenhofer,1891) in Europa (Lepidoptera, Lasiocampidae). NachrBl. bayer. Ent. 31 (2): 27-31, map.
- 798.Witt, T.J., 1983, Stygia mosulensis Daniel, 1965 (Lepidoptera, Cossidae) new for Iran. Entomologist's Gaz. 34: 236.
- 799.Yakovlev, R.V., 2008, Notes about the genus Eremocossus Hampson, 1892 (Lepidoptera, Cossidae). Atalanta 39 (1/4): 404-411, figs.

- 800.Yakovlev, R.V., 2009, Catoptinae subfam.n., a new subfamily of Carpenter-moths (Lepidoptera, Cossidae). Ent. rev. 89 (8): 927-932 [Zool. Zh. 88 (10): 1207-1212]
- 801.Yakovlev, R.V., 2011, Catalogue of the family Cossidae of the Old World. Neue ent. Nachr. 66: 1-129.
- 802. Yaman, I.K.A. & S.J. Jarjes, 1967, Insects of field crops in N.W. Iraq. Z. angew. Ent. 60 (1/4): 387-394, 1 fig.
- 803.Yen,S.-H. & J.Minet, 2007, Cimelioidea: A new superfamily name for the Gold Moths (Lepidoptera, Glossata). Zoological Studies 46 (3): 262-271, figs.
- **804.Zagulyaev,A.K.,** 1975, Fauna of the U.S.S.R. Nasekomye Cheshuekrylye, vol.4 no 5 Nastoyashchie Moli (Tineidae). 547pp., figs. Nauka Publishers, Leningrad.
- 805.Zaspel,J.M. & M.A.Branham, 2008, World checklist of Tribe Calpini (Lepidoptera, Noctuidae, Calpinae). Insecta Mundi 47: 1-15.
- **806.Zeller,P.C.**, 1846, Beschreibung der Trichosoma löwii nov. sp. nebst Bemerkungen über Carrenno's "Insecte, dont l'ordre est incertain". Stettin ent. Ztg. 7: 5-11.
- **807.Zhdanko,A.B.,** 1994, Systematics and distribution of Lycaenidae of the genus Thersamonia (Lepidoptera) [sic]. Ent. Obozr. 73(1): 144-152, 21 figs. [in Russian].
- **808.Zolotuhin,V.V.**, 2007, An annotated distributional checklist of the genus Trichiura Stephens,1828 with description of six new taxa especially from Asia Minor (Lepidoptera, Lasiocampidae). Nachr. ent. Ver., Apollo Suppl. 19: 37-48, figs. [with serious geographical errors in the text].

Appendix

Table 4 – Updated locality codes of Iraq.

| 0.1 | | 1' . |
|--------------|--|--------------------------|
| Codes Agh | Abu-Ghraib (IQ) | coordinates |
| Agn | Akra (IQ) | |
| Ama | Amadiya (Dk IQ) | (37°08′N 43°29′E) |
| Amr | Amarah (IQ) | (31°49'N 47°09'E) |
| Azz | Azizieh (IQ) | (O- 1) - 1 - 7 - 7 - 7 |
| Bag | Baguba (IQ) | |
| Bgd | Baghdad (IQ) | (33°21'N 44°24'E) |
| Bji | Baiji (Krk IQ) | 1.00 |
| Brs | Berserini (IQ) | |
| Bsr | Basra (IQ) | (30°95′N 47°45′E) |
| Bsy | Busaya (IQ) | (30)31 4/ 432) |
| Chom | Choman (IQ) | |
| Dbd | Darbadikhan 550m (Su IQ) | |
| Dia | Diana (IQ) | |
| Diw | Diana (IQ) Diwania (IQ) | |
| | | |
| Dk | Dahuk (IQ) | |
| Dls | Dole Sakran 1325m (IQ) | |
| Dok | Dokan 550m (Su IQ) | |
| Dy | Dyala (IQ) | ((0 |
| Er | Erbil (IQ) | (36°11′N 44°01′E) |
| Fat | Fatha Gorge (IQ) | |
| Fk | Fukka (IQ) | |
| Had | Haditha (IQ) | |
| Hil | Hillah (IQ) | |
| Hjo | Haj Omran (Er IQ) | (36°41'N 45°02'E) |
| Hmm | Hamam-Alil 210m (IQ) | (36°09'17"N 43°15'33"E) |
| IQ | Iraq | |
| Jd | Jebel Darwishka (IQ) | |
| JHa | Jebel Hamrin (IQ) | |
| Jle | Jale 740m (IQ) | |
| Kad | Kadish (IQ) | |
| Kala | Kalak 290m (Er IQ) | |
| Kbl | Karbala (IQ) | (32°36′N 44°02′E) |
| Kku | Kirkuk (IQ) | (35°28'N 44°23'E) |
| Koi | Koisanjaq (IQ) | (00 === 11 =0 =) |
| Kq | Khanaqin [Hanekin] 220m (IQ) | (34°18'52"N 45°22'20"E) |
| Kqr | Kane Qara 555m (IQ) | (34 10 52 10 45 22 20 E) |
| Kqr | Kaile Qara 555iii (1Q) Kizil Robat (IQ) | |
| Ksd | Khorsabad 300m (Mos IQ) | |
| | | |
| Kum | Kumait (IQ) | |
| kut | Kut (IQ) | |
| Mj | Mirjana (IQ) | |
| Mnd | Mandali (IQ) | (o(0+o N+-0 T) |
| Mos | Mosul (Nw IQ) | (36°19'N 43°09'E) |
| Mq | Muqdadia (IQ) | |
| Njf | Nejf (IQ) | |
| Nsr | Nasiria (IQ) | |
| Nw | Ninawa (IQ) | |
| Pjw | Penjwin 1500m (Su IQ) | |
| Qg | Qaraghan 140m (=Jalula) (IQ) | (34°14'11"N 45°09'59"E) |
| Qr | Qurnah (IQ) | |
| Rba | Rutba (IQ) | (33°01'N 40°17'E) |
| Rmd | Ramadi 6om (IQ) | |
| Rwz | Rowanduz (Er IQ) | (36°36′N 44°30′E) |
| Ry | Rayat (Er IQ) | 2 0 |
| | 1 5 0 | L |

| Sbn | Sharaban (IQ) | |
|------|-----------------------|-------------------------|
| Sel | Seleucia (IQ) | |
| Sfw | Safwan (IQ) | |
| Shq | Shaqlawa (Er IQ) | (36°23′N 44°19′E) |
| Sjr | Sinjar 600m (IQ) | |
| Slf | Sulaf (IQ) | |
| Slh | Salahuddin (Er IQ) | |
| Smr | Samarra (IQ) | (34°12'N 43°52'E) |
| Sora | Soran (IQ) | |
| Ssa | Sersang (IQ) | |
| S-T | Suwara Tooka (IQ) | |
| Su | As Sulaymaniyah (IQ) | (35°33'N 45°26'E) |
| Tfa | Telafar 390m (IQ) | (36°22'17"N 42°26'09"E) |
| Tkr | Tikrit (IQ) | (34°36′N 43°42′E) |
| TlH | Tel Hawa (IQ) | |
| Tqq | Taqtaq 400m (IQ) | |
| Ttl | Thartar lake (Bgd IQ) | |
| Ttp | Ttopco 525m (IQ) | |
| Ukh | Ukhaider (IQ) | |
| Zbr | Zubair (IQ) | |
| Zw | Zawita (IQ) | |

C on tents: Kemal, M., & A. Ö. Koçak, A synonymous and distributional list of the Lepidoptera of Iraq based on the info-systems of the Cesa, p.114 - editorial, p. 209.

Priamus⁴ ISSN 1015-8243

Priamus is the first international serial publication of the Centre for Entomological Studies Ankara, established in 1981, and appears in volumes at irregular intervals. Each volume is composed of parts. This serial is regularly and permanently archived in the recognized international site, "The Internet Archive", in accordance with the Rules of the International Code of Zoological Nomenclature (Article 8.5.3.1).

It includes larger original articles of the research workers of the Centre, regarding taxonomy, morphology, bibliography, check-list, catalogue of Insects, especially Lepidoptera, as well as papers on faunistic, ecological and distributional researches. The publication languages are English or Turkish.

Centre for Entomological Studies Ankara



(A scientific Consortium) (co-operation of research workers for pure-scientific, not commercial purpose)

Web Page of the Cesa: http://www.cesa-tr.org/

Scientific Serials: Priamus & Priamus Supplement (ISSN 1015-8243)5, Miscellaneous Papers (ISSN 1015-8235)6, Memoirs (ISSN-8227)7 DVD Films⁸, Iconographia Insectorum⁹ (online), Cesa Publications on African Lepidoptera (online)¹¹, Cesa News (online)¹¹, Cesa Books (online) 12

Owners / Sahipleri - Editors / Yayıncılar: Prof. em Dr Ahmet Ömer Koçak (c/o Van Yüzüncü Yıl University, Van, Turkey), Asst.

Prof. Dr Muhabbet Kemal Koçak (c/o Van Yüzüncü Yıl University, Van, Turkey).

Editorial Board of all Scientific Serials of the CESA / Bütün Bilimsel Yayınların Yayın Kurulu: Insecta, taxonomy, nomenclature, ecology, faunistics: Prof. Dr Ahmet Ömer Koçak (c/o Van Yüzüncü Yıl Üniversitesi, Turkey), Asst. Prof. Dr Muhabbet Kemal Koçak (Van Yüzüncü Yıl University, Turkey).

Chief referees of all Scientific Serials of the CESA: Prof. em Dr Ahmet Ömer Koçak & Asst. Prof. Dr Muhabbet Kemal Koçak; In secta, taxonomy, nomenclature, fauna, ecology, catalogues, checklists of the Old World.

Expert referees according to the subject areas: Dr Peter Huemer (Austria): Gelechiidae, and some Microlepidoptera groups in Palaearctic (Lepidoptera). Dr J. B. Heppner (U.S.A.): Microlepidoptera of Nearctic and Neotropical. Dr G. Baldizzone (Italy): Coleophoridae (Lepidoptera). Dr V. Korneyev (Ukraine): Tephritidae, Pyrgotidae, Ulidiidae (Diptera). Prof. Dr Y.G. Verves (Ukraine): Sarcophagidae (Diptera). Dr Daniel Burckhardt (Switzerland): Psyllidae (Homoptera). Prof. Dr E. Heiss (Austria): Hemiptera. Dr R. Ehrmann (Germany): Mantodea. Prof. Dr Mustafa Ünal (Bolu, Turkey): Orthoptera. Prof. Dr Hüseyin Özdikmen (Turkey): Coleoptera. Prof. Dr Suat Kıyak (Turkey): Hemiptera.

Molecular studies: Ass. Prof. Dr Sibel Kızıldağ (Van Yüzüncü Yıl University, Van, Turkey).

Plant taxonomy, flora and vegetation: Assoc. Prof. Dr Murat Ünal, Asst. Prof. Dr Mesut Pınar, (Van Yüzüncü Yıl University, Van,

Editorial policy: The submitted manuscript is evaluated by the Chief Editor and Referee. In case of need, the manuscript is sent to expert referees according to the subject areas.

ALL RIGHTS RESERVED

Correspondences should be addressed to: Prof. em Dr Ahmet Ömer Koçak, c/o Van Yüzüncü Yıl University, Fen Fakültesi, Biyoloji Bölümü, Kampus, Van / Turkey. - e-mail: cesa tr@yahoo.com.tr

All the serials of the Cesa are archived regularly by the Internet Archive (300 Funston Ave., San Francisco, CA 94118, U.S.A.), in accordance with the rules of the International Codes of Zoological Nomenclature (ICZN) https://archive.org/

also recorded regularly by the Zoological Record, Thomson Reuters, Enterprise House, Innovation Way, Heslington, York, YO10 5NQ, United Kingdom, https://clarivate.com/

209

List of the Lepidoptera of Iraq...

⁴ http://www.cesa-tr.org/Priamus.htm - pdf available after corresponding; *Priamus* (online) available at the Internet Archive.

⁵ http://www.cesa-tr.org/Pri.htm

⁶ http://www.cesa-tr.org/Miscell.htm

⁷ http://www.cesa-tr.org/Memoirs.htm

⁸ http://www.cesa-tr.org/CDF.htm

⁹ http://www.cesa-tr.org/Icon.htm

¹⁰ http://www.cesa-tr.org/CPAL.htm

¹¹http://www.cesa-tr.org/Cesanews.htm

¹² http://www.cesa-tr.org/Cesabooks.htm